

# Hello L<sup>A</sup>T<sub>E</sub>X

John McAvoy

February 8, 2019

## Contents

<b>1</b>	<b>Sections</b>	<b>1</b>
1.1	Sub-Sections . . . . .	1
1.1.1	Sub-Sub-Sections . . . . .	1
<b>2</b>	<b>Making lists</b>	<b>2</b>
2.1	Enumerations . . . . .	2
2.2	Itemizations . . . . .	2
2.3	Tables . . . . .	2
2.4	Images . . . . .	2
2.5	Equations . . . . .	2
	Hello World!	

*Hello there! I am an italic font*

**I am a bold one**

I am an underlined font

*I use emph for emphasis, EMPHASIS!*

## 1 Sections

Sections are useful ways to break-up your paper

### 1.1 Sub-Sections

Subsections specify even more detail

#### 1.1.1 Sub-Sub-Sections

Subsubsections are cool too!

## 2 Making lists

### 2.1 Enumerations

1. I am number 1!
2. 1st is the worst, 2nd is the best
3. Blah
4. Blah blah

### 2.2 Itemizations

- I am number 1!
- No one care, there is no order in Itemizations
- Blah
- Blah blah

### 2.3 Tables

1	2	3
4	5	6
7	8	9

### 2.4 Images



### 2.5 Equations

One of the biggest advantages that L<sup>A</sup>T<sub>E</sub>X has over word processors is how easy it is to make equations  $C = 2\pi r$

$$E = mc^2 \tag{1}$$

$$c^2 = a^2 + b^2$$
$$c = \sqrt{a^2 + b^2}$$
$$c = \sec(\frac{a}{b})$$

$$m_1v_1 + m_2v_2 = (m_1 + m_2)v_f$$

$$f'(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$$