

PRACTICE 10**PART 1**

1.CREATE VIEW EMPLOYEE_VU(EMPLOYEE_ID,EMPLOYEE,DEPARTMENT_ID) AS SELECT
EMPLOYEE_ID,LAST_NAME,DEPARTMENT_ID FROM employee_tb;

2. [SELECT](#) * FROM `employee_vu`;

+ Options

		EMPLOYEE_ID	EMPLOYEE	DEPARTMENT_ID
<input type="checkbox"/>	Edit Copy Delete	100	King	90
<input type="checkbox"/>	Edit Copy Delete	101	Kochhar	90
<input type="checkbox"/>	Edit Copy Delete	102	De Haan	90
<input type="checkbox"/>	Edit Copy Delete	103	Hunold	60
<input type="checkbox"/>	Edit Copy Delete	104	Ernst	60
<input type="checkbox"/>	Edit Copy Delete	107	Lorentz	60
<input type="checkbox"/>	Edit Copy Delete	124	Mourgos	50
<input type="checkbox"/>	Edit Copy Delete	141	Rajs	50
<input type="checkbox"/>	Edit Copy Delete	142	Davies	50
<input type="checkbox"/>	Edit Copy Delete	143	Matos	50
<input type="checkbox"/>	Edit Copy Delete	144	Vargas	50
<input type="checkbox"/>	Edit Copy Delete	149	Zlotkey	80
<input type="checkbox"/>	Edit Copy Delete	174	Abel	80
<input type="checkbox"/>	Edit Copy Delete	176	Taylor	80
<input type="checkbox"/>	Edit Copy Delete	178	Grant	0
<input type="checkbox"/>	Edit Copy Delete	200	Whalen	10
<input type="checkbox"/>	Edit Copy Delete	201	Hartstein	20
<input type="checkbox"/>	Edit Copy Delete	202	Fay	20
<input type="checkbox"/>	Edit Copy Delete	205	Higgins	110
<input type="checkbox"/>	Edit Copy Delete	206	Gietz	110

3. SELECT EMPLOYEE,DEPARTMENT_ID FROM `employees_vu`;

+ Options

EMPLOYEE	DEPARTMENT_ID
King	90
Kochhar	90
De Haan	90
Hunold	60
Ernst	60
Lorentz	60
Mourgos	50
Rajs	50
Davies	50
Matos	50
Vargas	50
Zlotkey	80
Abel	80
Taylor	80
Grant	0
Whalen	10
Hartstein	20
Fay	20
Higgins	110
Gietz	110

PART 2

4.CREATE VIEW DEPT50(EMPNO,EMPLOYEE,DEPTNO)AS SELECT
EMPLOYEE_ID,LAST_NAME,DEPARTMENT_ID FROM employees WHERE DEPARTMENT_ID=50;









5.DESC dept50;

+ Options

Field	Type	Null	Key	Default	Extra
EMPNO	int(11)	NO		NULL	
EMPLOYEE	varchar(25)	NO		NULL	
DEPTNO	int(11)	YES		NULL	

```
SELECT * FROM dept50;
```

+ Options

			EMPNO	EMPLOYEE	DEPTNO
<input type="checkbox"/>		Edit		Copy	 Delete
<input type="checkbox"/>		Edit	124	Mourgos	50
<input type="checkbox"/>		Edit	141	Rajs	50
<input type="checkbox"/>		Edit	142	Davies	50
<input type="checkbox"/>		Edit	143	Matos	50
<input type="checkbox"/>		Edit	144	Vargas	50

```
6.UPDATE dept50 SET DEPTNO=80 WHERE EMPLOYEE='Matos';
```

✓ 1 row affected. (Query took 0.0791 seconds.)

```
UPDATE dept50 SET DEPTNO=80 WHERE EMPLOYEE='Matos'
```