

{simpler-wick}

## Simpler Wick Contractions

Version 0.1.0      22nd May 2015

by Joshua Ellis

*Simpler Wick Contraction*

`\(\wick{\c1Simp\c2le\c3r\ \c2Wick\ \c3Contracti\c1{on}}\)`

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Installation . . . . .	2
<b>2</b>	<b>Usage</b>	<b>2</b>

# 1 Introduction

This package provides simple way of inserting Wick contractions.

If you have any suggestions or have found any bugs, please feel free to create a new issue or pull request on the Github page: <https://www.github.com/JP-Ellis/simpler-wick>.


## 1.1 Installation

This package is *not* currently offered on CTAN as it is just a personal project of mine; however, if enough people find it useful, I will look into making it available through CTAN.


In order to use this as it is, simply download `simpler-wick.sty` and place it in the same directory as your  $\TeX$  file and include it using the usual `\usepackage{simpler-wick}`. Alternatively, it is also possible to install `simpler-wick` system-wide by placing it inside  $\TeX$ 's search path (which will vary based on your operating system).

## 2 Usage

The package is imported by adding `\usepackage{simpler-wick}` to your preamble. In your math environment, you now use the `\wick` command in combination with `\c`:

<pre>\begin{equation}   \wick[sep=10pt]{\c1\phi \c2\psi \c2\psi \c1\phi} \end{equation}</pre>	
---	---


If you wish to have multiple contractions, then follow `\c` with a number between 1 and 9; the first occurrence of `\cN` will start the Wick contraction, and the second occurrence of `\cN` will end it. After you have ended a contraction, `\cN` start another contraction.


<pre>\begin{equation}   \wick{     \c1 a \c2 b \c3 c \c1 a \c4 d \c1 e     \c1 e \c1 a \c2 b \c3 c \c1 a   } \end{equation}</pre>	
---	---

The package has two options: `sep` and `offset`. `sep` is the distance separating each level and `offset` is the base offset. By default, `\sep=3pt` and `\offset=1em`, but they can be changed globally by specifying them as package variables:

```
\usepackage[sep=5pt, offset=1.5em]{simpler-wick}
```

Or you can specify them as optional argument to `\wick`. This is particularly useful if you have some tall symbols within your Wick contraction:

<pre>\begin{equation}   \wick[offset=2em]{\c\phi \int \frac{dx}{x} \c\phi} \end{equation}</pre>	
---	---

<pre>\begin{equation}   \wick[sep=10pt]{\c1\phi \c2\psi \c2\psi \c1\phi} \end{equation}</pre>	
---	---