



There were issues affecting this run of Lighthouse:

- There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.



## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49      50–89      90–100



## METRICS

[Expand view](#)

▲ First Contentful Paint

▲ Largest Contentful Paint

**9.3 s****14.1 s**


Total Blocking Time

**100 ms**

Cumulative Layout Shift

**0**

▲ Speed Index

**11.6 s**

Later this year, insights will replace performance audits. [Learn more and provide feedback](#)

[here.](#)[Go back to audits](#)Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#)

## INSIGHTS

▲ Network dependency tree

^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [\[LCP\]](#)

Maximum critical path latency: **1,902 ms**

*Initial Navigation*

<http://localhost:3000> - **570 ms**, 11.41 KiB

</css2?family=...> (fonts.googleapis.com) - **573 ms**, 1.38 KiB

<...v20/UcC73FwrK....woff2> (fonts.gstatic.com) - **1,902 ms**, 47.33 KiB

<...v23/LYjNdG7km....woff2> (fonts.gstatic.com) - **1,902 ms**, 14.92 KiB

</index.tsx> (localhost) - **582 ms**, 15.21 KiB

</App.tsx> (localhost) - **755 ms**, 38.75 KiB

<...common/Loader.tsx> (localhost) - **859 ms**, 11.01 KiB

</api/versions.json> (ddragon.leagueoflegends.com) - **1,712 ms**, 0.00 KiB

</api/versions.json> (ddragon.leagueoflegends.com) - **1,711 ms**, 1.71 KiB

</components/Router.tsx> (localhost) - **854 ms**, 17.92 KiB

<...Profile/Profile.tsx> (localhost) - **969 ms**, 12.65 KiB

<...Profile/StrategistJourneyPanel.tsx> (localhost) - **1,040 ms**, 20.57 KiB

</data/championThemeColors.ts> (localhost) - **1,094 ms**, 3.38 KiB

<...common/ProgressBar.tsx> (localhost) - **1,091 ms**, 5.95 KiB

...Profile/ProTipPanel.tsx (localhost) - **1,056 ms**, 28.20 KiB  
...Profile/PlaybookAnalysisPanel.tsx (localhost) - **1,052 ms**, 17.71 KiB  
...Profile/FeedbackPanel.tsx (localhost) - **1,051 ms**, 7.97 KiB  
...Profile/ArenaOverviewPanel.tsx (localhost) - **1,048 ms**, 8.62 KiB  
...Profile/ChampionMasteryPanel.tsx (localhost) - **1,045 ms**, 14.47 KiB  
...Profile/MissionsPanel.tsx (localhost) - **1,044 ms**, 20.31 KiB  
...StrategyHub/StrategyHub.tsx (localhost) - **965 ms**, 10.05 KiB  
...Intel/Intel.tsx (localhost) - **1,036 ms**, 36.65 KiB  
...Intel/PersonalizedPatchNotesDisplay.tsx (localhost) - **1,090 ms**, 19.87 KiB  
...Armory/Armory.tsx (localhost) - **1,035 ms**, 16.24 KiB  
...Armory/ChampionDetailModal.tsx (localhost) - **1,089 ms**, 79.19 KiB  
...Playbook/Playbook.tsx (localhost) - **942 ms**, 36.17 KiB  
...Playbook/PlaybookDetailModal.tsx (localhost) - **1,008 ms**, 55.42 KiB  
...common/TagInput.tsx (localhost) - **1,085 ms**, 9.69 KiB  
...Playbook/StatisticsPanel.tsx (localhost) - **1,016 ms**, 27.21 KiB  
...Playbook/PlaybookCard.tsx (localhost) - **1,015 ms**, 26.12 KiB  
...Playbook/PlaybookCompareModal.tsx (localhost) - **1,010 ms**, 30.54 KiB  
...common/ConfirmationModal.tsx (localhost) - **1,009 ms**, 6.73 KiB  
...DraftLab/DraftLab.tsx (localhost) - **936 ms**, 58.44 KiB  
...Onboarding/GuidedTour.tsx (localhost) - **1,000 ms**, 32.03 KiB  
...deps/react-dom.js?v=6fac0891 (localhost) - **1,084 ms**, 1.62 KiB  
/services/geminiService.ts (localhost) - **990 ms**, 52.70 KiB  
...deps/@google\_genai.js?v=77454f77 (localhost) - **1,082 ms**, 483.92 KiB  
/data/strategyInsights.ts (localhost) - **1,075 ms**, 15.10 KiB  
...DraftLab/AdvicePanel.tsx (localhost) - **996 ms**, 97.66 KiB  
...DraftLab/PowerSpikeTimeline.tsx (localhost) - **1,080 ms**, 11.15 KiB  
...Academy/KeywordHighlighter.tsx (localhost) - **1,079 ms**, 10.44 KiB  
...DraftLab/TeamPanel.tsx (localhost) - **989 ms**, 19.64 KiB  
...DraftLab/TeamAnalytics.tsx (localhost) - **1,071 ms**, 20.84 KiB  
...DraftLab/PickSlot.tsx (localhost) - **1,066 ms**, 19.06 KiB  
...DraftLab/BanSlot.tsx (localhost) - **1,066 ms**, 14.04 KiB  
...DraftLab/TeamBuilderAssistant.tsx (localhost) - **1,002 ms**, 17.29 KiB  
...DraftLab/TeamBuilderModal.tsx (localhost) - **1,002 ms**, 22.90 KiB  
...DraftLab/BlueprintPanel.tsx (localhost) - **997 ms**, 8.78 KiB  
...DraftLab/ChampionGrid.tsx (localhost) - **995 ms**, 24.67 KiB  
...Scenarios/DraftScenarios.tsx (localhost) - **971 ms**, 28.07 KiB  
/data/scenarios.ts (localhost) - **1,063 ms**, 13.70 KiB  
...MetaOracle/MetaOracle.tsx (localhost) - **971 ms**, 22.34 KiB  
/hooks/useGemini.ts (localhost) - **1,060 ms**, 7.32 KiB  
...common/SourceList.tsx (localhost) - **1,058 ms**, 4.88 KiB

...Arena/LiveArena.tsx (localhost) - **962 ms**, 84.15 KiB  
...DraftLab/QuickLookPanel.tsx (localhost) - **1,032 ms**, 27.36 KiB  
...Arena/arenaConstants.ts (localhost) - **1,029 ms**, 8.07 KiB  
...Arena/DraftTimeline.tsx (localhost) - **1,028 ms**, 12.92 KiB  
...Arena/TurnIndicator.tsx (localhost) - **1,026 ms**, 12.15 KiB  
...Arena/ArenaSaveModal.tsx (localhost) - **1,024 ms**, 14.75 KiB  
...Arena/ArenaChampionSelectModal.tsx (localhost) - **1,022 ms**, 5.66 KiB  
...Academy/Academy.tsx (localhost) - **944 ms**, 43.93 KiB  
...common/MarkdownRenderer.tsx (localhost) - **1,021 ms**, 10.77 KiB  
...Academy/lessons.ts (localhost) - **1,018 ms**, 60.52 KiB  
...Home/Home.tsx (localhost) - **934 ms**, 30.04 KiB  
...Home/SmartDashboard.tsx (localhost) - **987 ms**, 17.50 KiB  
/hooks/usePlaybook.ts (localhost) - **982 ms**, 16.55 KiB  
...Trials/DailyTrial.tsx (localhost) - **965 ms**, 32.12 KiB  
...LiveDraft/LiveDraft.tsx (localhost) - **963 ms**, 26.91 KiB  
...deps/react-transition-group.js?v=ed2233a1 (localhost) - **927 ms**, 72.36 KiB  
...Onboarding/ProfileSetupModal.tsx (localhost) - **840 ms**, 55.15 KiB  
...deps/framer-motion.js?v=f33003b2 (localhost) - **927 ms**, 381.47 KiB  
...deps/chunk-2AFDJZJZ.js?v=0c3f6572 (localhost) - **983 ms**, 12.86 KiB  
...common/Modal.tsx (localhost) - **907 ms**, 15.05 KiB  
...Layout/Header.tsx (localhost) - **827 ms**, 17.43 KiB  
/hooks/useTranslation.ts (localhost) - **894 ms**, 2.27 KiB  
/lib/i18n.ts (localhost) - **981 ms**, 15.18 KiB  
...deps/lucide-react.js?v=11ab5291 (localhost) - **941 ms**, 829.67 KiB  
...common/Tooltip.tsx (localhost) - **900 ms**, 12.20 KiB  
...common/CommandPalette.tsx (localhost) - **849 ms**, 24.89 KiB  
...deps/focus-trap-react.js?v=e52067ff (localhost) - **921 ms**, 66.13 KiB  
...Feedback/FeedbackModal.tsx (localhost) - **846 ms**, 18.86 KiB  
...common/TextArea.tsx (localhost) - **915 ms**, 3.61 KiB  
...Layout/Footer.tsx (localhost) - **827 ms**, 7.53 KiB  
...common/Button.tsx (localhost) - **906 ms**, 8.41 KiB  
/services/storageService.ts (localhost) - **861 ms**, 12.55 KiB  
/constants.ts (localhost) - **857 ms**, 5.22 KiB  
/hooks/useCommands.ts (localhost) - **850 ms**, 10.75 KiB  
...Settings/ProfileSettingsModal.tsx (localhost) - **842 ms**, 32.27 KiB  
...Settings/SettingsPanel.tsx (localhost) - **841 ms**, 25.10 KiB  
...common/OfflineIndicator.tsx (localhost) - **836 ms**, 9.46 KiB  
...common/SEO.tsx (localhost) - **834 ms**, 24.63 KiB  
...Layout/BottomNav.tsx (localhost) - **831 ms**, 12.85 KiB  
...deps/react-hot-toast.js?v=06ed9d1c (localhost) - **824 ms**, 16.71 KiB

```

/lib/featureFlags.ts (localhost) - 811 ms, 16.00 KiB
...deps/launchdarkly-react-client-sdk.js?v=ebc37bce (localhost) - 881 ms, 104.88 KiB
...deps/chunk-DHORR3Q4.js?v=0c3f6572 (localhost) - 977 ms, 8.44 KiB
...deps/chunk-DFTYDW3P.js?v=0c3f6572 (localhost) - 976 ms, 3.50 KiB

contexts/ChampionContext.tsx (localhost) - 802 ms, 16.97 KiB
/lib/draftUtils.ts (localhost) - 865 ms, 23.92 KiB
/data/championRoles.ts (localhost) - 976 ms, 15.73 KiB
/lib/cache.ts (localhost) - 869 ms, 7.75 KiB

lib/analytics.ts (localhost) - 816 ms, 19.21 KiB
...deps/posthog-js.js?v=0be2ad2d (localhost) - 901 ms, 210.83 KiB

lib/logger.ts (localhost) - 809 ms, 14.49 KiB
...deps/@sentry_react.js?v=7fd8812e (localhost) - 899 ms, 947.92 KiB

lib/indexedDb.ts (localhost) - 805 ms, 9.52 KiB
...deps/dexie.js?v=be47d040 (localhost) - 889 ms, 242.34 KiB

lib/offlineService.ts (localhost) - 811 ms, 18.55 KiB
...deps/workbox-window.js?v=c8da47c2 (localhost) - 888 ms, 8.53 KiB
...deps/react-dom_client.js?v=7449fb90 (localhost) - 797 ms, 982.34 KiB
...deps/chunk-PKUF6EYY.js?v=0c3f6572 (localhost) - 865 ms, 16.45 KiB
...deps/react_jsx-dev-runtime.js?v=6fac0891 (localhost) - 741 ms, 12.52 KiB
...deps/chunk-EWTE5DHJ.js?v=0c3f6572 (localhost) - 819 ms, 10.89 KiB
...deps/chunk-ZXCIKYUC.js?v=0c3f6572 (localhost) - 819 ms, 44.90 KiB

common/ErrorBoundary.tsx (localhost) - 805 ms, 14.05 KiB

contexts/DraftContext.tsx (localhost) - 795 ms, 7.48 KiB

hooks/useModals.ts (localhost) - 794 ms, 6.25 KiB
hooks/useUserProfile.ts (localhost) - 767 ms, 52.20 KiB
hooks/useSettings.ts (localhost) - 765 ms, 11.64 KiB
...deps/react-helmet-async.js?v=88bdc239 (localhost) - 753 ms, 32.49 KiB
...deps/react.js?v=6fac0891 (localhost) - 743 ms, 1.30 KiB

3.4.17 (cdn.tailwindcss.com) - 610 ms, 123.59 KiB
3.4.17 (cdn.tailwindcss.com) - 610 ms, 123.59 KiB

@vite/client (localhost) - 571 ms, 178.54 KiB
...client/env.mjs (localhost) - 593 ms, 4.46 KiB
@react-refresh (localhost) - 592 ms, 109.56 KiB
index.css (localhost) - 586 ms, 11.41 KiB

```

## Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

## Origin

<https://fonts.googleapis.com/>

## Source

link

<https://fonts.gstatic.com/>

link

### Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

### Document request latency — Est savings of 7 KiB

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. [FCP](#) [LCP](#)

Avoids redirects

Server responds quickly (observed 4 ms)

No compression applied

### Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [FCP](#) [LCP](#)

Show 3rd-party resources (2)


URL	Transfer Size	Duration
tailwindcss.com	123.6 KiB	230 ms
/3.4.17 (cdn.tailwindcss.com)	123.6 KiB	230 ms
localhost <a href="#">1st Party</a>	11.4 KiB	390 ms
/index.css (localhost)	11.4 KiB	390 ms
Google Fonts <a href="#">Cdn</a>	1.4 KiB	310 ms
/css2?family=... (fonts.googleapis.com)	1.4 KiB	310 ms

### LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. [LCP](#)

**Duration**

Time to first byte	330 ms
Element render delay	7,690 ms



h1.font-display.text-4xl.md:text-5xl.font-bold.text-text-primary.tracking-wide

3rd parties ^

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.

3rd party	Transfer size	Main thread time
mjfigbdcmbkldpnmdigcfpncpeekedd	0 KiB	132 ms
chrome-extension://mjfigbdcmbkldpnmdigcfpncpeekedd/index.js	0 KiB	132 ms
nkbihfbeogaeaoehlefnkodbefgpgknn	0 KiB	103 ms
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/inpage.js	0 KiB	38 ms
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/contentscript.js	0 KiB	37 ms
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/lockdown-install.js	0 KiB	21 ms
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/lockdown-run.js	0 KiB	7 ms
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/lockdown-more.js	0 KiB	1 ms
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/disable-console.js	0 KiB	0 ms
ddkjiahejlhfcafbddmgiahcphecmpfh	0 KiB	102 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/specific/easylist.js	0 KiB	16 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/specific/ublock-filters.js	0 KiB	11 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/procedural/ublock-filters.js	0 KiB	6 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/specific/spa-1.js	0 KiB	5 ms
chrome-extension://ddkjiahejlhfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.abort-current-script.js	0 KiB	5 ms

3rd party	Transfer size	Main thread time
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.abort-on-property-read.js	0 KiB	3 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.noeval-if.js	0 KiB	3 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.remove-node-text.js	0 KiB	3 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.set-constant.js	0 KiB	3 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.prevent-setTimeout.js	0 KiB	2 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.addEventListener-defuser.js	0 KiB	2 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.prevent-window-open.js	0 KiB	2 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-replace-node-text.js	0 KiB	2 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/procedural/easylist.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.prevent-fetch.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.json-edit-fetch-response.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.prevent-xhr.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.abort-on-property-write.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.set-local-storage-item.js	0 KiB	1 ms

3rd party	Transfer size	Main thread time
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/procedural/spa-1.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.href-sanitizer.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/easyprivacy.remove-node-text.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.adjust-setInterval.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.abort-on-stack-trace.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.json-prune.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-replace-argument.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.abort-current-script.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/easyprivacy.set-constant.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.prevent-setInterval.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.remove-attr.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.set-constant.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.json-prune-fetch-response.js	0 KiB	1 ms
chrome-extension://ddkjiahejlhfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.remove-cookie.js	0 KiB	1 ms

3rd party	Transfer size	Main thread time
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.prevent-fetch.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-set-constant.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-click-element.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.set-cookie.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-suppress-native-method.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.adjust-setTimeout.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.prevent-window-open.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-replace-outbound-text.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.addEventListener-defuser.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.xml-prune.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.prevent-setTimeout.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.abort-on-stack-trace.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/js/scripting/css-procedural.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-override-element-method.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.set-attr.js	0 KiB	1 ms
chrome-extension://ddkjiahej1hfcabddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.set-local-storage-item.js	0 KiB	1 ms

3rd party	Transfer size	Main thread time
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.remove-attr.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.abort-on-property-read.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/js/scripting/isolated-api.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.set-cookie.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.set-cookie-reload.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.noeval-if.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-set-attr.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.set-session-storage-item.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.adjust-setTimeout.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.prevent-refresh.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.prevent-refresh.js	0 KiB	1 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/spa-1.adjust-setInterval.js	0 KiB	0 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/specific/ublock-badware.js	0 KiB	0 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.nowebRTC.js	0 KiB	0 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.disable-newtab-links.js	0 KiB	0 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/js/scripting/css-api.js	0 KiB	0 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/js/scripting/css-specific.js	0 KiB	0 ms
chrome-extension://ddkjiaejhlfcafbddmgiahcphecmpfh/rulesets/scripting/procedural/ublock-badware.js	0 KiB	0 ms

	<b>Transfer size</b>	<b>Main thread time</b>
--	----------------------	-------------------------

**3rd party**

chrome-extension://ddkjiahej1hfcafbdmgiahcphecmpfh/rulesets/scripting/procedural/easyprivacy.js	0 KiB	0 ms
ghmbeldphafepmbegfdlkpapadhbakde	<b>0 KiB</b>	<b>92 ms</b>
chrome-extension://ghmbeldphafepmbegfdlkpapadhbakde/client.js	0 KiB	76 ms
chrome-extension://ghmbeldphafepmbegfdlkpapadhbakde/webauthn.js	0 KiB	8 ms
chrome-extension://ghmbeldphafepmbegfdlkpapadhbakde/orchestrator.js	0 KiB	8 ms
chrome-extension://ghmbeldphafepmbegfdlkpapadhbakde/elements.js	0 KiB	1 ms
tailwindcss.com	<b>124 KiB</b>	<b>33 ms</b>
https://cdn.tailwindcss.com	0 KiB	33 ms
/3.4.17 (cdn.tailwindcss.com)	124 KiB	0 ms
ejkiikneibegknkgimmihdpcbcgmpo	<b>0 KiB</b>	<b>6 ms</b>
chrome-extension://ejkiikneibegknkgimmihdpcbcgmpo/vendor/GiveFreely-content.umd.js	0 KiB	4 ms
chrome-extension://ejkiikneibegknkgimmihdpcbcgmpo/content-script.js	0 KiB	3 ms
Google Fonts <span style="border: 1px solid #ccc; padding: 2px;">Cdn</span>	<b>64 KiB</b>	<b>0 ms</b>
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47 KiB	0 ms
...v23/LYjNdG7km....woff2 (fonts.gstatic.com)	15 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
leagueoflegends.com	<b>7 KiB</b>	<b>0 ms</b>
/api/versions.json (ddragon.leagueoflegends.com)	7 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

**DIAGNOSTICS**▲ Minimize main-thread work — **2.4 s**

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	1,010 ms
Other	765 ms

Category	Time Spent
Garbage Collection	293 ms
Script Parsing & Compilation	212 ms
Style & Layout	67 ms
Parse HTML & CSS	22 ms
Rendering	10 ms

▲ Minify JavaScript — Est savings of 2,920 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

URL	Transfer Size	Est Savings
localhost <span style="border: 1px solid #007bff; border-radius: 50%; padding: 2px 5px; font-size: small;">1st Party</span>	<b>6,767.8 KiB</b>	<b>2,852.0 KiB</b>
...deps/react-dom_client.js?v=7449fb90 (localhost)	982.0 KiB	299.4 KiB
...deps/@sentry_react.js?v=7fd8812e (localhost)	947.6 KiB	261.2 KiB
...deps/lucide-react.js?v=11ab5291 (localhost)	829.4 KiB	202.0 KiB
/@vite/client (localhost)	178.3 KiB	155.3 KiB
...deps/@google_genai.js?v=77454f77 (localhost)	483.6 KiB	118.5 KiB
...deps/framer-motion.js?v=f33003b2 (localhost)	381.2 KiB	110.1 KiB
/@react-refresh (localhost)	109.3 KiB	99.3 KiB
...deps/dexie.js?v=be47d040 (localhost)	242.0 KiB	89.0 KiB
...DraftLab/AdvicePanel.tsx (localhost)	97.4 KiB	62.5 KiB
...Arena/LiveArena.tsx (localhost)	83.9 KiB	56.8 KiB
...Armory/ChampionDetailModal.tsx (localhost)	78.9 KiB	50.0 KiB
...deps/posthog-js.js?v=0be2ad2d (localhost)	210.5 KiB	44.7 KiB
...DraftLab/DraftLab.tsx (localhost)	58.2 KiB	42.4 KiB

URL	Transfer Size	Est Savings
/hooks/useUserProfile.ts (localhost)	51.9 KiB	40.6 KiB
...Onboarding/ProfileSetupModal.tsx (localhost)	54.9 KiB	37.8 KiB
/services/geminiService.ts (localhost)	52.4 KiB	37.2 KiB
...Academy/lessons.ts (localhost)	60.2 KiB	37.1 KiB
...Playbook/PlaybookDetailModal.tsx (localhost)	55.1 KiB	35.9 KiB
...Academy/Academy.tsx (localhost)	43.6 KiB	30.3 KiB
/App.tsx (localhost)	38.5 KiB	28.0 KiB
...deps/react-transition-group.js?v=ed2233a1 (localhost)	72.1 KiB	27.0 KiB
...Playbook/Playbook.tsx (localhost)	35.9 KiB	24.6 KiB
...deps/focus-trap-react.js?v=e52067ff (localhost)	65.8 KiB	24.2 KiB
...deps/launchdarkly-react-client-sdk.js?v=ebc37bce (localhost)	104.6 KiB	24.0 KiB
...Intel/Intel.tsx (localhost)	36.4 KiB	23.8 KiB
...Trials/DailyTrial.tsx (localhost)	31.8 KiB	22.2 KiB
...Onboarding/GuidedTour.tsx (localhost)	31.7 KiB	22.1 KiB
...Settings/ProfileSettingsModal.tsx (localhost)	32.0 KiB	20.4 KiB
...Profile/ProTipPanel.tsx (localhost)	27.9 KiB	19.9 KiB
...Playbook/PlaybookCompareModal.tsx (localhost)	30.3 KiB	19.6 KiB
/lib/draftUtils.ts (localhost)	23.6 KiB	19.0 KiB
...Home/Home.tsx (localhost)	29.8 KiB	18.9 KiB
...LiveDraft/LiveDraft.tsx (localhost)	26.6 KiB	18.4 KiB
...common/CommandPalette.tsx (localhost)	24.6 KiB	18.0 KiB
...Playbook/StatisticsPanel.tsx (localhost)	26.9 KiB	17.6 KiB

URL	Transfer Size	Est Savings
...Scenarios/DraftScenarios.tsx (localhost)	27.8 KiB	17.6 KiB
...Settings/SettingsPanel.tsx (localhost)	24.8 KiB	17.2 KiB
...DraftLab/QuickLookPanel.tsx (localhost)	27.1 KiB	17.0 KiB
...DraftLab/ChampionGrid.tsx (localhost)	24.4 KiB	16.7 KiB
...Playbook/PlaybookCard.tsx (localhost)	25.8 KiB	16.4 KiB
/lib/analytics.ts (localhost)	18.9 KiB	15.7 KiB
...common/SEO.tsx (localhost)	24.3 KiB	15.2 KiB
/lib/offlineService.ts (localhost)	18.3 KiB	14.9 KiB
...DraftLab/TeamBuilderModal.tsx (localhost)	22.6 KiB	14.6 KiB
...MetaOracle/MetaOracle.tsx (localhost)	22.1 KiB	14.1 KiB
...DraftLab/TeamPanel.tsx (localhost)	19.4 KiB	13.4 KiB
...DraftLab/TeamAnalytics.tsx (localhost)	20.6 KiB	13.1 KiB
/hooks/usePlaybook.ts (localhost)	16.3 KiB	13.0 KiB
/lib/featureFlags.ts (localhost)	15.7 KiB	13.0 KiB
...Profile/StrategistJourneyPanel.tsx (localhost)	20.3 KiB	12.9 KiB
...deps/chunk-ZXCIKYUC.js?v=0c3f6572 (localhost)	44.6 KiB	12.7 KiB
...Profile/MissionsPanel.tsx (localhost)	20.0 KiB	12.7 KiB
...DraftLab/PickSlot.tsx (localhost)	18.8 KiB	12.7 KiB
/data/championRoles.ts (localhost)	15.4 KiB	12.3 KiB
...Feedback/FeedbackModal.tsx (localhost)	18.6 KiB	12.2 KiB
/contexts/ChampionContext.tsx (localhost)	16.7 KiB	12.0 KiB
/components/Router.tsx (localhost)	17.6 KiB	11.9 KiB

URL	Transfer Size	Est Savings
/lib/logger.ts (localhost)	14.2 KiB	11.7 KiB
...Intel/PersonalizedPatchNotesDisplay.tsx (localhost)	19.6 KiB	11.4 KiB
...Home/SmartDashboard.tsx (localhost)	17.2 KiB	11.1 KiB
...Profile/PlaybookAnalysisPanel.tsx (localhost)	17.4 KiB	11.1 KiB
...Layout/Header.tsx (localhost)	17.1 KiB	10.9 KiB
/lib/i18n.ts (localhost)	14.9 KiB	10.4 KiB
...Armory/Armory.tsx (localhost)	16.0 KiB	10.3 KiB
...DraftLab/TeamBuilderAssistant.tsx (localhost)	17.0 KiB	10.3 KiB
...common/Modal.tsx (localhost)	14.8 KiB	9.8 KiB
/services/storageService.ts (localhost)	12.3 KiB	9.7 KiB
/index.tsx (localhost)	14.9 KiB	9.4 KiB
...Arena/ArenaSaveModal.tsx (localhost)	14.5 KiB	9.4 KiB
/data/scenarios.ts (localhost)	13.4 KiB	9.3 KiB
...common/ErrorBoundary.tsx (localhost)	13.8 KiB	9.3 KiB
/data/strategyInsights.ts (localhost)	14.8 KiB	9.3 KiB
...DraftLab/BanSlot.tsx (localhost)	13.8 KiB	9.2 KiB
...deps/chunk-EWTE5DHJ.js?v=0c3f6572 (localhost)	10.6 KiB	9.2 KiB
/hooks/useSettings.ts (localhost)	11.4 KiB	8.7 KiB
...Profile/ChampionMasteryPanel.tsx (localhost)	14.2 KiB	8.2 KiB
...common/Tooltip.tsx (localhost)	11.9 KiB	8.1 KiB
/hooks/useCommands.ts (localhost)	10.5 KiB	7.9 KiB
...Arena/DraftTimeline.tsx (localhost)	12.6 KiB	7.9 KiB

URL	Transfer Size	Est Savings
/lib/indexedDb.ts (localhost)	9.2 KiB	7.8 KiB
...deps/react-helmet-async.js?v=88bdc239 (localhost)	32.2 KiB	7.8 KiB
...Layout/BottomNav.tsx (localhost)	12.6 KiB	7.8 KiB
...Profile/Profile.tsx (localhost)	12.4 KiB	7.1 KiB
...Arena/TurnIndicator.tsx (localhost)	11.9 KiB	7.0 KiB
...DraftLab/PowerSpikeTimeline.tsx (localhost)	10.9 KiB	6.8 KiB
...common/Loader.tsx (localhost)	10.7 KiB	6.7 KiB
...common/MarkdownRenderer.tsx (localhost)	10.5 KiB	6.6 KiB
/lib/cache.ts (localhost)	7.5 KiB	6.5 KiB
...Arena/arenaConstants.ts (localhost)	7.8 KiB	6.4 KiB
...Academy/KeywordHighlighter.tsx (localhost)	10.2 KiB	6.2 KiB
...common/TagInput.tsx (localhost)	9.4 KiB	5.8 KiB
...StrategyHub/StrategyHub.tsx (localhost)	9.8 KiB	5.8 KiB
/hooks/useGemini.ts (localhost)	7.0 KiB	5.7 KiB
...common/OfflineIndicator.tsx (localhost)	9.2 KiB	5.5 KiB
...common/Button.tsx (localhost)	8.1 KiB	4.8 KiB
...DraftLab/BlueprintPanel.tsx (localhost)	8.5 KiB	4.6 KiB
/hooks/useModals.ts (localhost)	6.0 KiB	4.6 KiB
...Profile/ArenaOverviewPanel.tsx (localhost)	8.3 KiB	4.5 KiB
/contexts/DraftContext.tsx (localhost)	7.2 KiB	4.5 KiB
...Profile/FeedbackPanel.tsx (localhost)	7.7 KiB	4.2 KiB
/constants.ts (localhost)	4.9 KiB	3.9 KiB

URL	Transfer Size	Est Savings
...Layout/Footer.tsx (localhost)	7.2 KiB	3.9 KiB
...common/ConfirmationModal.tsx (localhost)	6.4 KiB	3.7 KiB
...client/env.mjs (localhost)	4.2 KiB	3.6 KiB
...deps/chunk-PKUF6EYY.js?v=0c3f6572 (localhost)	16.1 KiB	3.5 KiB
...deps/chunk-2AFDJZJZ.js?v=0c3f6572 (localhost)	12.6 KiB	3.3 KiB
...deps/react_jsx-dev-runtime.js?v=6fac0891 (localhost)	12.2 KiB	3.2 KiB
...deps/react-hot-toast.js?v=06ed9d1c (localhost)	16.4 KiB	3.2 KiB
...Arena/ArenaChampionSelectModal.tsx (localhost)	5.4 KiB	3.1 KiB
...common/ProgressBar.tsx (localhost)	5.7 KiB	3.0 KiB
/data/championThemeColors.ts (localhost)	3.1 KiB	2.8 KiB
...deps/chunk-DHORR3Q4.js?v=0c3f6572 (localhost)	8.1 KiB	2.4 KiB
...common/SourceList.tsx (localhost)	4.6 KiB	2.3 KiB
...deps/workbox-window.js?v=c8da47c2 (localhost)	8.2 KiB	2.0 KiB
Unattributable	<b>248.7 KiB</b>	<b>68.2 KiB</b>
chrome-extension://ddkjiahejlfcafbdmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.json-edit-fetch-response.js	11.2 KiB	4.6 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.prevent-xhr.js	10.5 KiB	2.8 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-replace-argument.js	10.0 KiB	2.8 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphecmpfh/rulesets/scripting/scriptlet/ublock-filters.trusted-set-constant.js	7.2 KiB	2.7 KiB

URL	Transfer Size	Est Savings
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/easyprivacy.set-constant.js	6.7 KiB	2.7 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/spa-1.set-constant.js	7.7 KiB	2.7 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/ublock-filters.json-prune-fetch-response.js	8.0 KiB	2.7 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/ublock-filters.href-sanitizer.js	8.7 KiB	2.7 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/ublock-filters.prevent-fetch.js	11.4 KiB	2.6 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/spa-1.prevent-fetch.js	7.4 KiB	2.6 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/ublock-filters.trusted-suppress-native-method.js	6.8 KiB	2.4 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/ublock-filters.trusted-click-element.js	6.1 KiB	2.4 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/ublock-filters.addEventListener-defuser.js	18.3 KiB	2.4 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/spa-1.addEventListener-defuser.js	6.4 KiB	2.3 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcmpfh/rulesets/scriptlet/ublock-filters.json-prune.js	8.5 KiB	2.3 KiB

URL	Transfer Size	Est Savings
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/ublock-filters.prevent-window-open.js	16.3 KiB	2.3 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/spa-1.prevent-window-open.js	6.0 KiB	2.3 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/ublock-filters.xml-prune.js	6.3 KiB	2.2 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/ublock-filters.trusted-override-element-method.js	5.6 KiB	2.2 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/ublock-filters.prevent-setInterval.js	7.0 KiB	2.1 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/ublock-filters.prevent-setTimeout.js	19.5 KiB	2.1 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/spa-1.prevent-setTimeout.js	5.7 KiB	2.1 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/spa-1.abort-current-script.js	6.0 KiB	2.1 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/ublock-filters.trusted-replace-node-text.js	17.8 KiB	2.0 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/easyprivacy.remove-node-text.js	6.3 KiB	2.0 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcfcf/phecmph/rulesets/scriptlet/ublock-filters.trusted-replace-outbound-text.js	6.6 KiB	2.0 KiB

URL	Transfer Size	Est Savings
chrome-extension://ddkjiahejlfcafbdmgiahcphcnpfh/rulesets/scriptlet/spa-1.set-cookie-reload.js	4.9 KiB	2.0 KiB
chrome-extension://ddkjiahejlfcafbdmgiahcphcnpfh/rulesets/scriptlet/ublock-filters.set-cookie.js	6.0 KiB	2.0 KiB

▲ Reduce unused JavaScript — Est savings of 2,987 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.

[Learn how to reduce unused JavaScript](#) FCP LCP

Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
localhost <span style="border: 1px solid #007bff; border-radius: 50%; padding: 2px 5px; color: #007bff;">1st Party</span>	<b>4,633.8 KiB</b>	<b>2,586.7 KiB</b>
...deps/@sentry_react.js?v=7fd8812e (localhost)	947.6 KiB	834.5 KiB
...node_modules/@sentry-internal/rrweb/dist/rrweb.js	142.8 KiB	131.9 KiB
...@sentry-internal/replay/src/replay.ts	18.6 KiB	18.5 KiB
...@sentry/core/src/client.ts	18.8 KiB	18.4 KiB
...@sentry/react/src/reactrouter-compat-utils/instrumentation.tsx	17.6 KiB	17.4 KiB
...@sentry-internal/browser-utils/src/metrics/browserMetrics.ts	14.7 KiB	14.6 KiB
...deps/@google_genai.js?v=77454f77 (localhost)	483.6 KiB	420.2 KiB
...converters/_models_converters.ts	110.3 KiB	110.2 KiB
...converters/_batches_converters.ts	37.4 KiB	37.3 KiB
...models.ts	36.6 KiB	36.3 KiB
...converters/_live_converters.ts	32.9 KiB	32.8 KiB
...converters/_caches_converters.ts	20.6 KiB	20.6 KiB
...deps/react-dom_client.js?v=7449fb90 (localhost)	982.0 KiB	374.7 KiB
...react-dom/cjs/react-dom-client.development.js	969.2 KiB	372.1 KiB
...scheduler/cjs/scheduler.development.js	11.1 KiB	2.6 KiB
...deps/framer-motion.js?v=f33003b2 (localhost)	381.2 KiB	303.3 KiB
.../.../framer-motion/dist/es/projection/node/create-projection-node.mjs	41.4 KiB	40.3 KiB
.../.../framer-motion/dist/es/gestures/drag/VisualElementDragControls.mjs	14.0 KiB	13.4 KiB

URL	Transfer Size	Est Savings
.../.../framer-motion/dist/es/render/VisualElement.mjs	12.3 KiB	10.5 KiB
.../.../motion-dom/dist/es/animation/JSTransition.mjs	8.4 KiB	8.1 KiB
.../.../framer-motion/dist/es/render/utils/animation-state.mjs	7.7 KiB	7.6 KiB
...deps/posthog-js.js?v=0be2ad2d (localhost)	210.5 KiB	181.7 KiB
...posthog-js/src/posthog-core.ts	35.9 KiB	31.5 KiB
...posthog-js/src/posthog-featureflags.ts	14.7 KiB	13.9 KiB
...pnpm/fflate@0.4.8/node_modules/fflate/esm/browser.js	10.9 KiB	8.6 KiB
...posthog-js/src/autocapture-utils.ts	7.5 KiB	7.0 KiB
...posthog-js/src/posthog-surveys.ts	7.0 KiB	6.8 KiB
...deps/dexie.js?v=be47d040 (localhost)	242.0 KiB	141.8 KiB
...src/classes/table/table.ts	16.4 KiB	13.1 KiB
...src/classes/collection/collection.ts	13.7 KiB	11.4 KiB
...src/classes/dexie/dexie.ts	13.5 KiB	8.6 KiB
...src/classes/version/schema-helpers.ts	13.4 KiB	8.4 KiB
...src/classes/where-clause/where-clause.ts	9.0 KiB	8.2 KiB
...deps/launchdarkly-react-client-sdk.js?v=ebc37bce (localhost)	104.4 KiB	87.4 KiB
...auchdarkly-js-client-sdk/node_modules/launchdarkly-js-sdk-common/src/index.js	15.4 KiB	14.9 KiB
...auchdarkly-js-client-sdk/node_modules/uuid/dist/esm-browser/md5.js	4.9 KiB	4.9 KiB
...auchdarkly-js-client-sdk/node_modules/launchdarkly-js-sdk-common/src/messages.js	4.9 KiB	3.8 KiB
...odash.camelcase/index.js	10.6 KiB	3.3 KiB
...auchdarkly-js-client-sdk/node_modules/launchdarkly-js-sdk-common/src/diagnosticEvents.js	3.4 KiB	3.3 KiB
...deps/focus-trap-react.js?v=e52067ff (localhost)	65.8 KiB	50.2 KiB
...focus-trap/index.js	22.7 KiB	22.2 KiB
...tabbable/src/index.js	14.6 KiB	12.7 KiB
...focus-trap-react/dist/focus-trap-react.js	17.1 KiB	5.1 KiB
...DraftLab/AdvicePanel.tsx (localhost)	97.4 KiB	44.9 KiB
...	47.1 KiB	44.6 KiB
...Armory/ChampionDetailModal.tsx (localhost)	78.9 KiB	35.1 KiB
...	37.0 KiB	34.8 KiB

URL	Transfer Size	Est Savings
...deps/react-transition-group.js?v=ed2233a1 (localhost)	72.1 KiB	34.6 KiB
...prop-types/factoryWithTypeCheckers.js	19.1 KiB	14.7 KiB
...react-transition-group/esm/CSSTransition.js	9.9 KiB	4.1 KiB
...react-transition-group/esm/Transition.js	14.6 KiB	3.9 KiB
...react-transition-group/esm/SwitchTransition.js	5.0 KiB	3.6 KiB
...react-transition-group/esm/ReplaceTransition.js	3.9 KiB	3.4 KiB
...Arena/LiveArena.tsx (localhost)	83.9 KiB	31.7 KiB
...	34.4 KiB	31.4 KiB
...deps/lucide-react.js?v=11ab5291 (localhost)	829.4 KiB	23.4 KiB
...lucide-react/dist/esm/icons/index.js	46.8 KiB	23.4 KiB
...Playbook/PlaybookDetailModal.tsx (localhost)	55.1 KiB	23.2 KiB
...	24.3 KiB	22.9 KiB
Unattributable	<b>665.3 KiB</b>	<b>370.4 KiB</b>
chrome-extension://mjfigbdcmbkldpnmdigcfpncpeeked/index.js	352.3 KiB	209.3 KiB
chrome-extension://nkbihfbeogaeaoehlefknkodbefgpgknn/scripts/contentscript.js	129.9 KiB	75.6 KiB
chrome-extension://nkbihfbeogaeaoehlefknkodbefgpgknn/scripts/inpage.js	117.2 KiB	62.6 KiB
chrome-extension://ghmbeldphafepmbegfdlkpapadhbakde/client.js	65.9 KiB	22.9 KiB
tailwindcss.com	<b>97.0 KiB</b>	<b>29.4 KiB</b>
https://cdn.tailwindcss.com	97.0 KiB	29.4 KiB

▲ Avoid serving legacy JavaScript to modern browsers — Est savings of 109 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#). FCP LCP

URL	Est Savings
localhost <span style="border: 1px solid #007bff; border-radius: 15px; padding: 2px 10px; color: #007bff;">1st Party</span>	<b>98.8 KiB</b>

URL	Est Savings
...deps/dexie.js?v=be47d040 (localhost)	37.8 KiB
dexie.js?v=be47d040:1052	Promise.allSettled
dexie.js?v=be47d040:1054	Promise.any
...deps/@sentry_react.js?v=7fd8812e (localhost)	33.3 KiB
@sentry_react.js?v=7fd8812e:20194	Array.from
...deps/posthog-js.js?v=0be2ad2d (localhost)	25.6 KiB
posthog-js.js?v=0be2ad2d:1019	Math.trunc
...deps/focus-trap-react.js?v=e52067ff (localhost)	2.2 KiB
focus-trap-react.js?v=e52067ff:1122	@babel/plugin-transform-classes
focus-trap-react.js?v=e52067ff:400	@babel/plugin-transform-spread
Unattributable	10.5 KiB
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/lockdown-install.js	9.2 KiB
lockdown-install.js:1	Object.isExtensible
lockdown-install.js:1	Object.isFrozen
lockdown-install.js:1	Object.isSealed
lockdown-install.js:1	Reflect.isExtensible
chrome-extension://mjfigbdcmbkldpnmdigcfpncpeekedd/index.js	0.7 KiB
index.js:146	@babel/plugin-transform-classes
index.js:157	@babel/plugin-transform-spread
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/inpage.js	0.3 KiB
inpage.js:12	@babel/plugin-transform-classes
chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/scripts/contentscript.js	0.3 KiB

URL	Est Savings
contentscript.js:12	@babel/plugin-transform-classes

▲ Page prevented back/forward cache restoration — 1 failure reason ^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache.  http://localhost:3000	Pending browser support

Minify CSS — Est savings of 6 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP

URL	Transfer Size	Est Savings
localhost <span style="border: 1px solid #007bff; border-radius: 50%; padding: 2px 5px;">1st Party</span>	<b>11.4 KiB</b>	<b>3.7 KiB</b>
/index.css (localhost)	11.4 KiB	3.7 KiB
Unattributable	<b>7.4 KiB</b>	<b>2.8 KiB</b>
:root { /* --- THEME: ARCANE NIGHT (DARK) --- */ --bg-primary: 220 33% 5%; /* #0A0B0F */ --b...	7.4 KiB	2.8 KiB

Reduce unused CSS — Est savings of 11 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP

URL	Transfer Size	Est Savings
localhost <span style="border: 1px solid #007bff; border-radius: 50%; padding: 2px 5px;">1st Party</span>	<b>11.2 KiB</b>	<b>11.2 KiB</b>

URL	Transfer Size	Est Savings
/index.css (localhost)	11.2 KiB	11.2 KiB

### Avoid enormous network payloads — Total size was 7,025 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

Show 3rd-party resources (1)

URL	Transfer Size
localhost <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	<b>4,366.6 KiB</b>
...deps/react-dom_client.js?v=7449fb90 (localhost)	982.3 KiB
...deps/@sentry_react.js?v=7fd8812e (localhost)	947.9 KiB
...deps/lucide-react.js?v=11ab5291 (localhost)	829.7 KiB
...deps/@google_genai.js?v=77454f77 (localhost)	483.9 KiB
...deps/framer-motion.js?v=f33003b2 (localhost)	381.5 KiB
...deps/dexie.js?v=be47d040 (localhost)	242.3 KiB
...deps/posthog-js.js?v=0be2ad2d (localhost)	210.8 KiB
/@vite/client (localhost)	178.5 KiB
/@react-refresh (localhost)	109.6 KiB
tailwindcss.com	<b>123.6 KiB</b>
/3.4.17 (cdn.tailwindcss.com)	123.6 KiB

### ○ Avoid long main-thread tasks — 10 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
localhost <span style="border: 1px solid blue; padding: 2px;">1st Party</span>		<b>836 ms</b>
http://localhost:3000	837 ms	223 ms
...deps/react-dom_client.js?v=7449fb90 (localhost)	7,558 ms	183 ms
/index.tsx (localhost)	1,230 ms	102 ms
...deps/react-dom_client.js?v=7449fb90 (localhost)	7,408 ms	100 ms
http://localhost:3000	1,549 ms	99 ms
...deps/react-hot-toast.js?v=06ed9d1c (localhost)	7,310 ms	75 ms
http://localhost:3000	1,966 ms	54 ms
Unattributable		<b>385 ms</b>
Unattributable	1,818 ms	148 ms
chrome-extension://mjfigbdcmbkldpnmdigcfpncpeekedd/index.js	1,332 ms	122 ms
Unattributable	1,115 ms	115 ms

## >User Timing marks and measures — 60 user timings

^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
Update Blocked	Measure	1,269.10 ms	22.70 ms
Mount	Measure	1,295.90 ms	8.90 ms
Mount	Measure	1,447.80 ms	1.10 ms
Update Blocked	Measure	1,451.40 ms	7.10 ms
Mount	Measure	1,459.50 ms	41.60 ms
Mount	Measure	1,501.50 ms	0.10 ms

Name	Type	Start Time	Duration
Mount	Measure	1,502.00 ms	0.60 ms
Mount	Measure	1,591.70 ms	31.10 ms
Cascading Update	Measure	1,627.90 ms	42.70 ms
ErrorBoundary	Measure	1,673.80 ms	24.80 ms
Fe	Measure	1,676.70 ms	0.50 ms
ProfileSetupModal	Measure	1,677.20 ms	4.00 ms
Modal	Measure	1,679.40 ms	1.80 ms
CSSTransition2	Measure	1,681.00 ms	0.20 ms
Modal	Measure	1,684.60 ms	0.70 ms
Transition2	Measure	1,685.20 ms	0.10 ms
CSSTransition2	Measure	1,685.20 ms	0.10 ms
Modal	Measure	1,686.30 ms	1.10 ms
CSSTransition2	Measure	1,687.20 ms	0.20 ms
Transition2	Measure	1,687.30 ms	0.10 ms
CommandPalette	Measure	1,687.40 ms	1.80 ms
FocusTrap2	Measure	1,688.90 ms	0.30 ms
Tooltip	Measure	1,691.50 ms	1.30 ms
Tooltip	Measure	1,692.80 ms	0.70 ms
Loader	Measure	1,693.50 ms	1.10 ms
Button	Measure	1,695.50 ms	0.20 ms
Update	Measure	1,714.40 ms	4.00 ms
ErrorBoundary	Measure	1,720.80 ms	114.00 ms

Name	Type	Start Time	Duration
Fe	Measure	1,723.00 ms	0.10 ms
ProfileSetupModal	Measure	1,723.10 ms	2.70 ms
Modal	Measure	1,724.50 ms	1.30 ms
CSSTransition2	Measure	1,725.40 ms	0.40 ms
Transition2	Measure	1,725.60 ms	0.20 ms
Modal	Measure	1,762.60 ms	1.10 ms
CSSTransition2	Measure	1,763.50 ms	0.20 ms
Modal	Measure	1,765.80 ms	1.00 ms
CSSTransition2	Measure	1,766.70 ms	0.10 ms
CommandPalette	Measure	1,766.80 ms	35.20 ms
FocusTrap2	Measure	1,789.90 ms	12.10 ms
Mount	Measure	1,791.10 ms	10.90 ms
Header	Measure	1,802.00 ms	7.80 ms
Tooltip	Measure	1,806.70 ms	1.70 ms
Tooltip	Measure	1,808.40 ms	1.40 ms
Mount	Measure	1,809.80 ms	21.50 ms
Button	Measure	1,832.00 ms	0.20 ms
Mount	Measure	1,837.10 ms	0.40 ms
Unmount	Measure	1,837.70 ms	0.20 ms
Mount	Measure	1,841.10 ms	1.20 ms
Cascading Update	Measure	1,845.70 ms	0.30 ms
CSSTransition2	Measure	1,848.30 ms	0.40 ms

Name	Type	Start Time	Duration
Update	Measure	1,940.70 ms	1.80 ms
Button	Measure	1,947.80 ms	0.10 ms
SmartCard	Measure	1,948.70 ms	2.80 ms
Button	Measure	1,951.30 ms	0.20 ms
FeatureCard	Measure	1,951.60 ms	0.60 ms
FeatureCard	Measure	1,952.20 ms	0.80 ms
FeatureCard	Measure	1,953.00 ms	0.90 ms
FeatureCard	Measure	1,953.90 ms	0.90 ms
FeatureCard	Measure	1,954.80 ms	1.70 ms
FeatureCard	Measure	1,956.50 ms	1.00 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

## PASSED AUDITS (18)

Hide

### Use efficient cache lifetimes



A long cache lifetime can speed up repeat visits to your page. [Learn more](#). FCP LCP

### Layout shift culprits



Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

### Optimize DOM size



A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#).

Statistic	Element	Value
Total elements		408
Most children		ul

Statistic	Element	Value
		
DOM depth		13

## Duplicated JavaScript



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [FCP](#) [LCP](#)

## Font display



Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#).

## Forced reflow



A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations.

## Improve image delivery



Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) [FCP](#) [LCP](#)

### ○ INP breakdown



Start investigating with the longest subpart. [Delays can be minimized](#). To reduce processing duration, [optimize the main-thread costs](#), often JS.

### ○ LCP request discovery



Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding lazy-loading](#)

## Legacy JavaScript



Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) [FCP](#) [LCP](#)

## Modern HTTP



HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP.](#) FCP LCP

### Optimize viewport for mobile ^

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

#### meta

### Defer offscreen images ^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) FCP LCP

### Use HTTP/2 ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP FCP

### JavaScript execution time — 1.1 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

URL	Total CPU Time	Script Evaluation	Script Parse
localhost <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	1,121 ms	778 ms	124 ms
http://localhost:3000	602 ms	343 ms	123 ms
...deps/react-dom_client.js?v=7449fb90 (localhost)	447 ms	382 ms	1 ms
...deps/react-hot-toast.js?v=06ed9d1c (localhost)	72 ms	53 ms	0 ms
Unattributable	1,102 ms	161 ms	68 ms
Unattributable	840 ms	5 ms	0 ms
chrome-extension://mjfigbdcmbkldpnmdigcfpncpeekedd/index.js	173 ms	82 ms	59 ms
chrome-extension://ghmbeldphafepmbeffd1kpapadhbakde/client.js	89 ms	74 ms	9 ms

## ○ Lazy load third-party resources with facades ^

Some third-party embeds can be **lazy loaded**. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as **passive** to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### ARIA

#### ⚠ `[aria-hidden="true"]` elements contain focusable descendants ^

Focusable descendants within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

##### Failing Elements



`div.fixed.inset-0.z-50.transition-opacity.duration-300.pointer-events-none.opacity-0`



`input.w-full.bg-transparent.text-primary.placeholder-text-secondary.focus:outline-none.px-2.py-2`

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

## CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

p.hidden.md:inline

body.font-sans

p

body.font-sans

p

body.font-sans

These are opportunities to improve the legibility of your content.

## ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide ^

- Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

- Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

○ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

○ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

○ User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

○ The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

○ HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

○ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

○ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

○ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

## PASSED AUDITS (14)

Hide

## [aria-\*] attributes match their roles

^

Each ARIA role supports a specific subset of aria-\* attributes. Mismatching these invalidates the aria-\* attributes. [Learn how to match ARIA attributes to their roles.](#)

## [aria-hidden="true"] is not present on the document &lt;body&gt;

^

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

## [aria-\*] attributes have valid values

^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

## [aria-\*] attributes are valid and not misspelled

^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

## Buttons have an accessible name

^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

## [user-scalable="no"] is not used in the &lt;meta name="viewport"&gt; element and the [maximum-scale] attribute is not less than 5.

^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

## ARIA attributes are used as specified for the element's role

^

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

## Elements use only permitted ARIA attributes

^

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

## Document has a &lt;title&gt; element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

#### <html> element has a [lang] attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute](#).

#### <html> element has a valid value for its [lang] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute](#).

#### Touch targets have sufficient size and spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets](#).

#### Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](#).

#### Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles](#).

### NOT APPLICABLE (41) Hide

#### ○ [accesskey] values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys](#).

#### ○ button, link, and menuitem elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible](#).

#### ○ Deprecated ARIA roles were not used ^

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles](#).

- Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible](#).

- ARIA input fields have accessible names

^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels](#).

- ARIA `meter` elements have accessible names

^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements](#).

- ARIA `progressbar` elements have accessible names

^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements](#).

- `[role]`s have all required `[aria-*]` attributes

^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes](#).

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements](#).

- `[role]`s are contained by their required parent element

^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element](#).

- `[role]` values are valid

^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles](#).

- Elements with the `role=text` attribute do not have focusable descendants.

^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the role=text attribute](#).

- ARIA toggle fields have accessible names ^

---

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

- ARIA tooltip elements have accessible names ^

---

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

- ARIA treeitem elements have accessible names ^

---

When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#)

- The page contains a heading, skip link, or landmark region ^

---

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements. ^

---

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

- Definition list items are wrapped in <dl> elements ^

---

Definition list items (<dt> and <dd>) must be wrapped in a parent <dl> element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

- ARIA IDs are unique ^

---

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

- No form fields have multiple labels ^

---

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

- <frame> or <iframe> elements have a title ^

---

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

- <html> element has an [xml:lang] attribute with the same base language as the [lang] attribute.

^

If the webpage does not specify a consistent lang, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- 
- Image elements have [alt] attributes

^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

- 
- Image elements do not have [alt] attributes that are redundant text.

^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

- 
- Input buttons have discernible text.

^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

- 
- <input type="image"> elements have [alt] text

^

When an image is being used as an <input> button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

- 
- Form elements have associated labels

^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

- 
- Links are distinguishable without relying on color.

^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

- 
- Links have a discernible name

^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

- 
- Lists contain only <li> elements and script supporting elements (<script> and <template>).

^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

- List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly.

[Learn more about proper list structure.](#)

- The document does not use `<meta http-equiv="refresh">`

^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

- `<object>` elements have alternate text

^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

- Select elements have associated label elements.

^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

- Skip links are focusable.

^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

- No element has a `[tabindex]` value greater than 0

^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

- Tables have different content in the summary attribute and `<caption>`.

^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

● [\[lang\] attributes have a valid value](#)

^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#)

● [<video> elements contain a <track> element with \[kind="captions"\]](#)

^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)



## Best Practices

### BROWSER COMPATIBILITY

▲ [Charset declaration is missing or occurs too late in the HTML](#)

^

A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

### GENERAL

▲ [Browser errors were logged to the console](#)

^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
localhost <a href="#">1st Party</a>	
:3000/favicon.ico:1	Failed to load resource: the server responded with a status of 404 (Not Found)

▲ [Issues were logged in the Issues panel in Chrome Devtools](#)

^

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more

details on each issue.

#### Issue type

#### Content security policy

## TRUST AND SAFETY

### ○ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

### ○ Use a strong HSTS policy ^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy](#).

Description	Directive	Severity
No HSTS header found		High

### ○ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header](#).

Description	Directive	Severity
No COOP header found		High

### ○ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking](#).

Description	Severity
No frame control policy found	High

## ○ Mitigate DOM-based XSS with Trusted Types ^

The `require-trusted-types-for` directive in the `Content-Security-Policy` (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

## PASSED AUDITS (11) Hide

### Uses HTTPS ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

### Avoids deprecated APIs ^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

### Avoids third-party cookies ^

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

### Allows users to paste into input fields ^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

### Avoids requesting the geolocation permission on page load ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

### Avoids requesting the notification permission on page load ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to

user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

Displays images with correct aspect ratio ^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

Serves images with appropriate resolution ^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

Page has the HTML doctype ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Page has valid source maps ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

URL	Map URL
localhost <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	
/services/storageService.ts (localhost)	
/services/geminiService.ts (localhost)	
...client/env.mjs (localhost)	
...deps/workbox-window.js?v=c8da47c2 (localhost)	...deps/workbox-window.js.map (localhost)
...deps/react.js?v=6fac0891 (localhost)	
...deps/react-transition-group.js?v=ed2233a1 (localhost)	...deps/react-transition-group.js.map (localhost)
...deps/react-hot-toast.js?v=06ed9d1c (localhost)	...deps/react-hot-toast.js.map (localhost)
...deps/react-helmet-async.js?v=88bdc239 (localhost)	...deps/react-helmet-async.js.map (localhost)

URL

Map URL

`...deps/react-dom.js?v=6fac0891 (localhost)``...deps/react-dom_client.js?v=7449fb90 (localhost)``...deps/react-dom_client.js.map (localhost)``...deps/react_jsx-dev-runtime.js?v=6fac0891 (localhost)``...deps/react_jsx-dev-runtime.js.map (localhost)``...deps/posthog-js.js?v=0be2ad2d (localhost)``...deps/posthog-js.js.map (localhost)``...deps/lucide-react.js?v=11ab5291 (localhost)``...deps/lucide-react.js.map (localhost)``...deps/launchdarkly-react-client-sdk.js?  
v=ebc37bce (localhost)``...deps/launchdarkly-react-client-  
sdk.js.map (localhost)``...deps/framer-motion.js?v=f33003b2 (localhost)``...deps/framer-motion.js.map (localhost)``...deps/focus-trap-react.js?v=e52067ff (localhost)``...deps/focus-trap-react.js.map (localhost)``...deps/dexie.js?v=be47d040 (localhost)``...deps/dexie.js.map (localhost)``...deps/chunk-ZXCIKYUC.js?v=0c3f6572 (localhost)``...deps/chunk-ZXCIKYUC.js.map (localhost)``...deps/chunk-PKUF6EYY.js?v=0c3f6572 (localhost)``...deps/chunk-PKUF6EYY.js.map (localhost)``...deps/chunk-EWTE5DHJ.js?v=0c3f6572 (localhost)``...deps/chunk-DHORR3Q4.js?v=0c3f6572 (localhost)``...deps/chunk-DHORR3Q4.js.map (localhost)``...deps/chunk-DFTYDW3P.js?v=0c3f6572 (localhost)``...deps/chunk-DFTYDW3P.js.map (localhost)``...deps/chunk-2AFDJZZ.js?v=0c3f6572 (localhost)``...deps/chunk-2AFDJZZ.js.map (localhost)``...deps/@sentry_react.js?v=7fd8812e (localhost)``...deps/@sentry_react.js.map (localhost)``...deps/@google_genai.js?v=77454f77 (localhost)``...deps/@google_genai.js.map (localhost)``/lib/offlineService.ts (localhost)``/lib/logger.ts (localhost)``/lib/indexedDb.ts (localhost)``/lib/i18n.ts (localhost)`

URL

Map URL

/lib/featureFlags.ts (localhost)

/lib/draftUtils.ts (localhost)

/lib/cache.ts (localhost)

/lib/analytics.ts (localhost)

/index.tsx (localhost)

/hooks/useUserProfile.ts (localhost)

/hooks/useTranslation.ts (localhost)

/hooks/useSettings.ts (localhost)

/hooks/usePlaybook.ts (localhost)

/hooks/useModals.ts (localhost)

/hooks/useGemini.ts (localhost)

/hooks/useCommands.ts (localhost)

/data/strategyInsights.ts (localhost)

/data/scenarios.ts (localhost)

/data/championThemeColors.ts (localhost)

/data/championRoles.ts (localhost)

/contexts/DraftContext.tsx (localhost)

/contexts/ChampionContext.tsx (localhost)

/constants.ts (localhost)

...Trials/DailyTrial.tsx (localhost)

...StrategyHub/StrategyHub.tsx (localhost)

...Settings/SettingsPanel.tsx (localhost)

URL

Map URL

...Settings/ProfileSettingsModal.tsx (localhost)

...Scenarios/DraftScenarios.tsx (localhost)

/components/Router.tsx (localhost)

...Profile/StrategistJourneyPanel.tsx (localhost)

...Profile/ProTipPanel.tsx (localhost)

...Profile/Profile.tsx (localhost)

...Profile/PlaybookAnalysisPanel.tsx (localhost)

...Profile/MissionsPanel.tsx (localhost)

...Profile/FeedbackPanel.tsx (localhost)

...Profile/ChampionMasteryPanel.tsx (localhost)

...Profile/ArenaOverviewPanel.tsx (localhost)

...Playbook/StatisticsPanel.tsx (localhost)

...Playbook/PlaybookDetailModal.tsx (localhost)

...Playbook/PlaybookCompareModal.tsx (localhost)

...Playbook/PlaybookCard.tsx (localhost)

...Playbook/Playbook.tsx (localhost)

...Onboarding/ProfileSetupModal.tsx (localhost)

...Onboarding/GuidedTour.tsx (localhost)

...MetaOracle/MetaOracle.tsx (localhost)

...LiveDraft/LiveDraft.tsx (localhost)

...Layout/Header.tsx (localhost)

...Layout/Footer.tsx (localhost)

URL

Map URL

...Layout/BottomNav.tsx (localhost)

...Intel/PersonalizedPatchNotesDisplay.tsx (localhost)

...Intel/Intel.tsx (localhost)

...Home/SmartDashboard.tsx (localhost)

...Home/Home.tsx (localhost)

...Feedback/FeedbackModal.tsx (localhost)

...DraftLab/TeamPanel.tsx (localhost)

...DraftLab/TeamBuilderModal.tsx (localhost)

...DraftLab/TeamBuilderAssistant.tsx (localhost)

...DraftLab/TeamAnalytics.tsx (localhost)

...DraftLab/QuickLookPanel.tsx (localhost)

...DraftLab/PowerSpikeTimeline.tsx (localhost)

...DraftLab/PickSlot.tsx (localhost)

...DraftLab/DraftLab.tsx (localhost)

...DraftLab/ChampionGrid.tsx (localhost)

...DraftLab/BlueprintPanel.tsx (localhost)

...DraftLab/BanSlot.tsx (localhost)

...DraftLab/AdvicePanel.tsx (localhost)

...common/Tooltip.tsx (localhost)

...common/TextArea.tsx (localhost)

...common/TagInput.tsx (localhost)

...common/SourceList.tsx (localhost)

URL

Map URL

[...common/SEO.tsx \(localhost\)](#)[...common/ProgressBar.tsx \(localhost\)](#)[...common/OfflineIndicator.tsx \(localhost\)](#)[...common/Modal.tsx \(localhost\)](#)[...common/MarkdownRenderer.tsx \(localhost\)](#)[...common/Loader.tsx \(localhost\)](#)[...common/ErrorBoundary.tsx \(localhost\)](#)[...common/ConfirmationModal.tsx \(localhost\)](#)[...common/CommandPalette.tsx \(localhost\)](#)[...common/Button.tsx \(localhost\)](#)[...Armory/ChampionDetailModal.tsx \(localhost\)](#)[...Armory/Armory.tsx \(localhost\)](#)[...Arena/TurnIndicator.tsx \(localhost\)](#)[...Arena/LiveArena.tsx \(localhost\)](#)[...Arena/DraftTimeline.tsx \(localhost\)](#)[...Arena/ArenaSaveModal.tsx \(localhost\)](#)[...Arena/arenaConstants.ts \(localhost\)](#)[...Arena/ArenaChampionSelectModal.tsx \(localhost\)](#)[...Academy/lessons.ts \(localhost\)](#)[...Academy/KeywordHighlighter.tsx \(localhost\)](#)[...Academy/Academy.tsx \(localhost\)](#)[/App.tsx \(localhost\)](#)

URL

Map URL

/@vite/client (localhost)

/@react-refresh (localhost)

## NOT APPLICABLE (3)

Hide

 Redirects HTTP traffic to HTTPS

^

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more](#).

 Document uses legible font sizes

^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes](#).

 Detected JavaScript libraries

^

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit](#).



## SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

## CONTENT BEST PRACTICES

 Document does not have a meta description

^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Format your HTML in a way that enables crawlers to better understand your app’s content.

## CRAWLING AND INDEXING

▲ robots.txt is not valid — 241 errors found ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Line #	Content	Error
1	<!DOCTYPE html>	Syntax not understood
2	<html lang="en" data-theme="dark">	Syntax not understood
3	<head>	Syntax not understood
4	<script type="importmap">	Syntax not understood
5	{	Syntax not understood
6	"imports": {	Unknown directive
7	"react/": "https://esm.sh/react@^19.1.1/",	Unknown directive
8	"react": "https://esm.sh/react@^19.1.1",	Unknown directive
9	"@google/genai": "https://esm.sh/@google/genai@^1.15.0",	Unknown directive
10	"react-dom": "https://esm.sh/react-dom@^19.1.1",	Unknown directive
11	"react-dom/": "https://esm.sh/react-dom@^19.1.1/",	Unknown directive
12	"framer-motion": "https://esm.sh/framer-motion@^12.23.12",	Unknown directive
13	"react-hot-toast": "https://esm.sh/react-hot-toast@^2.6.0",	Unknown directive

Line #	Content	Error
14	"focus-trap-react": "https://esm.sh/focus-trap-react@^11.0.4",	Unknown directive
15	"react-transition-group": "https://esm.sh/react-transition-group@^4.4.5",	Unknown directive
16	"react-virtualized-auto-sizer": "https://esm.sh/react-virtualized-auto-sizer@^1.0.26",	Unknown directive
17	"react-window": "https://esm.sh/react-window@^1.8.11",	Unknown directive
18	"lucide-react": "https://esm.sh/lucide-react@^0.418.0",	Unknown directive
19	"dexie": "https://esm.sh/dexie@^4.0.7"	Unknown directive
20	}	Syntax not understood
21	}	Syntax not understood
22	</script>	Syntax not understood
23	<script type="module">import { injectIntoGlobalHook } from "@/react-refresh";	Syntax not understood
24	injectIntoGlobalHook(window);	Syntax not understood
25	window.\$RefreshReg\$ = () => {};	Syntax not understood
26	window.\$RefreshSig\$ = () => (type) => type;</script>	Syntax not understood
28	<script type="module" src="@vite/client"></script>	Syntax not understood
30	<meta charset="UTF-8">	Syntax not understood

Line #	Content	Error
31	<meta name="viewport" content="width=device-width, initial-scale=1.0">	Syntax not understood
32	<title>DraftWise AI</title>	Syntax not understood
33	<link rel="preconnect" href="https://fonts.googleapis.com">	Unknown directive
34	<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>	Unknown directive
35	<link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700&family=Teko:wght@400;500;600;700&display=swap" rel="stylesheet">	Unknown directive
37	<script src="https://cdn.tailwindcss.com"></script>	Unknown directive
38	<script>	Syntax not understood
39	tailwind.config = {	Syntax not understood
40	theme: {	Unknown directive
41	extend: {	Unknown directive
42	colors: {	Unknown directive
43	'bg-primary': 'hsl(var(--bg-primary) / <alpha-value>)',	Unknown directive
44	'bg-secondary': 'hsl(var(--bg-secondary) / <alpha-value>)',	Unknown directive
45	'surface': 'hsl(var(--surface) / <alpha-value>)',	Unknown directive
46	'surface-secondary': 'hsl(var(--surface-secondary) / <alpha-value>)',	Unknown directive

Line #	Content	Error
47	'surface-tertiary': 'hsl(var(--surface-tertiary) / <alpha-value>)>,	Unknown directive
48	'surface-inset': 'hsl(var(--surface-inset) / <alpha-value>)>,	Unknown directive
49	'border': 'hsl(var(--border) / <alpha-value>)>,	Unknown directive
50	'border-primary': 'hsl(var(--border-primary) / <alpha-value>)>,	Unknown directive
51	'border-secondary': 'hsl(var(--border-secondary) / <alpha-value>)>,	Unknown directive
52	'text-primary': 'hsl(var(--text-primary) / <alpha-value>)>,	Unknown directive
53	'text-secondary': 'hsl(var(--text-secondary) / <alpha-value>)>,	Unknown directive
54	'text-muted': 'hsl(var(--text-muted) / <alpha-value>)>,	Unknown directive
55	'accent': 'hsl(var(--accent) / <alpha-value>)>,	Unknown directive
56	'on-accent': 'hsl(var(--on-accent) / <alpha-value>)>,	Unknown directive
57	'secondary-accent': 'hsl(var(--secondary-accent) / <alpha-value>)>,	Unknown directive
58	'info': 'hsl(var(--info) / <alpha-value>)>,	Unknown directive
59	'success': 'hsl(var(--success) / <alpha-value>)>,	Unknown directive
60	'warning': 'hsl(var(--warning) / <alpha-value>)>,	Unknown directive
61	'error': 'hsl(var(--error) / <alpha-value>)>,	Unknown directive

Line #	Content	Error
62	'team-blue': 'hsl(var(--team-blue) / <alpha-value>)>,	Unknown directive
63	'team-red': 'hsl(var(--team-red) / <alpha-value>)>,	Unknown directive
64	// Aliases for classes that were used inconsistently	Syntax not understood
65	'gold': 'hsl(var(--accent) / <alpha-value>)>,	Unknown directive
66	'gold-bright': 'hsl(var(--accent) / <alpha-value>)>,	Unknown directive
67	'on-gold': 'hsl(var(--on-accent) / <alpha-value>)>,	Unknown directive
68	'turquoise': 'hsl(var(--secondary-accent) / <alpha-value>)>,	Unknown directive
69	},	Syntax not understood
70	fontFamily: {	Unknown directive
71	sans: ['Inter', 'sans-serif'],	Unknown directive
72	display: ['Teko', 'sans-serif'],	Unknown directive
73	}	Syntax not understood
74	}	Syntax not understood
75	}	Syntax not understood
76	}	Syntax not understood

Line #	Content	Error
77	</script>	Syntax not understood
80	<style>	Syntax not understood
81	:root {	Unknown directive
82	/* --- THEME: ARCANE NIGHT (DARK) --- */	Unknown directive
83	--bg-primary: 220 33% 5%; /* #0A0B0F */	Unknown directive
84	--bg-secondary: 220 20% 8%; /* #111318 */	Unknown directive
85	--surface: 220 15% 12%; /* #1A1D23 */	Unknown directive
86	--surface-secondary: 220 10% 15%; /* #22252A */	Unknown directive
87	--surface-tertiary: 220 10% 20%; /* #2E3138 */	Unknown directive
88	--surface-inset: 220 33% 4%; /* #08090D */	Unknown directive
90	--border: 220 12% 23%; /* #313843 */	Unknown directive
91	--border-primary: 220 12% 23%;	Unknown directive
92	--border-secondary: 220 10% 30%; /* #454852 */	Unknown directive
94	--text-primary: 216 25% 95%; /* #F0F2F7 */	Unknown directive
95	--text-secondary: 215 16% 68%; /* #A0AEC0 */	Unknown directive

Line #	Content	Error
96	--text-muted: 215 15% 44%; /* #646C7B */	Unknown directive
98	--accent: 42 70% 55%; /* #C89B3C (Hextech Gold) */	Unknown directive
99	--on-accent: 220 33% 5%; /* #0A0B0F */	Unknown directive
100	--secondary-accent: 195 90% 45%; /* #0BC4E2 (Piltover Blue) */	Unknown directive
102	--info: 195 90% 45%;	Unknown directive
103	--success: 135 60% 45%;	Unknown directive
104	--warning: 38 92% 50%;	Unknown directive
105	--error: 354 70% 54%;	Unknown directive
107	--team-blue: 205 100% 50%;	Unknown directive
108	--team-red: 0 85% 55%;	Unknown directive
110	--focus-ring: 42 70% 55%; /* Hextech Gold */	Unknown directive
111	}	Syntax not understood
113	html[data-theme="light"] {	Syntax not understood
114	/* --- THEME: PARCHMENT & INK (LIGHT) --- */	Unknown directive
115	--bg-primary: 43 43% 97%; /* #FBF9F5 */	Unknown directive

Line #	Content	Error
116	--bg-secondary: 0 0% 100%; /* #FFFFFF */	Unknown directive
117	--surface: 38 33% 94%; /* #F7F4EF */	Unknown directive
118	--surface-secondary: 38 33% 98%; /* #FCFAF7 */	Unknown directive
119	--surface-tertiary: 38 33% 92%; /* #F2EEE8 */	Unknown directive
120	--surface-inset: 43 43% 95%; /* #F7F5F0 */	Unknown directive
122	--border: 40 20% 80%; /* #DCD5C3 */	Unknown directive
123	--border-primary: 40 20% 80%;	Unknown directive
124	--border-secondary: 40 20% 70%; /* #C7BEAC */	Unknown directive
126	--text-primary: 220 23% 14%; /* #1A202C */	Unknown directive
127	--text-secondary: 215 15% 34%; /* #4A5568 */	Unknown directive
128	--text-muted: 215 14% 48%; /* #6C757D */	Unknown directive
130	--accent: 42 100% 36%; /* #B8860B (Dark Gold for contrast) */	Unknown directive
131	--on-accent: 0 0% 100%; /* #FFFFFF */	Unknown directive
132	--secondary-accent: 190 100% 28%; /* #007A8D (Dark Blue for contrast) */	Unknown directive
134	--info: 190 100% 28%;	Unknown directive

Line #	Content	Error
135	--success: 135 60% 35%;	Unknown directive
136	--warning: 38 92% 45%;	Unknown directive
137	--error: 354 70% 48%;	Unknown directive
138	}	Syntax not understood
140	body {	Syntax not understood
141	-webkit-font-smoothing: antialiased;	Unknown directive
142	-moz-osx-font-smoothing: grayscale;	Unknown directive
143	transition: background-color 0.3s ease, color 0.3s ease;	Unknown directive
144	background-color: hsl(var(--bg-primary));	Unknown directive
145	color: hsl(var(--text-primary));	Unknown directive
146	}	Syntax not understood
148	.shadow-glow-accent {	Syntax not understood
149	box-shadow: 0 0 15px 0px hsl(var(--accent) / 0.3), 0 0 5px 0px hsl(var(--accent) / 0.2);	Unknown directive
150	}	Syntax not understood
151	.shadow-glow-info {	Syntax not understood

Line #	Content	Error
152	box-shadow: 0 0 15px 0px hsl(var(--info) / 0.3), 0 0 5px 0px hsl(var(--info) / 0.2);	Unknown directive
153	}	Syntax not understood
155	@keyframes pulse-once {	Syntax not understood
156	0% { box-shadow: 0 0 0 0 hsl(var(--accent) / 0.4); }	Unknown directive
157	70% { box-shadow: 0 0 0 10px hsl(var(--accent) / 0); }	Unknown directive
158	100% { box-shadow: 0 0 0 0 hsl(var(--accent) / 0); }	Unknown directive
159	}	Syntax not understood
160	.animate-pulse-once { animation: pulse-once 1.2s ease-in-out; }	Unknown directive
162	@keyframes mission-complete-glow {	Syntax not understood
163	0% { box-shadow: 0 0 0 0 hsl(var(--accent) / 0.5), inset 0 0 0 0 hsl(var(--accent) / 0.3); }	Unknown directive
164	100% { box-shadow: 0 0 20px 10px hsl(var(--accent) / 0), inset 0 0 10px 5px hsl(var(--accent) / 0); }	Unknown directive
165	}	Syntax not understood
166	.animate-mission-complete { animation: mission-complete-glow 1.5s ease-out; }	Unknown directive
168	@keyframes scan-line {	Syntax not understood
169	0% { transform: translateY(-100%); opacity: 0; }	Unknown directive

Line #	Content	Error
170	50% { opacity: 1; }	Unknown directive
171	100% { transform: translateY(200%); opacity: 0; }	Unknown directive
172	}	Syntax not understood
173	.scanner-effect::after {	Unknown directive
174	content: '';	Unknown directive
175	position: absolute; top: 0; left: 0; right: 0; height: 50%;	Unknown directive
176	background: linear-gradient( to bottom, transparent 0%, hsl(var(--secondary-accent) / 0.1) 48%, hsl(var(--secondary-accent) / 0.3) 50%, hsl(var(--secondary-accent) / 0.1) 52%, transparent 100% );	Unknown directive
177	animation: scan-line 2.5s linear infinite;	Unknown directive
178	pointer-events: none;	Unknown directive
179	}	Syntax not understood
181	@keyframes bar-grow-anim {	Syntax not understood
182	from { transform: scaleY(0); }	Unknown directive
183	to { transform: scaleY(1); }	Unknown directive
184	}	Syntax not understood
185	.bar-grow { transform-origin: bottom; animation: bar-grow-anim 0.5s ease-out forwards; }	Unknown directive

Line #	Content	Error
187	@keyframes gentle-pulse {	Syntax not understood
188	0%, 100% { filter: brightness(1); }	Unknown directive
189	50% { filter: brightness(1.3); }	Unknown directive
190	}	Syntax not understood
191	.animate-gentle-pulse { animation: gentle-pulse 2.5s ease-in-out infinite; }	Unknown directive
193	/* Tour Spotlight */	Syntax not understood
194	@keyframes tour-glow {	Syntax not understood
195	0%, 100% { box-shadow: 0 0 0 9999px hsla(0, 0%, 0%, 0.7), 0 0 10px 5px hsl(var(--accent)); }	Unknown directive
196	50% { box-shadow: 0 0 0 9999px hsla(0, 0%, 0%, 0.7), 0 0 25px 10px hsl(var(--accent)); }	Unknown directive
197	}	Syntax not understood
198	.tour-spotlight {	Syntax not understood
199	position: fixed;	Unknown directive
200	border-radius: 6px;	Unknown directive
201	box-shadow: 0 0 0 9999px hsla(0, 0%, 0%, 0.7);	Unknown directive
202	z-index: 1001;	Unknown directive

Line #	Content	Error
203	transition: all 0.3s ease-in-out;	Unknown directive
204	pointer-events: none;	Unknown directive
205	animation: tour-glow 2s ease-in-out infinite;	Unknown directive
206	}	Syntax not understood
208	/* Page Transitions */	Syntax not understood
209	.page-enter { opacity: 0; transform: translateY(10px); }	Unknown directive
210	.page-enter-active { opacity: 1; transform: translateY(0); transition: opacity 300ms, transform 300ms; }	Unknown directive
211	.page-exit { opacity: 1; transform: translateY(0); }	Unknown directive
212	.page-exit-active { opacity: 0; transform: translateY(-10px); transition: opacity 300ms, transform 300ms; }	Unknown directive
214	/* Modal Transitions */	Syntax not understood
215	.modal-enter { opacity: 0; }	Unknown directive
216	.modal-enter-active { opacity: 1; transition: opacity 200ms; }	Unknown directive
217	.modal-exit { opacity: 1; }	Unknown directive
218	.modal-exit-active { opacity: 0; transition: opacity 200ms; }	Unknown directive
219	.modal-content-enter { opacity: 0; transform: scale(0.95); }	Unknown directive

Line #	Content	Error
220	.modal-content-enter-active { opacity: 1; transform: scale(1); transition: opacity 200ms, transform 200ms; }	Unknown directive
221	.modal-content-exit { opacity: 1; transform: scale(1); }	Unknown directive
222	.modal-content-exit-active { opacity: 0; transform: scale(0.95); transition: opacity 200ms, transform 200ms; }	Unknown directive
224	/* Tooltip */	Syntax not understood
225	.tooltip-container {	Syntax not understood
226	border: 1px solid hsl(var(--border));	Unknown directive
227	background-color: hsl(var(--bg-secondary));	Unknown directive
228	box-shadow: 0 4px 12px hsl(var(--bg-primary) / 0.5);	Unknown directive
229	transition: opacity 0.2s ease-out, transform 0.2s ease-out;	Unknown directive
230	border-radius: 4px;	Unknown directive
231	backdrop-filter: blur(4px);	Unknown directive
232	}	Syntax not understood
233	.tooltip-container::after {	Unknown directive
234	content: ''; position: absolute; left: 50%; top: 100%;	Unknown directive
235	transform: translateX(-50%); width: 0; height: 0;	Unknown directive

Line #	Content	Error
236	border-left: 6px solid transparent; border-right: 6px solid transparent;	Unknown directive
237	border-top: 6px solid hsl(var(--border));	Unknown directive
238	}	Syntax not understood
240	/* AI Analysis Glow */	Syntax not understood
241	@keyframes scanner-border {	Syntax not understood
242	0% { box-shadow: inset 0 0 0 2px hsl(var(--accent) / 0); }	Unknown directive
243	50% { box-shadow: inset 0 0 0 2px hsl(var(--accent) / 0.7); }	Unknown directive
244	100% { box-shadow: inset 0 0 0 2px hsl(var(--accent) / 0); }	Unknown directive
245	}	Syntax not understood
246	.analyzing-glow {	Syntax not understood
247	animation: scanner-border 1.5s ease-in-out infinite;	Unknown directive
248	}	Syntax not understood
250	/* New Hextech Loader Animations */	Syntax not understood
251	@keyframes rotate-outer {	Syntax not understood
252	from { transform: rotate(0deg); }	Unknown directive

Line #	Content	Error
253	to { transform: rotate(360deg); }	Unknown directive
254	}	Syntax not understood
255	@keyframes rotate-inner {	Syntax not understood
256	from { transform: rotate(360deg); }	Unknown directive
257	to { transform: rotate(0deg); }	Unknown directive
258	}	Syntax not understood
259	@keyframes pulse-core {	Syntax not understood
260	0%, 100% { opacity: 0.7; transform: scale(0.95); }	Unknown directive
261	50% { opacity: 1; transform: scale(1.05); }	Unknown directive
262	}	Syntax not understood
263	</style>	Syntax not understood
264	<link rel="stylesheet" href="/index.css">	Syntax not understood
265	</head>	Syntax not understood
266	<body class="font-sans">	Syntax not understood
267	<div id="root"></div>	Syntax not understood

Line #	Content	Error
268	<script type="module" src="/index.tsx"></script>	Syntax not understood
269	</body>	Syntax not understood
270	</html>	Syntax not understood

To appear in search results, crawlers need access to your app.

#### ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

##### Structured data is valid

^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data](#).

Run these additional validators on your site to check additional SEO best practices.

#### PASSED AUDITS (6)

Hide

##### Page isn't blocked from indexing

^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

##### Document has a `<title>` element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

##### Page has successful HTTP status code

^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

##### Links have descriptive text

^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

##### Links are crawlable

^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Document has a valid [hreflang](#)

^

hreflang links tell search engines what version of a page they should list in search results for a given language or region.

[Learn more about hreflang.](#)

## NOT APPLICABLE (2)

Hide

### Image elements have [\[alt\]](#) attributes

^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

### Document has a valid [rel=canonical](#)

^

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

 Captured at Oct 25, 2025, 10:42

PM GMT-3

 Initial page load

 Emulated Desktop with

Lighthouse 12.8.2

 Custom throttling

 Single page session

 Using Chromium 141.0.0.0 with  
devtools

Generated by **Lighthouse** 12.8.2 | [File an issue](#)