

JPE Replication Report

2026-09-18

1 Paper Identification

ID	20241100
Author	Huang
Title	Breaking the Spiral of Silence
Iteration	1

Some useful information up front:

- [JPE Data and Code Availability Policy](#)
- [Step by step guidance from Data Editor for Authors](#)
- [Template README](#)

2 Summary

In assessing compliance with our [Data and Code Availability Policy](#), our reproducibility team has identified the following issues, which we ask you to address:

1. Data Editor's first point.
2. Data Editor's second point.

3 General

{REPLICATOR} Check off the following sections/elements that you find in either the README provided by the authors, or in the authors' online appendix (rare).

☒ Data Availability and Provenance Statements

- ☒ Statement about Rights - Part 1: Right to use the data (e.g. *did the authors lawfully obtain the data*)
- ☒ Statement about Rights - Part 2: Right to publish the data (e.g. *are human subjects involved and did permission been granted to publish their data?*)
- ☐ License for Data (optional, but recommended)
- ☒ Details on each Data Source
- ☒ Dataset list
- ☒ Computational requirements
 - ☒ Software Requirements
 - ☒ Controlled Randomness (as necessary)
 - ☐ Memory, Runtime, and Storage Requirements
- ☒ Description of programs/code
 - ☒ License for Code (Optional, but recommended)
- ☒ List of tables and programs
- ☐ References (Optional, but recommended)

4 High-level Description of Research Project

This research project...

- ☒ uses observational data.
 - ☐ uses *confidential* observational data.
 - ☐ uses data generated via experiment or trial by the authors (in field or lab).
 - ☐ For lab experiments: The code to implement the experimental protocol (z-Tree, o-Tree etc) is included in the package.
 - ☐ A PDF copy of IRB approval is contained in the package.
 - ☐ A PDF document outlining the design of the experiment, including information on the selection and eligibility of participants is included.
 - ☐ A PDF copy of the instructions given to participants in both original language and an English translation is included.
- ☒ uses data generated via survey by the authors (in field or online)
 - ☐ The programs used to administer the survey (e.g. qualtrics survey file) are included.
 - ☒ A PDF copy of IRB approval is contained in the package.
 - ☒ A PDF of the original questionnaire(s) and information on the selection and eligibility of participants is included.
- ☐ is a simulation study: the data are generated by an algorithm.
- ☐ is a numerical illustration: no data are used but code is used to produce illustrative output (tables, figures)

5 Data description

5.1 Data Sources

file/name	public	private	shared with us	DOI/URL	Access de- scribed	cited readme	cited paper
re- cruit_base- line_ros- ter_TC.dta	no	yes	yes	-	Survey data	yes	yes
recruit- ment_base- line.dta	no	yes	yes	-	Survey data	yes	yes
recruit- ment_base- line_2nd.dta	no	yes	yes	-	Survey data	yes	yes
first_movers_ana- lysis.dta	no	yes	yes	-	Survey data	yes	yes
TC_cleaned.dta	no	yes	yes	-	Survey data	yes	yes
TC_cleaned_2nd.dta	no	yes	yes	-	Survey data	yes	yes
TC_first_movers_merged.dta	no	yes	yes	-	Survey data	yes	yes
attri- tion.dta	no	yes	yes	-	Survey data	yes	yes
extrem- ity_first_movers_cleaned.dta	no	yes	yes	-	Survey data	yes	yes
extrem- ity_TC_merged.dta	no	yes	yes	-	Survey data	yes	yes
anes_full.csv	yes	no	yes	-	-	yes	yes
anes_full_in- person.csv	yes	no	yes	www.elec- tion- stud- ies.org	yes	yes	yes

6 Requirements

- ☒ README is in TXT, MD, or PDF format

- ☐ README is accessible at the root of the package (not inside a folder) - ☐ Title conforms to guidance (starts with “Data and Code for: Title of Paper” or “Code for: Title of Paper”, is properly capitalized)
- ☒ Authors (with affiliations) are listed in the same order as on the paper

{REQUIRED} Please review the title of the deposit as per our guidelines.

6.1 Stated Requirements

- ☐ No requirements specified
- ☒ Software Requirements specified as follows:
 - Stata MP 18.0
 - Python
- ☐ Computational Requirements specified as follows:
- ☒ Time Requirements specified as follows:
 - Length of necessary computation (hours, weeks, etc.)
- ☐ Requirements are complete.

For missing requirements, see the list of required changes in [Section 9](#)

7 Analyzing Data and Code Files

7.1 Potential Personal Identifiable Information (PII)

We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. *As a reminder, privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals.* If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

Summary: - Data files with PII indicators: 24 - Variables flagged in data: 193 - Code files with PII references: 46 - PII references in code: 498

7.1.1 Summary of Flagged Files

File Type	File	Variables/References	PII Categories
Data	Berkeley_renaming.csv		second
Data	Berkeley_renaming.xlsx		second
Data	TC_cleaned1.csv		second, name, school, gender
Data	TC_cleaned1.dta		second, name, school, gender
Data	TC_cleaned12nd.csv		second, name, school, phone, gender
Data	TC_cleaned12nd.dta		second, name, school, phone, gender
Data	TC_first_movers_merged.csv		second, name, school, gender
Data	TC_first_movers_merged.dta		second, name, school, gender
Data	attrition.csv		second, name, school, gender
Data	attrition.dta		second, name, school, gender
Data	extremity_TC_merged.csv		second, gender
Data	extremity_TC_merged.dta		second, gender
Data	extremity_first_movers_cleaned.csv		second, gender
Data	extremity_first_movers_cleaned.dta		second, gender
Data	first_movers3_analysis.csv		second, name, school, gender
Data	first_movers3_analysis.dta		second, name, school, gender
Data	first_movers_long.dta		name, school, gender
Data	private_demographics_long.dta		gender
Data	recruit_baseline_roster_TC.csv		second, name, school, gender
Data	recruit_baseline_roster_TC.dta		second, name, school, gender
Data	recruitment6_baseline.csv		second, name, school, gender
Data	recruitment6_baseline.dta		second, name, school, gender
Data	recruitment8_baseline_2nd.csv		second, name, school, phone, gender
Data	recruitment8_baseline_2nd.dta		second, name, school, phone, gender

File Type	File	Variables/References	PII Categories
Code	Figure 3.do	11	lon, name, school, loc
Code	Figure 4.do	13	social, name, school, gender, lon, loc
Code	Figure 5.do	15	loc, name, school, lon
Code	Figure A1.ipynb	38	lat, name, social, loc, block, lon, fax, gps, sex, url, dob, son, city, wife, zip
Code	Figure B2.do	10	lon, name, school, loc
Code	Figure D4.do	2	name, school, loc
Code	Figure D5.do	9	name, school, gender, loc
Code	Figure D6.do	1	loc
Code	Figure D7.do	9	lat, name, school, loc, lname
Code	Figure E11.do	24	lon, name, phone, school, loc
Code	Table 1.do	13	name, school, gender, lon, second, loc
Code	Table 2.do	13	name, school, gender, lon, loc, social
Code	Table 3.do	16	name, school, gender, lon, second, loc
Code	Table B1.do	31	social, loc, name, school, gender
Code	Table C10.do	12	name, school, gender, lon, loc
Code	Table C11.do	23	name, school, gender, lon, second, loc
Code	Table C2.do	15	gender, loc, name, school
Code	Table C3.do	8	gender, loc, name, school
Code	Table C4.do	8	gender, loc, name, school

File Type	File	Variables/References	PII Categories
Code	Table C5.do	20	name, school, loc
Code	Table C6.do	20	name, school, loc
Code	Table C7.do	14	name, school, gender, lon, loc
Code	Table C8.do	10	name, school, gender, lon, loc
Code	Table C9.do	11	name, school, gender, lon, loc
Code	Table D12.do	7	name, school, gender, lon, loc
Code	Table D13.do	14	name, school, gender, lon, second, loc
Code	Table D14.do	19	name, school, loc, gender, lon, social
Code	Table D15.do	29	lat, school, name, gender, loc, block, lon
Code	Table D16.do	11	name, school, gender, lon, loc
Code	Table E17.do	9	name, gender, lon, loc
Code	Table E18.do	12	name, gender, lon, loc
Code	Table E19.do	9	name, gender, lon, loc
Code	Table E20.do	10	name, gender, city, loc
Code	Table E21.do	7	name, school, gender, lon, loc
Code	Table E22.do	12	name, school, gender, lon, loc
Code	Table E23.do	1	son
Code	appropriateness_summary.tex	2	school, gender
Code	attrition.tex	1	name, school
Code	attrition_v2.tex	1	name, school
Code	dist_private_silent.tex	1	school
Code	het_endline.tex	1	social
Code	het_midline.tex	1	social
Code	silence_master.do	3	lon, name

File Type	File	Variables/References	PII Categories
Code	<code>summary_first_movers.tex</code>		school
Code	<code>summary_first_movers_r.tex</code>		school
Code	<code>summary_ftb.tex</code>		name, school

See [Appendix](#) for detailed listing of all flagged instances.

7.1.2 File Paths Report

Generated on 2026-09-03T14:23:32.495

Warning: Our search on file path types is imperfect and incurs both type 1 and type 2 errors. We aim to strike a reasonable balance between both. The below table is therefore only indicative. Detailed listings can be found in the appendix to this report.

In this table we analyse all files which contain source code (not data and documentation), and we report the grand total of each type of filepath we encountered.

Please check and replace any **windows** filepaths with unix compliant paths, insofar as this is possible in your setup. (Notice that **STATA** allows / to be a filepath separator on a windows platform, hence this is a requirement for *all* **STATA** applications.)

Files Analyzed	Windows Paths	Unix Paths	Mixed Paths	Drive Letters (C:\ etc)
108	28	11	0	1

7.1.3 Duplicate Files Report

We found the following duplicate files:

Filename	Size (MB)	Checksum (MD5)
/__MACOSX/Replication Package 20241100/Code/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
/__MACOSX/Replication Package 20241100/Experiment/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c

Filename	Size (MB)	Checksum (MD5)
/__MACOSX/Replication Package	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
20241100/Output/.__DS_Store		
/__MACOSX/Replication Package	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
20241100/data/.__DS_Store		
/__MACOSX/Replication Package	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
20241100/data/csv/.__DS_Store		
/__MACOSX/Replication Package	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
20241100/logs/.__DS_Store		
/Replication Package	0.01	df2fbeb1400acda0909a32c1cf6bf492f1121e07
20241100/data/csv/.__DS_Store		
/Replication Package	0.01	df2fbeb1400acda0909a32c1cf6bf492f1121e07
20241100/logs/.__DS_Store		

7.1.4 Zero Size Files Report

We did not find any zero sized files.

7.1.5 Large Files Report

We did not find any files larger than 100MB.

7.2 Code description

cloc	github.com/AIDanial/cloc v 2.02 T=0.07 s (1194.3 files/s, 120481.2 lines/s)
------	--

Language	files	blank	comment	code
CSV	13	0	0	3644
Stata	36	762	1	2868
TeX	34	0	0	651
Jupyter Notebook	1	0	418	222

Language	files	blank	comment	code
Text	1	4	0	5
SUM:	85	766	419	7390

- ☒ The replication package contains a “main” or “master” file(s) which calls all other auxiliary programs.

NOTE: In-text numbers that reference numbers in tables do not need to be listed.
Only in-text numbers that correspond to no table or figure need to be listed.

7.3 Computing Environment of the Replicator

- SSPCloud instance, RStudio image with 32Gb of memory running Debian 13.1 on Intel(R) Xeon(R) Gold 6140 CPU @ 2.30GHz with 18 cores
- Stata/MP 18.0

8 Replication

- Installed packages as required (see README #5.1)
- Ran `silence_master.do` as per README, got an error while running sub-script `Figure D4.do`:

```
. splitvallabels treat, length(2)
command splitvallabels is unrecognized
r(199);
```

- Package `libutil2`, which is supposed to have `splitvallabels`, does not actually provide the command. I could not find a suitable replacement. Perhaps the authors had this function from a previous undisclosed package?

9 Findings

9.1 Missing Requirements

- ☒ Software Requirements
 - ☒ Stata

- ☐ Version
 - * Package for `splitvallabels`
 - ☒ Python
 - ☒ Version
 - ☒ Computational Requirements specified as follows:
 - Cluster size, disk size, memory size, etc.
 - ☒ Time Requirements
 - Length of necessary computation (hours, weeks, etc.)
- [REQUIRED] Please amend README to contain complete requirements.

You can copy the section above, amended if necessary.

9.2 Data Preparation Code

9.3 Tables and Figures

Figure/Table #	Program	Line Number	Reproduced?
Figure 1	Experimental material	-	Not specified
Figure 2	Experimental material	-	Not specified
Figure 3	Figure 3.do	-	Yes
Table 1	Table 1.do	-	Yes
Figure 4	Figure 4.do	-	Error
Table 2	Table 2.do	-	Yes
Table 3	Table 3.do	-	Yes
Figure 5	Figure 5.do	-	Yes
Figure A.1	Figure A1.ipynb	-	Not run
Table B.1	Table B1.do	-	Yes
Figure B.2	Figure B2.do	-	Yes
Table C.2	Table C2.do	-	Yes
Table C.3	Table C3.do	-	Yes
Table C.4	Table C4.do	-	Yes
Table C.5	Table C5.do	-	Yes
Table C.6	Table C6.do	-	Yes
Table C.7	Table C7.do	-	Yes
Table C.8	Table C8.do	-	Yes
Table C.9	Table C9.do	-	Yes
Table C.10	Table C10.do	-	Yes
Table C.11	Table C11.do	-	Yes

Figure/Table #	Program	Line Number	Reproduced?
Table D.3	Figure 5.do	-	Yes
Table D.4	Figure D4.do	-	Not run
Table D.12	Table D12.do	-	Not run
Table D.13	Table D13.do	-	Not run
Table D.14	Table D14.do	-	Not run
Figure D.5	Figure 5.do	-	Not run
Table D.15	Table D15.do	-	Not run
Table D.16	Table D.16.do	-	Not run
Figure D.6	Figure D6.do	-	Not run
Figure D.7	Figure D7.do	-	Not run
Figure E.8	Experimental material	-	Not specified
Table E.17	Table E17.do	-	Not run
Table E.18	Table E18.do	-	Not run
Table E.19	Table E19.do	-	Not run
Figure E.9	Experimental material	-	Not specified
Table E.20	Table E20.do	-	Not run
Figure E.10	Experimental material	-	Not specified
Figure E.11	Figure E11.do	-	Not run
Table E.21	Table E21.do	-	Not run
Table E.22	Table E22.do	-	Not run
Table E.23	Table E23.do	-	Not run

All replicated figures and tables match the results of the manuscripts. Some figures could not be replicated due to the error reported above.

9.4 In-Text Numbers

- ☐ In-text numbers not verified.
- ☒ There are no in-text numbers, or all in-text numbers stem from tables and figures.
- ☐ There are in-text numbers, but they are not identified in the code

9.5 Other Issues

- Scripts to automate package installation would be welcome, since this is the reason why reproduction of the results was partial.

10 Classification

- ☐ full reproduction
- ☐ full reproduction with minor issues
- ☒ partial reproduction (see above)
- ☐ not able to reproduce most or all of the results (reasons see above)

10.1 Reason for incomplete reproducibility

- ☐ None.
- ☐ **Discrepancy in output** (either figures or numbers in tables or text differ)
- ☐ **Bugs in code** that were fixable by the replicator (but should be fixed in the final deposit)
- ☐ **Code missing**, in particular if it prevented the replicator from completing the reproducibility check
 - ☐ **Data preparation code missing** should be checked if the code missing seems to be data preparation code
- ☒ **Code not functional** is more severe than a simple bug: it prevented the replicator from completing the reproducibility check
- ☐ **Software not available to replicator** may happen for a variety of reasons, but in particular (a) when the software is commercial, and the replicator does not have access to a licensed copy, or (b) the software is open-source, but a specific version required to conduct the reproducibility check is not available.
- ☐ **Insufficient time available to replicator** is applicable when (a) running the code would take weeks or more (b) running the code might take less time if sufficient compute resources were to be brought to bear, but no such resources can be accessed in a timely fashion (c) the replication package is very complex, and following all (manual and scripted) steps would take too long.
- ☐ **Data missing** is marked when data *should* be available, but was erroneously not provided, or is not accessible via the procedures described in the replication package
- ☐ **Data not available** is marked when data requires additional access steps, for instance purchase or application procedure.
- ☐ **Missing README** is marked if there is no README to guide the replicator, or the README is not in compliance with JPE requirements

10.2 Potential Personal Identifiable Information (PII)

We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. *As a reminder, privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals.* If indeed you want to

publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

Summary: - Data files with PII indicators: 24 - Variables flagged in data: 193 - Code files with PII references: 46 - PII references in code: 498

10.2.1 Summary of Flagged Files

File Type	File	Variables/References	PII Categories
Data	Berkeley_renaming.csv		second
Data	Berkeley_renaming.xlsx		second
Data	TC_cleaned1.csv		second, name, school, gender
Data	TC_cleaned1.dta		second, name, school, gender
Data	TC_cleaned12nd.csv		second, name, school, phone, gender
Data	TC_cleaned12nd.dta		second, name, school, phone, gender
Data	TC_first_movers_merged.csv		second, name, school, gender
Data	TC_first_movers_merged.dta		second, name, school, gender
Data	attrition.csv		second, name, school, gender
Data	attrition.dta		second, name, school, gender
Data	extremity_TC_merged.csv		second, gender
Data	extremity_TC_merged.dta		second, gender
Data	extremity_first_movers_cleaned.csv		second, gender
Data	extremity_first_movers_cleaned.dta		second, gender
Data	first_movers_analysis.csv		second, name, school, gender
Data	first_movers_analysis.dta		second, name, school, gender
Data	first_movers_long.dta		name, school, gender
Data	private_demographics_long.dta		gender
Data	recruit_baseline_roster_TC.csv		second, name, school, gender
Data	recruit_baseline_roster_TC.dta		second, name, school, gender

File Type	File	Variables/References	PII Categories
Data	recruitment_baseline.csv		second, name, school, gender
Data	recruitment_baseline.dta		second, name, school, gender
Data	recruitment_baseline_2nd.csv		second, name, school, phone, gender
Data	recruitment_baseline_2nd.dta		second, name, school, phone, gender
Code	Figure 3.do	11	lon, name, school, loc
Code	Figure 4.do	13	social, name, school, gender, lon, loc
Code	Figure 5.do	15	loc, name, school, lon
Code	Figure A1.ipynb	38	lat, name, social, loc, block, lon, fax, gps, sex, url, dob, son, city, wife, zip
Code	Figure B2.do	10	lon, name, school, loc
Code	Figure D4.do	2	name, school, loc
Code	Figure D5.do	9	name, school, gender, loc
Code	Figure D6.do	1	loc
Code	Figure D7.do	9	lat, name, school, loc, lname
Code	Figure E11.do	24	lon, name, phone, school, loc
Code	Table 1.do	13	name, school, gender, lon, second, loc
Code	Table 2.do	13	name, school, gender, lon, loc, social
Code	Table 3.do	16	name, school, gender, lon, second, loc
Code	Table B1.do	31	social, loc, name, school, gender
Code	Table C10.do	12	name, school, gender, lon, loc

File Type	File	Variables/References	PII Categories
Code	Table C11.do	23	name, school, gender, lon, second, loc
Code	Table C2.do	15	gender, loc, name, school
Code	Table C3.do	8	gender, loc, name, school
Code	Table C4.do	8	gender, loc, name, school
Code	Table C5.do	20	name, school, loc
Code	Table C6.do	20	name, school, loc
Code	Table C7.do	14	name, school, gender, lon, loc
Code	Table C8.do	10	name, school, gender, lon, loc
Code	Table C9.do	11	name, school, gender, lon, loc
Code	Table D12.do	7	name, school, gender, lon, loc
Code	Table D13.do	14	name, school, gender, lon, second, loc
Code	Table D14.do	19	name, school, loc, gender, lon, social
Code	Table D15.do	29	lat, school, name, gender, loc, block, lon
Code	Table D16.do	11	name, school, gender, lon, loc
Code	Table E17.do	9	name, gender, lon, loc
Code	Table E18.do	12	name, gender, lon, loc
Code	Table E19.do	9	name, gender, lon, loc
Code	Table E20.do	10	name, gender, city, loc
Code	Table E21.do	7	name, school, gender, lon, loc
Code	Table E22.do	12	name, school, gender, lon, loc

File Type	File	Variables/References	PII Categories
Code	Table E23.do	1	son
Code	appropriateness_summary.tex		school, gender
Code	attrition.tex		name, school
Code	attrition_v2.tex		name, school
Code	dist_private_silent.tex		school
Code	het_endline.tex		social
Code	het_midline.tex		social
Code	silence_master.do		lon, name
Code	summary_first_movers.tex		school
Code	summary_first_movers_r.tex		school
Code	summary_ftb.tex		name, school

See [Appendix](#) for detailed listing of all flagged instances.