

JPE Replication Report

PUBLISHED

September 3, 2026

1 Paper Identification

ID	20220045
Author	Jenkins
Title	Two-sided Search in International Markets
Iteration	2

Some useful information up front:

- [JPE Data and Code Availability Policy](#)
- [Step by step guidance from Data Editor for Authors](#)
- [Template README](#)

2 Summary

In assessing compliance with our [Data and Code Availability Policy](#), our reproducibility team has identified the following issues, which we ask you to address:

1. You should include a better description of how to access the confidential data. Where is the URL / the contact address of the person to contact for this? What is the estimated time and monetary cost for the application?
2. The computational requirements are incomplete. You must describe in detail the machine where you last ran this, together with OS, stata version, etc.

3 General

- ☒ Data Availability and Provenance Statements
 - ☒ Statement about Rights - Part 1: Right to use the data (e.g. *did the authors lawfully obtain the data*)
 - ☒ Statement about Rights - Part 2: Right to publish the data (e.g. *are human subjects involved and did permission been granted to publish their data?*)
 - ☒ License for Data (optional, but recommended)
 - ☒ Details on each Data Source
- ☒ Dataset list
- ☒ Computational requirements
 - ☒ Software Requirements
 - ☐ Controlled Randomness (as necessary)
 - ☒ Memory, Runtime, and Storage Requirements
- ☒ Description of programs/code
 - ☐ License for Code (Optional, but recommended)
- ☒ {REPLICATOR} to Replicators
 - ☐ Details (as necessary)
- ☒ List of tables and programs
- ☐ References (Optional, but recommended)

4 High-level Description of Research Project

This research project...

- ☒ uses observational data.
- ☒ uses *confidential* observational data.
- ☐ uses data generated via experiment or trial by the authors (in field or lab).

☐ For lab experiments: The code to implement the experimental protocol (z-Tree, o-Tree etc) is included in the package.

☐ A PDF copy of IRB approval is contained in the package.

☐ A PDF document outlining the design of the experiment, including information on the selection and eligibility of participants is included.

☐ A PDF copy of the instructions given to participants in both original language and an English translation is included.
- ☐ uses data generated via survey by the authors (in field or online)

☐ The programs used to administer the survey (e.g. qualtrics survey file) are included.

☐ A PDF copy of IRB approval is contained in the package.

☐ A PDF of the original questionnaire(s) and information on the selection and eligibility of participants is included.
- ☐ is a simulation study: the data are generated by an algorithm.
- ☐ is a numerical illustration: no data are used but code is used to produce illustrative output (tables, figures)

5 Data description

For any data that cannot be provided as part of the replication package, please provide the following information as part of the README.

{REQUIRED} Please specify how long the data will be preserved in the restricted-access location.

{REQUIRED} Please provide affirmation of support for replication checks. - As per the [JPE policy](#), "In cases where data cannot be published in an openly accessible trusted data repository like the JPE dataverse, authors who have requested an exemption to publish them at the time of first submission must commit to preserving the data and code for a period of no less than five years following the publication of the paper. They should also provide reasonable assistance to requests for clarification and replication."

{REQUIRED} Please provide a codebook for the data. - The codebook should at a minimum describe the variables obtained from the data source, in a manner that will let others verify that they have obtained a substantially similar dataset if successfully obtaining access to the data.

5.1 Data Sources

file/name	public	private	DOI/URL	Access described	cited readme	cited paper
U.S. Census LFTTD + linked business microdata	no	yes	yes	yes	no	no
BEA Gross Output by Industry (apparel, 1992–2015)	yes	no	yes	yes	no	no
WTO clothing imports and exports (1992–2015)	yes	no	yes	yes	no	no
OTEXA apparel imports by origin (1996–2011)	yes	no	yes	yes	no	no
Annual Retail Trade Survey (ARTS, 1992–2022)	yes	no	yes	yes	no	no
USITC DataWeb annual imports (2017–2025)	yes	no	yes	yes	no	no
USITC annual tariffs & Section 301 analysis	yes	no	yes	yes	no	no

6 Requirements

- ☒ README is in TXT, MD, or PDF format
- ☒ README is accessible at the root of the package (not inside a folder)
- ☒ Title conforms to guidance (starts with "Data and Code for: Title of Paper" or "Code for: Title of Paper", is properly capitalized)
- ☒ Authors (with affiliations) are listed in the same order as on the paper

6.1 Stated Requirements

The package was verified on 64-bit Linux with MATLAB R2025b, StataNow 19.5, and 8 MATLAB parallel workers. Required MATLAB products are MATLAB, Global Optimization Toolbox, and Parallel Computing Toolbox. Required Stata community packages are ebalance, ftools, require, and reghdfe. The release archive is about 270 MB and expands to about 505 MB; allow at least 2 GB of free working space because MATLAB creates temporary working copies. A fast run takes about 8–10 minutes on the verification workstation. All commands below assume the current directory is the package root. Paths are constructed relative to the package. Existing files under output/ are overwritten when regenerated.

For missing requirements, see the list of required changes in [Section 9](#)

7 Analyzing Data and Code Files

7.1 Potential Personal Identifiable Information (PII)

△ We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. *As a reminder, privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals.* If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

Summary: - Data files with PII indicators: 0 - Variables flagged in data: 0 - Code files with PII references: 162 - PII references in code: 1359

7.1.1 Summary of Flagged Files

File Type	File	Variables/References	PII Categories
Code	00_do_apparel_shell.do	7	country, lat, name
Code	00_do_apparel_shell_abbrev.do	2	country, lat
Code	01_lfttd_imp_apparel_1996_2011.do	59	name, country, lat, district
Code	02_lfttd_imp_apparel_alpha_id_exp.do	11	block, lat, loc, country
Code	03_lfttd_dist_NumSeller_per_buyer.do	8	lat, name
Code	04_lfttd_dist_NumBuyer_per_seller.do	14	lat, country, name
Code	05_lfttd_NumSellerBuyer_transition_matrix.do	8	name, country
Code	07_lfttd_duration.do	19	lat, country, lon
Code	12_lfttd_aggregates_by_country.do	110	country, lat
Code	13_lfttd_aggregates.do	12	lat, country
Code	14_lfttd_aggregates_by_related.do	41	lat, country
Code	A10_lfttd_tenure_of_BuyerSeller.do	4	lat, country
Code	A7_lfttd_imp_apparel_statistics.do	11	country, loc, name
Code	EJTX_2026_replication.tex	221	gps, lon, name, url, census, school, lat, network, second, son, loc, location, address, country, house, degree, child, social, phone, city, block

File Type	File	Variables/References	PII Categories
Code	Epsilon_CDF_values.m	1	lon
Code	TSS_mutationgaussian.m	8	child, lat
Code	TSS_mutationgaussian.m	8	child, lat
Code	TSS_mutationgaussian.m	8	child, lat
Code	audit_report_values.m	4	name
Code	audit_tariff_transition.m	3	name
Code	calculate_epsilon_star.m	11	loc, lon, son
Code	comparison_plots.m	15	degree, son, lat
Code	compute_empirical_moments.m	1	lat
Code	compute_lifecycle_profile.m	9	lat
Code	compute_size_exit_rates.m	8	city, loc
Code	compute_within_firm_growth_ratio.m	1	lon
Code	counterfactual_table.tex	1	lat, second
Code	counterfactual_table_2026.tex	1	lat, second
Code	data_moments_baseline.m	1	name
Code	data_moments_baseline.m	9	lat, degree, census, block, loc
Code	data_moments_baseline.m	8	lat, degree, census, block, loc
Code	data_moments_baseline.m	9	lat, degree, census, block, loc
Code	data_moments_baseline.m	8	lat, degree, census, block, loc
Code	data_moments_baseline.m	10	lat, degree, census, network, block, loc
Code	data_moments_baseline.m	8	lat, degree, census, block, loc
Code	data_moments_hetero.m	10	lat, degree, census, network, block, loc
Code	data_moments_mechanical.m	9	lat, degree, census, block, loc
Code	default_config.m	3	name, city, lat
Code	define_lindex.m	1	block, loc
Code	define_lindex.m	1	block, loc
Code	define_lindex.m	1	block, loc
Code	define_lindex.m	1	block, loc

File Type	File	Variables/References	PII Categories
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	3	lat, lon
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>estimate_parameters.m</code>	12	name
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>event_study.do</code>	22	loc, country, name
Code	<code>expected_match_revenue.m</code>	2	lat, loc
Code	<code>generate_baseline_moments.m</code>	4	name, lat
Code	<code>generate_comparison_outputs.m</code>	13	son, name
Code	<code>generate_standard_errors_at_saved_parameters.m</code>	14	lat, loc, name, lname

File Type	File	Variables/References	PII Categories
Code	<code>generate_table_figure_source_map.m</code>	12	name, lat, census, son, zip
Code	<code>load_best_mechanical_estimate.m</code>	6	name, lat
Code	<code>main.m</code>	14	lat, network, name, second, loc, location
Code	<code>main.m</code>	14	lat, network, name, degree, son, loc, location
Code	<code>main.m</code>	12	name, network, lon, lat, second
Code	<code>main_no_gamma.m</code>	27	lat, name, network, minute, second, loc
Code	<code>match_death_reg_MP.m</code>	1	loc
Code	<code>mechanical_counterfactual_main.m</code>	4	son, lat
Code	<code>model_moments.m</code>	3	loc, lon
Code	<code>mom_function.m</code>	1	lon
Code	<code>objective.m</code>	4	network, city
Code	<code>objective.m</code>	4	network, city
Code	<code>objective.m</code>	4	network, city
Code	<code>objective.m</code>	6	son, network, city
Code	<code>objective.m</code>	4	network, city
Code	<code>objective.m</code>	6	lon, son, network, city
Code	<code>objective_mechanical.m</code>	7	lat, network
Code	<code>plot_fit.m</code>	3	lat, degree
Code	<code>plot_fit.m</code>	3	lat, degree
Code	<code>plot_fit.m</code>	3	lat, degree
Code	<code>plot_fit.m</code>	3	lat, degree
Code	<code>plot_fit.m</code>	3	lat, degree
Code	<code>plot_fit.m</code>	3	lat, degree
Code	<code>report_match_shock_stats.m</code>	1	lon
Code	<code>run_all_replication.m</code>	72	lon, name, census, country, lat, son, city, loc, location
Code	<code>run_estimation.m</code>	4	lat, name, son
Code	<code>run_policy_shock_counterfactual.m</code>	18	name
Code	<code>search_newbuyer.m</code>	1	network

File Type	File	Variables/References	PII Categories
Code	<code>search_newbuyer.m</code>	1	network
Code	<code>search_newbuyer.m</code>	1	network
Code	<code>search_newbuyer.m</code>	1	network
Code	<code>search_newbuyer.m</code>	1	network
Code	<code>search_newbuyer.m</code>	1	network
Code	<code>sim_b.m</code>	3	lat, birth
Code	<code>sim_b.m</code>	3	lat, birth
Code	<code>sim_b_no_interdep.m</code>	3	lat, birth
Code	<code>sim_moments_baseline.m</code>	5	city, degree, lat
Code	<code>sim_moments_baseline.m</code>	5	city, degree, lat
Code	<code>sim_moments_baseline.m</code>	5	city, degree, lat
Code	<code>sim_moments_baseline.m</code>	5	city, degree, lat
Code	<code>sim_moments_baseline.m</code>	5	city, degree, lat
Code	<code>sim_moments_baseline.m</code>	5	city, degree, lat
Code	<code>sim_moments_hetero.m</code>	6	city, degree, lat
Code	<code>sim_moments_mechanical.m</code>	5	city, degree, lat
Code	<code>sim_s.m</code>	5	lat, birth
Code	<code>sim_s.m</code>	5	lat, birth
Code	<code>solve_dynamics.m</code>	1	lat
Code	<code>solve_eps_cutoff.m</code>	6	lon
Code	<code>solve_model.m</code>	3	block, loc, lat
Code	<code>solve_model.m</code>	6	city, lat
Code	<code>solve_model.m</code>	6	city, lat
Code	<code>solve_model.m</code>	6	city, lat
Code	<code>solve_model.m</code>	6	city, lat
Code	<code>solve_model.m</code>	6	city, lat
Code	<code>solve_model.m</code>	6	city, lat
Code	<code>solve_model_mechanical.m</code>	3	lat
Code	<code>solve_model_mechanical_cf.m</code>	3	lat
Code	<code>solve_model_no_gamma.m</code>	28	lon, city, lat, network
Code	<code>solve_model_old.m</code>	6	city, lat
Code	<code>solve_model_tariff.m</code>	6	city, lat
Code	<code>solve_ss.m</code>	5	city, lat

File Type	File	Variables/References	PII Categories
Code	<code>solve_tariff_dynamics.m</code>	2	city, lat
Code	<code>start_estimation_ga.m</code>	18	lat, name, minute, second
Code	<code>start_estimation_ga.m</code>	16	lat, name, minute, second
Code	<code>start_mechanical.m</code>	25	lat, degree, name, network, minute, second
Code	<code>std_errors.m</code>	6	lat, name
Code	<code>std_errors.m</code>	6	lat, name
Code	<code>std_errors.m</code>	6	lat, name
Code	<code>summary_mechanical_policy_shock.m</code>	8	lat, lon, son, second
Code	<code>summary_ss.m</code>	5	lat, second
Code	<code>table_06_market_developments_counterfactual.tex</code>	1	lat, second
Code	<code>tables_mechanical.m</code>	22	degree, network, name, lat
Code	<code>transition_dynamics.m</code>	4	name, son
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city

See [Appendix](#) for detailed listing of all flagged instances.

7.1.2 File Paths Report

Generated on 2026-08-15T19:49:00.158

Warning: Our search on file path types is imperfect and incurs both type 1 and type 2 errors. We aim to strike a reasonable balance between both. The below table is therefore only indicative. Detailed listings can be found in the appendix to this report.

In this table we analyse all files which contain source code (not data and documentation), and we report the grand total of each type of filepath we encountered.

Please check and replace any windows filepaths with unix compliant paths, insofar as this is possible in your setup. (Notice that STATA allows / to be a filepath separator on a windows platform, hence this is a requirement for all STATA applications.)

Files Analyzed	Windows Paths	Unix Paths	Mixed Paths	Drive Letters (C:\ etc)
240	13	61	30	3

7.1.3 Duplicate Files Report

We found the following duplicate files:

Filename	Size (MB)	Checksum (MD5)
/code/matlab/baseline_counterfactuals_July_2024/baseline simulation/val_s.m	0.0	36ee8c88d3ccc7766814d980dac7a6077cab8893
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/val_s.m	0.0	36ee8c88d3ccc7766814d980dac7a6077cab8893
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/val_s.m	0.0	36ee8c88d3ccc7766814d980dac7a6077cab8893
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/val_s.m	0.0	36ee8c88d3ccc7766814d980dac7a6077cab8893
/code/matlab/baseline_no_NsNb_target/val_s.m	0.0	36ee8c88d3ccc7766814d980dac7a6077cab8893
/code/matlab/baseline_counterfactuals_July_2024/baseline simulation/intensity_s.m	0.0	295151a39d650d99ec2452a4f9c3cdaa8bbf92f9
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/intensity_s.m	0.0	295151a39d650d99ec2452a4f9c3cdaa8bbf92f9
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/intensity_s.m	0.0	295151a39d650d99ec2452a4f9c3cdaa8bbf92f9
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/intensity_s.m	0.0	295151a39d650d99ec2452a4f9c3cdaa8bbf92f9
/code/matlab/baseline_no_NsNb_target/intensity_s.m	0.0	295151a39d650d99ec2452a4f9c3cdaa8bbf92f9
/code/matlab/baseline_counterfactuals_July_2024/MP model/calibration_no_gamma_s/cum_cov.m	0.0	80e1e765162930aee7e5daeb148247f87ffd9ad9
/code/matlab/baseline_counterfactuals_July_2024/baseline simulation/cum_cov.m	0.0	80e1e765162930aee7e5daeb148247f87ffd9ad9
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/cum_cov.m	0.0	80e1e765162930aee7e5daeb148247f87ffd9ad9
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/cum_cov.m	0.0	80e1e765162930aee7e5daeb148247f87ffd9ad9
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/cum_cov.m	0.0	80e1e765162930aee7e5daeb148247f87ffd9ad9
/code/matlab/baseline_no_NsNb_target/cum_cov.m	0.0	80e1e765162930aee7e5daeb148247f87ffd9ad9
/code/matlab/heterogeneous_death_haz/sellers_only/cum_cov.m	0.0	80e1e765162930aee7e5daeb148247f87ffd9ad9
/code/matlab/mechanical_model/cum_cov.m	0.0	80e1e765162930aee7e5daeb148247f87ffd9ad9

Filename	Size (MB)	Checksum (MD5)
/code/matlab/baseline_counterfactuals_July_2024/baseline simulation/define_states.m	0.0	a78ed4993492fc36e483822b91537f23b81d2142
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/define_states.m	0.0	a78ed4993492fc36e483822b91537f23b81d2142
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/define_states.m	0.0	a78ed4993492fc36e483822b91537f23b81d2142
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/define_states.m	0.0	a78ed4993492fc36e483822b91537f23b81d2142
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/val_st.m	0.0	afc48846fa8e9e5c0eebf9099485953ac2f8457e
/code/matlab/baseline_no_NsNb_target/define_states.m	0.0	a78ed4993492fc36e483822b91537f23b81d2142
/code/matlab/heterogeneous_death_haz/sellers_only/define_states.m	0.0	a78ed4993492fc36e483822b91537f23b81d2142
/code/matlab/mechanical_model/define_states.m	0.0	a78ed4993492fc36e483822b91537f23b81d2142
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/search_newbuyer.m	0.0	97d905cf7ee1c04dd695e8d0330aa6944a3126ec
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/search_newbuyer.m	0.0	97d905cf7ee1c04dd695e8d0330aa6944a3126ec
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/search_newbuyer.m	0.0	97d905cf7ee1c04dd695e8d0330aa6944a3126ec
/code/matlab/baseline_no_NsNb_target/search_newbuyer.m	0.0	97d905cf7ee1c04dd695e8d0330aa6944a3126ec
/code/matlab/heterogeneous_death_haz/sellers_only/search_newbuyer.m	0.0	97d905cf7ee1c04dd695e8d0330aa6944a3126ec
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/mom_function.m	0.0	f5b0b8bc3cefb84404f53bde81e63f1552902437
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/mom_function.m	0.0	f5b0b8bc3cefb84404f53bde81e63f1552902437
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/mom_function.m	0.0	f5b0b8bc3cefb84404f53bde81e63f1552902437
/code/matlab/baseline_no_NsNb_target/mom_function.m	0.0	f5b0b8bc3cefb84404f53bde81e63f1552902437
/output/tables/paper/table_07_trump_section_301_tariff.tex	0.0	8db3e5f190f377e641b8adc23637456a0d8002bb
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/x2param.m	0.0	403886225fa76acd924070adbed33a8887f296ad
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/x2param.m	0.0	403886225fa76acd924070adbed33a8887f296ad
/code/matlab/baseline_no_NsNb_target/x2param.m	0.0	403886225fa76acd924070adbed33a8887f296ad
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/val_bt.m	0.0	77a0b3e186af65603f9ec42e60be8d4cbc5e8a8a
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/intensity_b.m	0.0	1e913885f3f66cc6d76faa5b05aa406f89cc9552
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/intensity_b.m	0.0	1e913885f3f66cc6d76faa5b05aa406f89cc9552

Filename	Size (MB)	Checksum (MD5)
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/intensity_b.m	0.0	1e913885f3f66cc6d76faa5b05aa406f89cc9552
/code/matlab/baseline_no_NsNb_target/intensity_b.m	0.0	1e913885f3f66cc6d76faa5b05aa406f89cc9552
/code/matlab/baseline_counterfactuals_July_2024/baseline simulation/val_b.m	0.0	18f0f900ea31b5284192c56432efc7eadd80ed64
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/val_b.m	0.0	18f0f900ea31b5284192c56432efc7eadd80ed64
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/val_b.m	0.0	18f0f900ea31b5284192c56432efc7eadd80ed64
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/val_b.m	0.0	18f0f900ea31b5284192c56432efc7eadd80ed64
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/define_parameters.m	0.0	97d97f5ad76fce56a548925a33b747739fa9154b
/output/tables/paper/table_06_market_developments_counterfactual.tex	0.0	072dc637ae6a3808f6d675a17f8bd77364da47c8
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/eval_s.m	0.0	4073b4b2067abf14e499037cd994a3fc559b0b40
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/eval_s.m	0.0	4073b4b2067abf14e499037cd994a3fc559b0b40
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/eval_s.m	0.0	4073b4b2067abf14e499037cd994a3fc559b0b40
/code/matlab/baseline_no_NsNb_target/eval_s.m	0.0	4073b4b2067abf14e499037cd994a3fc559b0b40
/code/matlab/heterogeneous_death_haz/sellers_only/eval_s.m	0.0	4073b4b2067abf14e499037cd994a3fc559b0b40
/code/matlab/baseline_counterfactuals_July_2024/baseline simulation/define_lindex.m	0.0	7fc3b761bc2c982c493f8018fe273053c017195f
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/define_lindex.m	0.0	7fc3b761bc2c982c493f8018fe273053c017195f
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/define_lindex.m	0.0	7fc3b761bc2c982c493f8018fe273053c017195f
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/define_lindex.m	0.0	7fc3b761bc2c982c493f8018fe273053c017195f
/code/matlab/baseline_no_NsNb_target/define_lindex.m	0.0	7fc3b761bc2c982c493f8018fe273053c017195f
/code/matlab/heterogeneous_death_haz/sellers_only/define_lindex.m	0.0	7fc3b761bc2c982c493f8018fe273053c017195f
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/transition_s.m	0.0	e7888b10ac1fc89e35e4d635716473429c4875be
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/transition_s.m	0.0	e7888b10ac1fc89e35e4d635716473429c4875be
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/transition_s.m	0.0	e7888b10ac1fc89e35e4d635716473429c4875be
/code/matlab/baseline_no_NsNb_target/transition_s.m	0.0	e7888b10ac1fc89e35e4d635716473429c4875be
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/objective.m	0.0	1c58c7bba6aa276dfca2d645cd185688c26827c3
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/plot_fit.m	0.0	bdf6a5a24db55bff45d8c0bfb2e6767fea96a572
/code/matlab/baseline_no_NsNb_target/TSS_mutationgaussian.m	0.0	f214d4ea90e0e2b6c6456d4c7bbe208e2cfde1b3

Filename	Size (MB)	Checksum (MD5)
/code/matlab/heterogeneous_death_haz/sellers_only/TSS_mutationgaussian.m	0.0	f214d4ea90e0e2b6c6456d4c7bbe208e2cfde1b3
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/define_payoffs.m	0.0	3803094365c0f284fddc4154244ee6f303cb6485
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/define_payoffs.m	0.0	3803094365c0f284fddc4154244ee6f303cb6485
/code/matlab/baseline_no_NsNb_target/define_payoffs.m	0.0	3803094365c0f284fddc4154244ee6f303cb6485
/code/matlab/heterogeneous_death_haz/sellers_only/define_payoffs.m	0.0	3803094365c0f284fddc4154244ee6f303cb6485
/code/matlab/baseline_counterfactuals_July_2024/steady state summary/sim_moments_baseline.m	0.01	9b92b8f524d6ad0411a7b010caf32ed5ee30c1a4
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/sim_moments_baseline.m	0.01	9b92b8f524d6ad0411a7b010caf32ed5ee30c1a4
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/sim_moments_baseline.m	0.01	9b92b8f524d6ad0411a7b010caf32ed5ee30c1a4
/code/matlab/baseline_counterfactuals_July_2024/transition dynamics/data_moments_baseline.m	0.01	38dbaa8455bebd94e32dca1b0aff013c28b930e
/code/matlab/baseline_counterfactuals_July_2024/trump tariff/data_moments_baseline.m	0.01	38dbaa8455bebd94e32dca1b0aff013c28b930e

7.1.4 Zero Size Files Report

We did not find any zero sized files.

7.1.5 Large Files Report

We did not find any files larger than 100MB.

7.2 Code description

There is one master-matlab file and one separate Stata do-file. As said earlier there is no overview in the README that explains which lines of the script produce specific figures or tables.

cloc	github.com/AIDanial/cloc v 2.02 T=0.18 s (910.7 files/s, 128858.6 lines/s)			
Language	files	blank	comment	code
MATLAB	143	3348	2899	11552
TeX	5	252	87	2447
Stata	14	340	334	1662
---	---	---	---	---
SUM:	162	3940	3320	15661

☒ The replication package contains a "main" or "master" file(s) which calls all other auxiliary programs.

NOTE: In-text numbers that reference numbers in tables do not need to be listed. Only in-text numbers that correspond to no table or figure need to be listed.

7.3 Computing Environment of the Replicator

- Nuvolos cloud 4vCPU & 16GB RAM
- Stata/MP 19.5
- Matlab R2025b

8 Replication

- Downloaded code and data from dropbox
- Opened MATLAB per README
- Used the 'Bounded full-workflow' test for this replication
- ran the master-script and additional stata do-file per README

9 Findings

- The issue I encountered earlier was resolved, did not encounter another issue.

9.1 Data Preparation Code

No raw data preparation code is included in this replication package. The authors have already processed the confidential data and provided the derived statistics needed for replication. The only code that needs to be run for this replication is the master script (run_all_replication.m) in MATLAB, this ran smoothly.

9.2 Tables and Figures

- Discrepancies found in the first version are now resolved, all generated output matches the output of the paper.

9.3 Other Issues

- Some small issues in the README remain.

10 Classification

- ☒ full reproduction
- ☐ full reproduction with minor issues
- ☐ partial reproduction (see above)
- ☐ not able to reproduce most or all of the results (reasons see above)

10.1 Reason for incomplete reproducibility

- ☒ None.
- ☐ **Discrepancy in output** (either figures or numbers in tables or text differ)
- ☐ **Bugs in code** that were fixable by the replicator (but should be fixed in the final deposit)
- ☐ **Code missing**, in particular if it prevented the replicator from completing the reproducibility check
 - ☐ **Data preparation code missing** should be checked if the code missing seems to be data preparation code
- ☐ **Code not functional** is more severe than a simple bug: it prevented the replicator from completing the reproducibility check
- ☐ **Software not available to replicator** may happen for a variety of reasons, but in particular (a) when the software is commercial, and the replicator does not have access to a licensed copy, or (b) the software is open-source, but a specific version required to conduct the reproducibility check is not available.
- ☐ **Insufficient time available to replicator** is applicable when (a) running the code would take weeks or more (b) running the code might take less time if sufficient compute resources were to be brought to bear, but no such resources can be accessed in a timely fashion (c) the replication package is very complex, and following all (manual and scripted) steps would take too long.

- ☐ **Data missing** is marked when data *should* be available, but was erroneously not provided, or is not accessible via the procedures described in the replication package
- ☐ **Data not available** is marked when data requires additional access steps, for instance purchase or application procedure.
- ☐ **Missing README** is marked if there is no README to guide the replicator, or the README is not in compliance with JPE requirements

10.2 Potential Personal Identifiable Information (PII)

⚠ We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. As a reminder, privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals. If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

Summary: - Data files with PII indicators: 0 - Variables flagged in data: 0 - Code files with PII references: 162 - PII references in code: 1359

10.2.1 Summary of Flagged Files

File Type	File	Variables/References	PII Categories
Code	00_do_apparel_shell.do	7	country, lat, name
Code	00_do_apparel_shell_abbrev.do	2	country, lat
Code	01_lfttd_imp_apparel_1996_2011.do	59	name, country, lat, district
Code	02_lfttd_imp_apparel_alpha_id_exp.do	11	block, lat, loc, country
Code	03_lfttd_dist_NumSeller_per_buyer.do	8	lat, name
Code	04_lfttd_dist_NumBuyer_per_seller.do	14	lat, country, name
Code	05_lfttd_NumSellerBuyer_transition_matrix.do	8	name, country
Code	07_lfttd_duration.do	19	lat, country, lon
Code	12_lfttd_aggregates_by_country.do	110	country, lat
Code	13_lfttd_aggregates.do	12	lat, country
Code	14_lfttd_aggregates_by_related.do	41	lat, country
Code	A10_lfttd_tenure_of_BuyerSeller.do	4	lat, country
Code	A7_lfttd_imp_apparel_statistics.do	11	country, loc, name
Code	EJTX_2026_replication.tex	221	gps, lon, name, url, census, school, lat, network, second, son, loc, location, address, country, house, degree, child, social, phone, city, block
Code	Epsilon_CDF_values.m	1	lon
Code	TSS_mutationgaussian.m	8	child, lat
Code	TSS_mutationgaussian.m	8	child, lat
Code	TSS_mutationgaussian.m	8	child, lat
Code	audit_report_values.m	4	name

File Type	File	Variables/References	PII Categories
Code	<code>audit_tariff_transition.m</code>	3	name
Code	<code>calculate_epsilon_star.m</code>	11	loc, lon, son
Code	<code>comparison_plots.m</code>	15	degree, son, lat
Code	<code>compute_empirical_moments.m</code>	1	lat
Code	<code>compute_lifecycle_profile.m</code>	9	lat
Code	<code>compute_size_exit_rates.m</code>	8	city, loc
Code	<code>compute_within_firm_growth_ratio.m</code>	1	lon
Code	<code>counterfactual_table.tex</code>	1	lat, second
Code	<code>counterfactual_table_2026.tex</code>	1	lat, second
Code	<code>data_moments_baseline.m</code>	1	name
Code	<code>data_moments_baseline.m</code>	9	lat, degree, census, block, loc
Code	<code>data_moments_baseline.m</code>	8	lat, degree, census, block, loc
Code	<code>data_moments_baseline.m</code>	9	lat, degree, census, block, loc
Code	<code>data_moments_baseline.m</code>	8	lat, degree, census, block, loc
Code	<code>data_moments_baseline.m</code>	10	lat, degree, census, network, block, loc
Code	<code>data_moments_baseline.m</code>	8	lat, degree, census, block, loc
Code	<code>data_moments_hetero.m</code>	10	lat, degree, census, network, block, loc
Code	<code>data_moments_mechanical.m</code>	9	lat, degree, census, block, loc
Code	<code>default_config.m</code>	3	name, city, lat
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_lindex.m</code>	1	block, loc
Code	<code>define_parameters.m</code>	1	lat

File Type	File	Variables/References	PII Categories
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	3	lat, lon
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_parameters.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>define_payoffs.m</code>	1	lat
Code	<code>estimate_parameters.m</code>	12	name
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>eval_s.m</code>	1	lat
Code	<code>event_study.do</code>	22	loc, country, name
Code	<code>expected_match_revenue.m</code>	2	lat, loc
Code	<code>generate_baseline_moments.m</code>	4	name, lat
Code	<code>generate_comparison_outputs.m</code>	13	son, name
Code	<code>generate_standard_errors_at_saved_parameters.m</code>	14	lat, loc, name, lname
Code	<code>generate_table_figure_source_map.m</code>	12	name, lat, census, son, zip
Code	<code>load_best_mechanical_estimate.m</code>	6	name, lat
Code	<code>main.m</code>	14	lat, network, name, second, loc, location

File Type	File	Variables/References	PII Categories
Code	main.m	14	lat, network, name, degree, son, loc, location
Code	main.m	12	name, network, lon, lat, second
Code	main_no_gamma.m	27	lat, name, network, minute, second, loc
Code	match_death_reg_MP.m	1	loc
Code	mechanical_counterfactual_main.m	4	son, lat
Code	model_moments.m	3	loc, lon
Code	mom_function.m	1	lon
Code	objective.m	4	network, city
Code	objective.m	4	network, city
Code	objective.m	4	network, city
Code	objective.m	6	son, network, city
Code	objective.m	4	network, city
Code	objective.m	6	lon, son, network, city
Code	objective_mechanical.m	7	lat, network
Code	plot_fit.m	3	lat, degree
Code	plot_fit.m	3	lat, degree
Code	plot_fit.m	3	lat, degree
Code	plot_fit.m	3	lat, degree
Code	plot_fit.m	3	lat, degree
Code	plot_fit.m	3	lat, degree
Code	report_match_shock_stats.m	1	lon
Code	run_all_replication.m	72	lon, name, census, country, lat, son, city, loc, location
Code	run_estimation.m	4	lat, name, son
Code	run_policy_shock_counterfactual.m	18	name
Code	search_newbuyer.m	1	network
Code	search_newbuyer.m	1	network
Code	search_newbuyer.m	1	network
Code	search_newbuyer.m	1	network
Code	search_newbuyer.m	1	network

File Type	File	Variables/References	PII Categories
Code	search_newbuyer.m	1	network
Code	sim_b.m	3	lat, birth
Code	sim_b.m	3	lat, birth
Code	sim_b_no_interdep.m	3	lat, birth
Code	sim_moments_baseline.m	5	city, degree, lat
Code	sim_moments_baseline.m	5	city, degree, lat
Code	sim_moments_baseline.m	5	city, degree, lat
Code	sim_moments_baseline.m	5	city, degree, lat
Code	sim_moments_baseline.m	5	city, degree, lat
Code	sim_moments_baseline.m	5	city, degree, lat
Code	sim_moments_hetero.m	6	city, degree, lat
Code	sim_moments_mechanical.m	5	city, degree, lat
Code	sim_s.m	5	lat, birth
Code	sim_s.m	5	lat, birth
Code	solve_dynamics.m	1	lat
Code	solve_eps_cutoff.m	6	lon
Code	solve_model.m	3	block, loc, lat
Code	solve_model.m	6	city, lat
Code	solve_model.m	6	city, lat
Code	solve_model.m	6	city, lat
Code	solve_model.m	6	city, lat
Code	solve_model.m	6	city, lat
Code	solve_model.m	6	city, lat
Code	solve_model_mechanical.m	3	lat
Code	solve_model_mechanical_cf.m	3	lat
Code	solve_model_no_gamma.m	28	lon, city, lat, network
Code	solve_model_old.m	6	city, lat
Code	solve_model_tariff.m	6	city, lat
Code	solve_ss.m	5	city, lat
Code	solve_tariff_dynamics.m	2	city, lat
Code	start_estimation_ga.m	18	lat, name, minute, second

File Type	File	Variables/References	PII Categories
Code	<code>start_estimation_ga.m</code>	16	lat, name, minute, second
Code	<code>start_mechanical.m</code>	25	lat, degree, name, network, minute, second
Code	<code>std_errors.m</code>	6	lat, name
Code	<code>std_errors.m</code>	6	lat, name
Code	<code>std_errors.m</code>	6	lat, name
Code	<code>summary_mechanical_policy_shock.m</code>	8	lat, lon, son, second
Code	<code>summary_ss.m</code>	5	lat, second
Code	<code>table_06_market_developments_counterfactual.tex</code>	1	lat, second
Code	<code>tables_mechanical.m</code>	22	degree, network, name, lat
Code	<code>transition_dynamics.m</code>	4	name, son
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>val_b.m</code>	1	network
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city
Code	<code>x2param.m</code>	6	network, lat, city

See [Appendix](#) for detailed listing of all flagged instances.