# JPE Replication Report

2026-05-13

## 1 Paper Identification

| | |
|---|---|
| ID | 20240209 |
| Author | B. Douglas Bernheim, Kristy Kim, and Dmitry Taubinsky |
| Title | Welfare and the Act of Choosing |
| Iteration | 1 |

Some useful information up front:

- JPE Data and Code Availability Policy
- Step by step guidance from Data Editor for Authors
- Template README

## 2 Summary

In assessing compliance with our Data and Code Availability Policy, our reproducibility team has identified the following issues, which we ask you to address:

1. Data Editor's first point.
2. Data Editor's second point.

## 3 General

☒ Data Availability and Provenance Statements

 ☒ Statement about Rights - Part 1: Right to use the data.
 ☒ Statement about Rights - Part 2: Right to publish the data.

- ☒ License for Data.
- ☒ Details on each Data Source.

☒ Dataset list

☒ Computational requirements

- ☒ Software Requirements
- ☐ Controlled Randomness.

  Seeds are set within all bootstrap calls in the code (predominantly `seed(123450)`, with a few using `seed(67890)`, `seed(123456)`, and `seed(12345)`). They are not separately documented in the README.

- ☒ Memory, Runtime, and Storage Requirements.

☒ Description of programs/code

- ☒ License for Code.

☒ Instructions to Replicators

- ☒ Details.

☒ List of tables and programs

☐ References.

All data are primary and collected by the authors, so no citations are needed.

## 4 High-level Description of Research Project

*This research project*

- ☐ uses observational data.
- ☐ uses *confidential* observational data.
- ☒ uses data generated via experiment or trial by the authors (in field or lab).
  - ☐ For lab experiments: The code to implement the experimental protocol (z-Tree, o-Tree etc) is included in the package.

    Not applicable: this is an online/field experiment, not a traditional lab experiment with z-Tree or oTree.

  - ☒ A PDF copy of IRB approval is contained in the package.
  - ☒ A PDF document outlining the design of the experiment, including information on the selection and eligibility of participants is included.

- ☒ A PDF copy of the instructions given to participants in both original language and an English translation is included.

- ☒ uses data generated via survey by the authors (in field or online).
  - ☐ The programs used to administer the survey (e.g. qualtrics survey file) are included. Only raw Qualtrics xlsx exports are provided; the `.qsf` survey programme files are not included in the package.
  - ☒ A PDF copy of IRB approval is contained in the package.
  - ☒ A PDF of the original questionnaire(s) and information on the selection and eligibility of participants is included.
- ☐ is a simulation study: the data are generated by an algorithm.
- ☐ is a numerical illustration: no data are used but code is used to produce illustrative output (tables, figures)

# 5 Data description

## 5.1 Data Sources

All seven raw data files are primary data. DOIs are pending final deposit in the JPE Dataverse.

| file/name | public | private | DOI/URL | Access described | cited readme | cited paper |
|---|---|---|---|---|---|---|
| main.dta | yes | no | pending deposit | yes | yes | n/a (primary) |
| cs.dta | yes | no | pending deposit | yes | yes | n/a (primary) |
| exante.dta | yes | no | pending deposit | yes | yes | n/a (primary) |
| pf.dta | yes | no | pending deposit | yes | yes | n/a (primary) |
| JPE Revision Survey 1 Final.xlsx | yes | no | pending deposit | yes | yes | n/a (primary) |
| JPE Revision Survey 2 Final.xlsx | yes | no | pending deposit | yes | yes | n/a (primary) |

| file/name | public | private | DOI/URL | Access described | cited readme | cited paper |
|---|---|---|---|---|---|---|
| JPE Revision Survey 3 Final.xlsx | yes | no | pending deposit | yes | yes | n/a (primary) |

#### 5.1.1 All Data Files

All seven files (four MTurk `.dta` files plus three Prolific `.xlsx` files) satisfy the same conditions:

- ☒ Dataset is provided in public (dataverse) deposit
- ☐ Dataset is PRIVATELY provided (not for publication)
- ☐ DOI or URL is provided, and works.

  No external DOI; data are included directly in the replication package pending deposit.
- ☒ Access conditions are described.
- ☐ Data are not cited, but a working paper, article, or other document is cited (not a data citation)
- ☒ Data are cited
  - ☒ in the README — comprehensive data availability statement covering all six studies.
  - ☒ in the manuscript — not applicable; all data are primary and collected by the authors.

## 6 Requirements

- ☒ README is in TXT, MD, or PDF format.

  The README is a Markdown file (`readME.md`).
- ☐ README is accessible at the root of the package (not inside a folder).

  The README is located at `NCP Replication Packet/readME.md`, i.e., inside a subfolder, not at the root of the package.

☐ Title conforms to guidance (starts with "Data and Code for: Title of Paper" or "Code for: Title of Paper", is properly capitalized).

The README title is simply "Welfare and the Act of Choosing", which does not meet the naming requirement.

☐ Authors (with affiliations) are listed in the same order as on the paper.

Authors (Bernheim, Kim, Taubinsky) appear only in the license section at the bottom, without affiliations.

{REQUIRED} Please review the title of the deposit. Per JPE guidelines, the README title should begin with "Data and Code for: Welfare and the Act of Choosing".

{REQUIRED} Please review authors and affiliations. Authors should be listed at the top of the README with their institutional affiliations and in the same order as they appear in the manuscript.

## 6.1 Stated Requirements

☐ No requirements specified
☒ Software Requirements specified as follows:

- Stata/MP 14.0 or 19.0 for Mac
- User-written Stata packages: `estout`, `coefplot`, `binscatter`, `tabout`, `texsave`, `unique`

☒ Computational Requirements specified as follows:

- Standard modern laptop or desktop; no GPU or specialized hardware required.

☒ Time Requirements specified as follows:

- Approximately 3 to 4 hours for a full run from the master script; most runtime comes from bootstrap procedures.

☒ Requirements are complete.

# 7 Analyzing Data and Code Files

## 7.1 Potential Personal Identifiable Information (PII)

We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. *As a reminder, privacy legislation* *in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals.* If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

**Summary:** - Data files with PII indicators: 11 - Variables flagged in data: 27 - Code files with PII references: 28 - PII references in code: 1062

### 7.1.1 Summary of Flagged Files

| File Type | File | Variables/References | PII Categories |
|---|---|---|---|
| Data | `JPE Revision Survey 1 Final.xlsx` | 2 | second, gender |
| Data | `JPE Revision Survey 2 Final.xlsx` | 5 | second, son, gender |
| Data | `JPE Revision Survey 3 Final.xlsx` | 2 | second, gender |
| Data | `cs.csv` | 3 | gender, loc, location, social |
| Data | `cs.dta` | 3 | gender, loc, location, social |
| Data | `exante.csv` | 2 | gender, loc, location |
| Data | `exante.dta` | 2 | gender, loc, location |
| Data | `main.csv` | 2 | gender, loc, location |
| Data | `main.dta` | 2 | gender, loc, location |
| Data | `pf.csv` | 2 | gender, loc, location |
| Data | `pf.dta` | 2 | gender, loc, location |
| Code | `.tex` | 1 | url |
| Code | `0a-Programs-and-Macros.do` | 15 | lat, name, loc |
| Code | `1-Summary-Statistics.do` | 73 | lat, gender, loc, location, lon, social |
| Code | `2-Analysis.do` | 26 | lat, second, loc, lon, social |

| File Type | File | Variables/References | PII Categories |
|---|---|---|---|
| Code | `3-Robustness.do` | 9 | lat, lon, social, loc |
| Code | `4-All-Welfare-Analysis-Bootstrap-Combined.do` | 225 | HS, lon, lat, social |
| Code | `5-Compare-DG-utilities.do` | 26 | lat, lon, social, loc |
| Code | `6-Stability-DG-Weights.do` | 38 | lon, lat, social, loc |
| Code | `7-Stability-DG-Weights-2.do` | 15 | social, loc, lat, lon |
| Code | `AI-flag-Survey1.do` | 7 | loc, son |
| Code | `AI-flag-Survey2.do` | 13 | son, loc |
| Code | `Clean-MTurk.do` | 24 | son, lon, house, school, degree, gender, social |
| Code | `Clean-Raw.do` | 12 | house, school, degree, gender, loc |
| Code | `Clean-cs.do` | 29 | name, loc, location, son, lon, social |
| Code | `Clean-exante.do` | 26 | son, lon, social, name |
| Code | `Clean-main.do` | 28 | loc, location, son, lon, social, name |
| Code | `Clean-pf.do` | 23 | son, lon, social, name |
| Code | `Heterogeneous-MU.do` | 38 | lat, lon, social, loc |
| Code | `Supplementary Survey 1 Analysis.do` | 60 | second, name, loc, son, lat, lon, social |
| Code | `Supplementary Survey 2 Analysis.do` | 60 | second, loc, lat, name, lon, gender, degree, son |
| Code | `Supplementary Survey 3 Analysis.do` | 83 | lat, lon, social, name, loc, second |
| Code | `Welfare-values.do` | 62 | lon, lat, social, loc, url |
| Code | `X_DG-vs-OO-Weights.do` | 8 | lon, social |
| Code | `X_IV-test-for-happiness-satisfaction.do` | 8 | lat, lon, social, loc |
| Code | `X_Order-effects.do` | 32 | lat, lon, social, loc |
| Code | `X_PCA.do` | 42 | loc, lat, lon, social, lname, name |
| Code | `X_Test-OVB.do` | 59 | lon, lat, social, loc |
| Code | `comp_OO_CC.do` | 20 | son, lon, social, loc, location, lat |

*See Appendix for detailed listing of all flagged instances.*

#### 7.1.2 File Paths Report

*Generated on 2026-05-04T21:51:04.695*

**Warning**: Our search on file path types is imperfect and incurs both type 1 and type 2 errors. We aim to strike a reasonable balance between both. The below table is therefore only indicative. Detailed listings can be found in the appendix to this report.

In this table we analyse all files which contain source code (not data and documentation), and we report the grand total of each type of filepath we encountered.

Please check and replace any `windows` filepaths with unix compliant paths, insofar as this is possible in your setup. (Notice that `STATA` allows `/` to be a filepath separator on a windows platform, hence this is a requirement for *all* `STATA` applications.)

| Files Analyzed | Windows Paths | Unix Paths | Mixed Paths | Drive Letters (`C:\` etc) |
|---|---|---|---|---|
| 62 | 0 | 15 | 0 | 0 |

#### 7.1.3 Duplicate Files Report

We found the following duplicate files:

| Filename | Size (MB) | Checksum (MD5) |
|---|---|---|
| /__MACOSX/NCP Replication Packet/Analysis/Output/._.DS_Store | 0.0 | 0bed7e90c2bade9763fa18f1fb4441d31f91c87c |
| /__MACOSX/NCP Replication Packet/Analysis/Prepped_Data/._.DS_Store | 0.0 | 0bed7e90c2bade9763fa18f1fb4441d31f91c87c |
| /NCP Replication Packet/Analysis/Prepped_Data/.DS_Store | 0.01 | df2fbeb1400acda0909a32c1cf6bf492f1121e07 |
| /NCP Replication Packet/Analysis/Raw_Data/JPE Revision Survey 3 Final.xlsx | 0.17 | 57e0acd8289db4485cdb44dc60075403fed56bad |

| Filename | Size (MB) | Checksum (MD5) |
|---|---|---|
| /NCP Replication Packet/Analysis/Raw_Data/JPE Revision Survey 1 Final.xlsx | 0.21 | f5e90d7afdd47ca92a37bce77d1e2254f0c057a3 |
| /NCP Replication Packet/Analysis/Raw_Data/JPE Revision Survey 2 Final.xlsx | 0.41 | 98a131c4547df946e4a532c70b2db39653bfa225 |

#### 7.1.4 Zero Size Files Report

We found the following zero size files:

| Filename | Size (MB) | Checksum (MD5) |
|---|---|---|
| /NCP Replication Packet/.Rhistory | 0.0 | da39a3ee5e6b4b0d3255bfef95601890afd80709 |

#### 7.1.5 Large Files Report

We did not find any files larger than 100MB.

### 7.2 Code description

The replication package contains **28 Stata `.do` files** organized across two subfolders of `Analysis/`:

**`Build/` — data cleaning (6 scripts)**

- `Clean-MTurk.do` — top-level cleaning driver called by `0-Master.do`; internally loops over treatment names and calls `Clean-main.do`, `Clean-cs.do`, `Clean-exante.do`, and `Clean-pf.do`.
- `Clean-main.do`, `Clean-cs.do`, `Clean-exante.do`, `Clean-pf.do` — clean individual raw `.dta` files into analysis-ready files in `Prepped_Data/`.
- `Clean-Raw.do` — **not called by any script in the package**; its purpose is unclear.

**`Code/` — analysis (22 scripts)**

- `0-Master.do` — master control file; calls all build and analysis steps.

- `0a-Programs-and-Macros.do` — common Stata programs and macros used across scripts.
- `1-Summary-Statistics.do` — summary statistics (Figures 4, 5; Table A1; Figures A9, A10).
- `2-Analysis.do` — IV logit regressions (Table 1; Tables A2, A7, A8).
- `3-Robustness.do` — robustness checks (Tables A9–A12).
- `4-All-Welfare-Analysis-Bootstrap-CombinedHS.do` — welfare analysis with bootstrap (Figures 7–10; Figures A14–A16, A19); internally calls `Welfare-values.do` and `Heterogeneous-MU.do`.
- `5-Compare-DG-utilities.do` — DG vs. EV utility comparison (Table 2).
- `6-Stability-DG-Weights.do` — stability of DG weights (Figure 6; Figures A12, A13).
- `7-Stability-DG-Weights-2.do` — further stability analysis (Figure 9, partial).
- `Supplementary Survey 1 Analysis.do` — Prolific Survey 1 (Figure A1); calls `AI-flag-Survey1.do`.
- `Supplementary Survey 2 Analysis.do` — Prolific Survey 2 (Figures 1, 2, A2); calls `AI-flag-Survey2.do`.
- `Supplementary Survey 3 Analysis.do` — Prolific Survey 3 (Figures A3–A8); calls `comp_OO_CC.do` at line 999.
- `AI-flag-Survey1.do`, `AI-flag-Survey2.do` — AI-response detection; called from within the respective survey scripts.
- `Welfare-values.do`, `Heterogeneous-MU.do` — welfare value computation and heterogeneous MU analysis; called from within `4-All-Welfare-Analysis-Bootstrap-CombinedHS.do` at lines 1037–1038.
- `comp_OO_CC.do` — OO vs. CC comparison (Figures A3, A4); called from `Supplementary Survey 3 Analysis.do` at line 999.
- `X_PCA.do` — PCA analysis (Table A3; Figure A11).
- `X_IV-test-for-happiness-satisfaction.do` — IV tests (Tables A4, A5).
- `X_DG-vs-OO-Weights.do` — DG vs. OO weight comparison (Table A6).
- `X_Test-OVB.do` — omitted-variable bias test (Tables A13, A14; Figure A17).
- `X_Order-effects.do` — order-effects analysis (Figure A18; Table A15).

Two `.tex` wrapper files (`top.tex`, `bot.tex`) are also present in `Code/`.

| cloc | github.com/AlDanial/cloc v 2.02 T=0.06 s (618.0 files/s, 156673.2 lines/s) |
|---|---|

| Language | files | blank | comment | code |
|---|---|---|---|---|
| Stata | 28 | 1714 | 82 | 5365 |
| CSV | 4 | 0 | 0 | 2747 |
| Markdown | 1 | 52 | 0 | 143 |
| XML | 4 | 0 | 0 | 26 |

| Language | files | blank | comment | code |
|---|---|---|---|---|
| TeX | 3 | 0 | 0 | 12 |
| SUM: | 40 | 1766 | 82 | 8293 |

☒ The replication package contains a "main" or "master" file (`Analysis/Code/0-Master.do`) which calls all other auxiliary programs.

**Code quality advisories**: - The JPE pre-check tool (`generated/report-code-quality.md`) flagged 27 instances of `drop if` / `keep if` statements that are not immediately preceded by an explanatory comment. These are advisories and do not prevent replication, but adding comments would improve auditability of sample-construction decisions.

- Output files, particularly figures, use long descriptive names (e.g. `binscatter_obs_pred_dg_dgweights_c` `logit_mmup3_o3_means_hs.pdf`). Simpler, standardised names tied directly to the exhibit number (e.g. `Figure6a.pdf`, `FigA12.pdf`) would make it easier to match outputs to the paper and to verify the exhibit mapping.

### 7.3 Computing Environment of the Replicator

- Machine specification: MacBook Air M3, 8 GB RAM, Sonoma 14.5

Software used:

- Stata/MP 19.0

## 8 Replication

- Downloaded code and data from Dropbox.
- Committed code to git repository (branch: `round1`).
- Edited line 14 of `Analysis/Code/0-Master.do` to set `cd "..."` to the local path of the `Analysis/` folder, per step 3 of the README.
- Installed required Stata packages: `estout`, `coefplot`, `binscatter`, `tabout`, `texsave`, `unique`.
- Ran `do "0-Master.do"` from within `Analysis/Code/`.

The master script ran until it reached `X_Order-effects.do`, at which point it failed with the following error:

```
file Prepped_Data/mturk_all_wide_analysis_worder.dta not found
r(601);
```

The file `mturk_all_wide_analysis_worder.dta` is required by `X_Order-effects.do` (line 23) but is absent from `Prepped_Data/` and cannot be generated from the public package.

# 9 Findings

- `mturk_all_wide_analysis_worder.dta` is missing from `Prepped_Data/` and cannot be generated from the public package. This file is read by `X_Order-effects.do` at line 23 and is required for Figure A18 and Table A15. Investigation shows that this file would normally be produced by `Clean-Raw.do`, a private cleaning script that reads Qualtrics flow variables (`fl_*`) present only in the non-de-identified raw exports (`qualtrics_*.csv`). Those files are not — and should not be — part of the public package. The order variables derived from them (`dg_first`, `cc_first`, `oo_first`) are not personally identifying, however, so the authors should be able to provide a pre-built `mturk_all_wide_analysis_worder.dta` in `Prepped_Data/` analogously to the other pre-built intermediate files already included.
- Table A14 (`ivlogit_part1_csfe_short.tex`): the generated output leaves the Observations and N. Participants rows blank. These values are not populated by `X_Test-OVB.do`.
- Table A2 — comparison of generated vs. reported estimates from `ivlogit_part1_cons.tex`. Differences in SEs are consistent with the bootstrap re-identification issue noted above. However, the coefficient estimates themselves also differ, sometimes substantially (e.g. Δ Unfairness in col 3: generated −0.76 vs. reported −1.18, a difference of 0.42). This is not expected: point estimates come from fitting the model to the full dataset, not from bootstrap resampling, so de-identification of participant IDs alone should not affect them.

  **Col 3: IV Logit (no cons)**

  | Variable | Generated | Reported | Difference |
  |---|---|---|---|
  | Δ Guilt | -0.95*** (0.19) | -0.73*** (0.26) | -0.22 |
  | Δ Pride | 0.09 (0.18) | 0.04 (0.22) | +0.05 |
  | Δ Finan. Satis. | 1.85*** (0.25) | 1.74*** (0.32) | +0.11 |
  | Δ Fairness | -0.06 (0.23) | -0.28 (0.37) | +0.22 |
  | Δ Unfairness | -0.76*** (0.25) | -1.18*** (0.44) | +0.42 |
  | Δ Happiness | 2.50*** (0.28) | 2.32*** (0.44) | +0.18 |
  | Δ Satisfaction | 3.28*** (0.29) | 3.38*** (0.45) | -0.10 |

  **Col 4: IV Logit (w cons)**

| Variable | Generated | Reported | Difference |
|---|---|---|---|
| Δ Guilt | -1.12*** (0.19) | -0.90*** (0.26) | -0.22 |
| Δ Pride | 0.04 (0.18) | -0.12 (0.22) | +0.16 |
| Δ Finan. Satis. | 1.59*** (0.26) | 1.42*** (0.33) | +0.17 |
| Δ Fairness | 0.28 (0.23) | 0.15 (0.37) | +0.13 |
| Δ Unfairness | -0.92*** (0.26) | -1.08** (0.43) | +0.16 |
| Δ Happiness | 2.49*** (0.28) | 2.38*** (0.44) | +0.11 |
| Δ Satisfaction | 3.30*** (0.30) | 3.44*** (0.45) | -0.14 |
| _cons | -0.43*** (0.08) | -0.32*** (0.08) | -0.11 |

### 9.1 Missing Requirements

☒ Controlled randomness — seeds are set in the code; not separately documented in the README.

{REQUIRED} Please amend README to contain complete requirements.

### 9.2 Data Preparation Code

- The pre-built prepped data files in `Prepped_Data/` were used directly (the package ships with pre-computed intermediate datasets).

### 9.3 Tables and Figures

| Exhibit | Output file(s) in `Analysis/Output/` | Code file(s) | Reproduced? |
|---|---|---|---|
| Figure 1 | `finan_cat_respondent_level.png`; `health_cat_respondent_level.png`; `career_cat_respondent_level.png` | `Supplementary Survey 2 Analysis.do` | Yes |
| Figure 2 | `emotions_finan_mean_plot.png`; `emotions_health_mean_plot.png`; `emotions_career_mean_plot.png` | `Supplementary Survey 2 Analysis.do` | Yes |
| Figure 3 | — | — | n/a (no code) |
| Figure 4 | `main_sumstat_cs_part1.pdf`; `sumstat_cs_part3.pdf`; `sumstat_part1_part3.pdf` | `1-Summary-Statistics.do` | Yes |

| Exhibit | Output file(s) in Analysis/Output/ | Code file(s) | Reproduced? |
|---|---|---|---|
| Figure 5 | main_sumstat_guilt.pdf; main_sumstat_pride.pdf; main_sumstat_finan.pdf; main_sumstat_fair.pdf; main_sumstat_unfair.pdf; main_sumstat_happy.pdf; main_sumstat_satis.pdf | 1-Summary-Statistics.do | Yes |
| Table 1 | ivlogit_part1.tex | 2-Analysis.do | Yes |
| Figure 6 | binscatter_obs_pred_dg_dgweights.pdf; binscatter_obs_pred_dg_ooweights.pdf | 6-Stability-DG-Weights.do | Yes |
| Figure 7 | logit_mmup1_means.pdf; logit_chosen_mmu_means_p1.pdf | 4-All-Welfare-Analysis-Bootstrap-CombinedHS | Yes |
| Figure 8 | logit_mmup2_means.pdf; logit_mmudiff2_part2.pdf | 4-All-Welfare-Analysis-Bootstrap-CombinedHS | Yes |
| Figure 9 | logit_mmudiff_p0p1_part12.pdf; pred2_diff_prob_dg_cc.pdf | 4-All-Welfare-Analysis-Bootstrap-CombinedHS 7-Stability-DG-Weights-2.do | Yes |
| Figure 10 | logit_mmup3_o3_means.pdf; logit_mmup3_o4_means.pdf; logit_mmup3_o5_means.pdf | 4-All-Welfare-Analysis-Bootstrap-CombinedHS | Yes |
| Table 2 | logit_vs_ev_dg.tex | 5-Compare-DG-utilities.do | Yes |
| Figure A1 | emotions_y_mean_plot.png | Supplementary Survey 1 Analysis.do | Yes |
| Figure A2 | emotions_remind_g_finan_mean_plot.png; emotions_remind_g_career_mean_plot.png; emotions_remind_g_health_mean_plot.png | Supplementary Survey 2 Analysis.do | Yes |
| Figure A3 | mean_diff_m_s2donate.png; mean_diff_m_share1.png | Supplementary Survey 3 Analysis.do; comp_OO_CC.do | Yes |
| Figure A4 | mean_diff_m_s2nodonate.png; mean_diff_m_noshare1.png | Supplementary Survey 3 Analysis.do; comp_OO_CC.do | Yes |
| Figure A5 | s1_choice_hist.png; s2_choice_hist.png | Supplementary Survey 3 Analysis.do | Yes |

| Exhibit | Output file(s) in Analysis/Output/ | Code file(s) | Reproduced? |
|---|---|---|---|
| Figure A6 | mean_fair_survey3.png; mean_unfair_survey3.png; mean_finan_survey3.png; mean_guilt_survey3.png; mean_happy_survey3.png; mean_pride_survey3.png; mean_satis_survey3.png | Supplementary Survey 3 Analysis.do | Yes |
| Figure A7 | mean_fair_survey3_origchoice_s2_1.png; mean_unfair_survey3_origchoice_s2_1.png; mean_finan_survey3_origchoice_s2_1.png; mean_guilt_survey3_origchoice_s2_1.png; mean_happy_survey3_origchoice_s2_1.png; mean_pride_survey3_origchoice_s2_1.png; mean_satis_survey3_origchoice_s2_1.png | Supplementary Survey 3 Analysis.do | Yes |
| Figure A8 | mean_fair_survey3_origchoice_s2_2.png; mean_unfair_survey3_origchoice_s2_2.png; mean_finan_survey3_origchoice_s2_2.png; mean_guilt_survey3_origchoice_s2_2.png; mean_happy_survey3_origchoice_s2_2.png; mean_pride_survey3_origchoice_s2_2.png; mean_satis_survey3_origchoice_s2_2.png | Supplementary Survey 3 Analysis.do | Yes |
| Table A1 | all_sumstats_demo.tex | 1-Summary-Statistics.do | Yes |
| Figure A9 | main_sumstat_guilt_part3.pdf; main_sumstat_pride_part3.pdf; main_sumstat_finan_part3.pdf; main_sumstat_fair_part3.pdf; main_sumstat_unfair_part3.pdf; main_sumstat_happy_part3.pdf; main_sumstat_satis_part3.pdf | 1-Summary-Statistics.do | Yes |
| Figure A10 | main_sumstat_part3_optout3.pdf; main_sumstat_part3_optout4.pdf; main_sumstat_part3_optout5.pdf | 1-Summary-Statistics.do | Yes |
| Table A2 | ivlogit_part1_cons.tex | 2-Analysis.do | Partially |
| Table A3 | pca_ev.tex | X_PCA.do | Yes |
| Figure A11 | pca_csas_dg_ev.pdf | X_PCA.do | Yes |
| Table A4 | ivlogit_happy.tex | X_IV-test-for-happiness-satisfaction.do | Yes |
| Table A5 | ivlogit_satis.tex | X_IV-test-for-happiness-satisfaction.do | Yes |
| Table A6 | logit_part13_all.tex | X_DG-vs-OO-Weights.do | Yes |
| Figure A12 | binscatter_obs_pred_oo_ooweights.pdf; binscatter_obs_pred_oo_dgweights.pdf | 6-Stability-DG-Weights.do | Yes |

| Exhibit | Output file(s) in `Analysis/Output/` | Code file(s) | Reproduced? |
|---|---|---|---|
| Figure A13 | `binscatter_obs_predoo_oo_ooweights.pdf`; `binscatter_obs_predoo_oo_dgweights.pdf` | `6-Stability-DG-Weights.do` | Yes |
| Table A7 | `reg_happy_satis_main.tex` | `2-Analysis.do` | Yes |
| Table A8 | `reg_happy_satis_logit.tex` | `2-Analysis.do` | Yes |
| Figure A14 | `logit_mmup1_means_hs.pdf` | `4-All-Welfare-Analysis-Bootstrap-CombinedHS` | Yes |
| Figure A15 | `logit_mmup2_means_hs.pdf` | `4-All-Welfare-Analysis-Bootstrap-CombinedHS` | Yes |
| Figure A16 | `logit_mmup3_o3_means_hs.pdf`; `logit_mmup3_o4_means_hs.pdf`; `logit_mmup3_o5_means_hs.pdf` | `4-All-Welfare-Analysis-Bootstrap-CombinedHS` | Yes |
| Table A9 | `reg_ea_csa_part1.tex` | `3-Robustness.do` | Yes |
| Table A10 | `logit_prosocial_ea_interaction.tex` | `3-Robustness.do` | Yes |
| Table A11 | `corr_matrix_pf.tex` | `3-Robustness.do` | Yes |
| Table A12 | `logit_prosocial_present_col12.tex` | `3-Robustness.do` | Yes |
| Table A13 | `ludiff_csfe.tex` | `X_Test-OVB.do` | Yes |
| Table A14 | `ivlogit_part1_csfe_short.tex` | `X_Test-OVB.do` | Partially |
| Figure A17 | `logit_mmup1_means_fe.pdf`; `logit_chosen_mmup1_means_fe.pdf` | `X_Test-OVB.do` | Yes |
| Figure A18 | `binscatter_obs_pred_dg_dgweights_ccfirst.pdf`; `binscatter_obs_pred_dg_ccweights_dgfirst.pdf` | `X_Order-effects.do` | No |
| Table A15 | `logit_vs_ev_dg_order_dgoo.tex` | `X_Order-effects.do` | No |
| Figure A19 | `logit_mmup2_means_cs.pdf`; `logit_mmudiff2_part2_cs.pdf` | `4-All-Welfare-Analysis-Bootstrap-CombinedHS` | Yes |

### 9.4 In-Text Numbers

☐ In-text numbers not verified.

### 9.5 Other Issues

- `Clean-Raw.do` is present in `Analysis/Build/` but carries the header comment "This is the cleaning code that will not be published." It was apparently included in the public package by mistake. It cannot run (it requires non-public inputs: `qualtrics_*.csv` and `accepted_workers_all.dta`) and should be removed before final deposit.

## 10 Classification

- ☐ full reproduction
- ☐ full reproduction with minor issues
- ☒ partial reproduction (see above)
- ☐ not able to reproduce most or all of the results (reasons see above)

### 10.1 Reason for incomplete reproducibility

- ☐ None.
- ☒ `Discrepancy in output` (either figures or numbers in tables or text differ)
- ☐ `Bugs in code` that were fixable by the replicator (but should be fixed in the final deposit)
- ☐ `Code missing`, in particular if it prevented the replicator from completing the reproducibility check
    - ☐ `Data preparation code missing` should be checked if the code missing seems to be data preparation code
- ☐ `Code not functional` is more severe than a simple bug: it prevented the replicator from completing the reproducibility check
- ☐ `Software not available to replicator` may happen for a variety of reasons, but in particular (a) when the software is commercial, and the replicator does not have access to a licensed copy, or (b) the software is open-source, but a specific version required to conduct the reproducibility check is not available.
- ☐ `Insufficient time available to replicator` is applicable when (a) running the code would take weeks or more (b) running the code might take less time if sufficient compute resources were to be brought to bear, but no such resources can be accessed in a timely fashion (c) the replication package is very complex, and following all (manual and scripted) steps would take too long.
- ☒ `Data missing` — `mturk_all_wide_analysis_worder.dta` is absent from `Prepped_Data/` and cannot be generated from the public package, preventing reproduction of Figure A18 and Table A15.
- ☐ `Data not available` is marked when data requires additional access steps, for instance purchase or application procedure.
- ☒ `Missing README` — the README is not at the root of the package and its title does not conform to JPE requirements.

### 10.2 Potential Personal Identifiable Information (PII)

We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. *As a reminder, privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable* *information without prior (and documented) consent of individuals.* If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

**Summary:** - Data files with PII indicators: 11 - Variables flagged in data: 27 - Code files with PII references: 28 - PII references in code: 1062

### 10.2.1 Summary of Flagged Files

| File Type | File | Variables/References | PII Categories |
|---|---|---|---|
| Data | `JPE Revision Survey 1 Final.xlsx` | 2 | second, gender |
| Data | `JPE Revision Survey 2 Final.xlsx` | 5 | second, son, gender |
| Data | `JPE Revision Survey 3 Final.xlsx` | 2 | second, gender |
| Data | `cs.csv` | 3 | gender, loc, location, social |
| Data | `cs.dta` | 3 | gender, loc, location, social |
| Data | `exante.csv` | 2 | gender, loc, location |
| Data | `exante.dta` | 2 | gender, loc, location |
| Data | `main.csv` | 2 | gender, loc, location |
| Data | `main.dta` | 2 | gender, loc, location |
| Data | `pf.csv` | 2 | gender, loc, location |
| Data | `pf.dta` | 2 | gender, loc, location |
| Code | `.tex` | 1 | url |
| Code | `0a-Programs-and-Macros.do` | 15 | lat, name, loc |
| Code | `1-Summary-Statistics.do` | 73 | lat, gender, loc, location, lon, social |
| Code | `2-Analysis.do` | 26 | lat, second, loc, lon, social |

| File Type | File | Variables/References | PII Categories |
|---|---|---|---|
| Code | 3-Robustness.do | 9 | lat, lon, social, loc |
| Code | 4-All-Welfare-Analysis-Bootstrap-Combined.do | 225 | IHS, lon, lat, social |
| Code | 5-Compare-DG-utilities.do | 26 | lat, lon, social, loc |
| Code | 6-Stability-DG-Weights.do | 38 | lon, lat, social, loc |
| Code | 7-Stability-DG-Weights-2.do | 15 | social, loc, lat, lon |
| Code | AI-flag-Survey1.do | 7 | loc, son |
| Code | AI-flag-Survey2.do | 13 | son, loc |
| Code | Clean-MTurk.do | 24 | son, lon, house, school, degree, gender, social |
| Code | Clean-Raw.do | 12 | house, school, degree, gender, loc |
| Code | Clean-cs.do | 29 | name, loc, location, son, lon, social |
| Code | Clean-exante.do | 26 | son, lon, social, name |
| Code | Clean-main.do | 28 | loc, location, son, lon, social, name |
| Code | Clean-pf.do | 23 | son, lon, social, name |
| Code | Heterogeneous-MU.do | 38 | lat, lon, social, loc |
| Code | Supplementary Survey 1 Analysis.do | 60 | second, name, loc, son, lat, lon, social |
| Code | Supplementary Survey 2 Analysis.do | 60 | second, loc, lat, name, lon, gender, degree, son |
| Code | Supplementary Survey 3 Analysis.do | 83 | lat, lon, social, name, loc, second |
| Code | Welfare-values.do | 62 | lon, lat, social, loc, url |
| Code | X_DG-vs-OO-Weights.do | 8 | lon, social |
| Code | X_IV-test-for-happiness-satisfaction.do | 8 | lat, lon, social, loc |
| Code | X_Order-effects.do | 32 | lat, lon, social, loc |
| Code | X_PCA.do | 42 | loc, lat, lon, social, lname, name |
| Code | X_Test-OVB.do | 59 | lon, lat, social, loc |
| Code | comp_OO_CC.do | 20 | son, lon, social, loc, location, lat |

*See Appendix for detailed listing of all flagged instances.*