

JPE Replication Report

PUBLISHED

August 19, 2026

1 Paper Identification

ID	20220947
Author	San
Title	Timing is Everything: Parental Professional Connections and Labor Market Entry
Iteration	1

Some useful information up front:

- [JPE Data and Code Availability Policy](#)
- [Step by step guidance from Data Editor for Authors](#)
- [Template README](#)

2 Summary

In assessing compliance with our [Data and Code Availability Policy](#), our reproducibility team has identified the following issues, which we ask you to address:

1. I clicked on the website for the BTL data. you should point out that it's in Hebrew by default, and provide this link for the english version: <https://www.btl.gov.il/English%20homepage/Pages/default.aspx> . Also, you write *all details can be found at* - I would object to that claim. You need to tell the user exactly where they have to go on this website, which forms to fill out, where to click on etc and provide a feasible route to access this data.
2. Data Editor's second point.

3 General

- ✓ Data Availability and Provenance Statements
 - ✓ Statement about Rights - Part 1: Right to use the data (e.g. *did the authors lawfully obtain the data*)
 - ✓ Statement about Rights - Part 2: Right to publish the data (e.g. *are human subjects involved and did permission been granted to publish their data?*)
 - ✓ License for Data (optional, but recommended)
 - ✓ Details on each Data Source
- ✓ Dataset list
- ✓ Computational requirements
 - ✓ Software Requirements

- ✓ Controlled Randomness (as necessary)
- ✓ Memory, Runtime, and Storage Requirements
- ✓ Description of programs/code
 - ✓ License for Code (Optional, but recommended)
- ✓ {REPLICATOR} to Replicators
 - ✓ Details (as necessary)
- ✓ List of tables and programs
- ✓ References (Optional, but recommended)

4 High-level Description of Research Project

This research project...

- ☐ uses observational data.
- ✓ uses *confidential* observational data.
- ☐ uses data generated via experiment or trial by the authors (in field or lab).
 - ☐ For lab experiments: The code to implement the experimental protocol (z-Tree, o-Tree etc) is included in the package.
 - ☐ A PDF copy of IRB approval is contained in the package.
 - ☐ A PDF document outlining the design of the experiment, including information on the selection and eligibility of participants is included.
 - ☐ A PDF copy of the instructions given to participants in both original language and an English translation is included.
- ☐ uses data generated via survey by the authors (in field or online)
 - ☐ The programs used to administer the survey (e.g. qualtrics survey file) are included.
 - ☐ A PDF copy of IRB approval is contained in the package.
 - ☐ A PDF of the original questionnaire(s) and information on the selection and eligibility of participants is included.
- ☐ is a simulation study: the data are generated by an algorithm.
- ☐ is a numerical illustration: no data are used but code is used to produce illustrative output (tables, figures)

5 Data description

For any data that cannot be provided as part of the replication package, please provide the following information as part of the README.

{REQUIRED} Please specify how long the data will be preserved in the restricted-access location.

{REQUIRED} Please provide affirmation of support for replication checks. – As per the [JPE policy](#), “In cases where data cannot be published in an openly accessible trusted data repository like the JPE dataverse, authors who have requested an exemption to publish them at the time of first submission must commit to preserving the data and code for a period of no less than five years following the publication of the paper. They should also provide reasonable assistance to requests for clarification and replication.”

{REQUIRED} Please provide a codebook for the data. – The codebook should at a minimum describe the variables obtained from the data source, in a manner that will let others verify that they have obtained a

substantially similar dataset if successfully obtaining access to the data.

5.1 Data Sources

file/name	public	private	DOI/URL	Access described	cited readme	cited paper
all_population.dta	no	yes	no	yes	yes	no
hardi.dta	no	yes	no	yes	yes	no
limodim.dta	no	yes	no	yes	yes	no
sachar/sachar_YYYY.dta (1991–2015)	no	yes	no	yes	yes	no
ktovat/ktovet_XXXX.dta (2000–2015)	no	yes	no	yes	yes	no
birth_country.xlsx	no	yes	no	yes	yes	no
educational_institutions_classification.xlsx	no	yes	no	yes	yes	no
setl_mid_point.xlsx	no	yes	no	yes	yes	no
sectors.xlsx	no	yes	no	yes	yes	no
output/csv_real/*.csv	yes	no	-	yes	yes	no
unemployment.csv	yes	no	no	yes	yes	no

where [YYYY](#) goes from 1991 to 2015 and [XXXX](#) goes from 2000 to 2015, respectively.

6 Requirements

- ☒ README is in TXT, MD, or PDF format ([README.md](#))
- ☒ README is accessible at the root of the package (not inside a folder)
- ☐ Title conforms to guidance (starts with “Data and Code for: Title of Paper” or “Code for: Title of Paper”, is properly capitalized)
- ☐ Authors (with affiliations) are listed in the same order as on the paper

{REQUIRED} Please review the title of the deposit as per our guidelines.

{REQUIRED} Please review authors and affiliations on the deposit. In general, they are the same, and in the same order, as for the manuscript; however, authors can deviate from that order.

6.1 Stated Requirements

- ☐ No requirements specified

- ☒ Software Requirements specified as follows:
 - R version 4.5.2 (2025-10-31)
 - Packages: data.table 1.18.2.1, haven 2.5.5, writexl 1.5.4, readxl 1.4.5, data.table 1.18.2.1, ggplot2 4.0.2, haven 2.5.5, lfe 3.1.1, stargazer 5.2.3, stringr 1.6.0, lubridate 1.9.5, survival 3.8-3, plotrix 3.8-14, ggplot2 4.0.2, readxl 1.4.5, data.table 1.18.2.1, ggpubr 0.6.3, xtable 1.8-4, stargazer 5.2.3, gridExtra 2.3, RColorBrewer 1.1-3, ggtrastr 1.0.2, gridtext 0.1.6, lfe 3.1.1, lubridate 1.9.5, scales 1.4.0
- ☒ Computational Requirements specified as follows:
 - macOS Monterey 12.7.6, aarch64-apple-darwin20 (Apple silicon), 8 GB RAM, 50 GB free disk space
- ☐ Time Requirements specified as follows:
 - Stage 0 $\approx$ 2 min, Stage 1 $\approx$ 48 hours, Stage 2 $\approx$ 2 min. Mode B (real CSVs) $\approx$ 2 min total.
- ☐ Requirements are complete.
- Time Requirement for Mode C are missing

7 Analyzing Data and Code Files

7.1 Potential Personal Identifiable Information (PII)

△ We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. *As a reminder, privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals.* If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

Summary: - Data files with PII indicators: 5 - Variables flagged in data: 7 - Code files with PII references: 112 - PII references in code: 3566

7.1.1 Summary of Flagged Files

File Type	File	Variables/References	PII Categories
Data	<code>figure_reg_emp_con_long_firm.csv</code>	1	name
Data	<code>figure_reg_emp_con_long_sector_sex.csv</code>	1	name
Data	<code>table_hist_con_worker.csv</code>	2	sex, city
Data	<code>table_retirement.csv</code>	1	sex
Data	<code>table_summary_children_multiple2.csv</code>	2	city, sex
Code	<code>functions_moments.R</code>	46	lat, city, sex

File Type	File	Variables/References	PII Categories
Code	<code>functions_reg_emp_con.R</code>	223	child, name, birth, city, district, sex, lat, loc, location
Code	<code>functions_reg_emp_con_long.R</code>	230	child, lon, name, birth, city, district, sex, son, lat
Code	<code>functions_reg_emp_con_long_figure.R</code>	47	lon, block, loc, child, name, birth, city, district, sex
Code	<code>gen_figures.R</code>	60	city, gender, child, lat, lon, name, coord, sex
Code	<code>gen_tables.R</code>	333	child, name, city, gender, sex
Code	<code>master_all.R</code>	9	network, lat, minute, name
Code	<code>master_inter.R</code>	29	name, lat, loc, location, child, lon, sex
Code	<code>master_output.R</code>	6	name, lat
Code	<code>master_simulate.R</code>	29	lat, name, child, loc, birth, father, district, country, location
Code	<code>prepare_akm.R</code>	46	child, name, lat, birth, lname, son
Code	<code>prepare_akm_children.R</code>	37	name, lat, birth, lname,

File Type	File	Variables/References	PII Categories
			son, child
Code	<code>prepare_akm_res.R</code>	27	child, name, lat, birth
Code	<code>prepare_children_first_job_data.R</code>	26	child, name, sex, birth, city, district
Code	<code>prepare_children_first_job_data_multiple2.R</code>	26	child, name, sex, birth, city, district
Code	<code>prepare_children_panel.R</code>	17	child, name, birth, city, district, sex
Code	<code>prepare_children_panel_employment.R</code>	20	child, name, birth, city, district, sex
Code	<code>prepare_children_panel_employment_25.R</code>	21	child, name, city, district, sex
Code	<code>prepare_children_panel_employment_phantom_past.R</code>	19	child, name, birth, city, district, sex
Code	<code>prepare_children_panel_total_5years.R</code>	21	child, name, sex, city, district
Code	<code>prepare_children_panel_total_5years_multiple2.R</code>	21	child, name, sex, city, district
Code	<code>prepare_children_salary_30.R</code>	25	child, name, birth, lname
Code	<code>prepare_children_sample.R</code>	14	name, child
Code	<code>prepare_children_sample1.R</code>	61	name, child, lat, birth, city, father, mother, sex, loc, location,

File Type	File	Variables/References	PII Categories
			district, lname
Code	prepare_children_sample1_1927.R	61	name, child, lat, birth, city, father, mother, sex, loc, location, district, lname
Code	prepare_children_sample1_25.R	59	name, child, lat, birth, city, father, mother, sex, loc, location, district, lname
Code	prepare_children_sample1_employment.R	59	name, child, lat, birth, city, father, mother, sex, loc, location, district, lname
Code	prepare_children_sample1_grad1.R	58	name, child, lat, birth, city, father, mother, sex, loc, location, district, lname
Code	prepare_children_sample_1927.R	14	name, child
Code	prepare_children_sample_25.R	14	name, child
Code	prepare_children_sample_employment.R	14	name, child
Code	prepare_children_sample_grad1.R	14	name, child
Code	prepare_connections_employment_rate_25_20.R	35	birth, name, child, lname
Code	prepare_connections_firm_rank.R	13	child, name, lat

File Type	File	Variables/References	PII Categories
Code	<code>prepare_connections_firm_rank_multiple2.R</code>	13	child, name, lat
Code	<code>prepare_connections_id_pco.R</code>	8	birth, name
Code	<code>prepare_connections_indirect.R</code>	47	birth, lat, name, city, sex, child, lname
Code	<code>prepare_connections_indirect_1927.R</code>	47	birth, lat, name, city, sex, child, lname
Code	<code>prepare_connections_indirect_25.R</code>	47	birth, lat, name, city, sex, child, lname
Code	<code>prepare_connections_indirect_grad1.R</code>	47	birth, lat, name, city, sex, child, lname
Code	<code>prepare_connections_indirect_multiple.R</code>	8	birth, name
Code	<code>prepare_connections_indirect_multiple_firm_size.R</code>	8	birth, name
Code	<code>prepare_connections_long.R</code>	67	birth, name, lname, child, lat, city, sex, lon
Code	<code>prepare_connections_phantom_past_employment.R</code>	32	birth, name, child, lname
Code	<code>prepare_connections_type.R</code>	13	name
Code	<code>prepare_connections_type_1927.R</code>	8	name
Code	<code>prepare_connections_type_25.R</code>	8	name
Code	<code>prepare_connections_type_grad1.R</code>	8	name
Code	<code>prepare_connections_type_multiple2.R</code>	8	name
Code	<code>prepare_connections_type_multiple2_firm_size.R</code>	8	name

File Type	File	Variables/References	PII Categories
Code	<code>prepare_duration_first_job.R</code>	14	child, name
Code	<code>prepare_education.R</code>	19	name, lname, school, lat, birth
Code	<code>prepare_employment_history.R</code>	4	name
Code	<code>prepare_employment_history_1927.R</code>	4	name
Code	<code>prepare_firm_duration.R</code>	10	name, child, lat
Code	<code>prepare_firm_location.R</code>	26	name, child, loc, location, lname, lat
Code	<code>prepare_firm_year.R</code>	16	child, name
Code	<code>prepare_industry.R</code>	22	name, lname, lat
Code	<code>prepare_location.R</code>	13	name, lname, district, city, loc, location
Code	<code>prepare_parents.R</code>	11	lat, name, father, mother
Code	<code>prepare_parents_firms.R</code>	21	name, child, birth, lon
Code	<code>prepare_parents_firms_1927.R</code>	23	name, child, birth, lon
Code	<code>prepare_parents_firms_25.R</code>	23	name, child, birth, lon
Code	<code>prepare_parents_firms_employment.R</code>	23	name, child, birth, lon
Code	<code>prepare_parents_firms_firm_size.R</code>	21	name, child, birth
Code	<code>prepare_parents_firms_grad1.R</code>	23	name, child, birth, lon
Code	<code>prepare_population.R</code>	32	lat, name, lname, father,

File Type	File	Variables/References	PII Categories
			mother, birth, country, sex, city
Code	<code>prepare_sector.R</code>	11	lon, name
Code	<code>prepare_summary_children_multiple2.R</code>	25	child, name, sex, birth, city
Code	<code>prepare_wages.R</code>	35	lat, name, birth, lname
Code	<code>prepare_wages_1927.R</code>	35	lat, name, birth, lname
Code	<code>prepare_wages_total.R</code>	38	son, child, lat, name, birth, lname
Code	<code>simulate_all_population.R</code>	20	lat, name, birth, father, mother, child, country, son
Code	<code>simulate_crosswalks.R</code>	12	lat, birth, country, name, loc
Code	<code>simulate_education.R</code>	7	lat, birth
Code	<code>simulate_hardi.R</code>	2	lat
Code	<code>simulate_location.R</code>	11	lat, loc, location, district, city, name, son
Code	<code>simulate_wages.R</code>	22	lat, name, child, birth, son
Code	<code>tabels_hist_group_size.R</code>	17	child, name, city, sex, district
Code	<code>tables_children_panel.R</code>	12	child, name, city, sex, district

File Type	File	Variables/References	PII Categories
Code	tables_firm_var_sector.R	21	name, child, son
Code	tables_hist_con.R	68	name, child, city, sex, lon
Code	tables_hist_con_firm_size_multiple2.R	8	name
Code	tables_raw_emp_con.R	10	child, name
Code	tables_reg_balancing.R	22	name, child
Code	tables_reg_children_panel_employment.R	4	child, name
Code	tables_reg_emp_con.R	38	name, child, city, sex
Code	tables_reg_emp_con_1927.R	38	name, child, city, sex
Code	tables_reg_emp_con_1927_entry_age.R	36	name, child, birth, city, sex
Code	tables_reg_emp_con_25.R	38	name, child, city, sex
Code	tables_reg_emp_con_exit.R	22	name, child
Code	tables_reg_emp_con_grad1.R	38	name, child, city, sex
Code	tables_reg_emp_con_long_figure.R	34	lon, name, child, sex, city
Code	tables_reg_emp_con_long_firm.R	24	lon, name, child
Code	tables_reg_emp_con_long_sector_sex.R	27	lon, name, sex, child
Code	tables_reg_emp_con_long_year.R	26	lon, name, child
Code	tables_reg_emp_con_multiple2.R	32	name, child, city, sex
Code	tables_reg_emp_con_multiple2_firm_size.R	29	name, child

File Type	File	Variables/References	PII Categories
Code	<code>tables_reg_emp_con_multiple_jobs.R</code>	35	name, child
Code	<code>tables_reg_emp_con_one_job.R</code>	49	name, child, city, sex
Code	<code>tables_reg_emp_con_placebo.R</code>	34	lon, name, child, city, sex
Code	<code>tables_reg_panel_total_5years_multiple2.R</code>	4	child, name
Code	<code>tables_reg_salary_duration_con_event.R</code>	21	child, name, city, sex, district
Code	<code>tables_reg_salary_duration_con_multiple2.R</code>	41	child, name, city, sex, district
Code	<code>tables_retirement.R</code>	41	lat, name, birth, sex, lname
Code	<code>tables_structural_data_multiple2.R</code>	29	child, name, birth, city, sex
Code	<code>tables_summary_children_multiple2.R</code>	17	child, name, city, sex
Code	<code>tables_summary_firms.R</code>	4	name
Code	<code>functions_reg_emp_con_25.R</code>	33	child, name, birth, city, district, sex
Code	<code>tables_reg_emp_con_event_multiple2.R</code>	24	name, child
Code	<code>functions_reg_emp_con_grad1.R</code>	33	child, name, birth, city, district, sex
Code	<code>tables_reg_emp_con_long_int.r</code>	23	lon, name, child

See [Appendix](#) for detailed listing of all flagged instances.

7.1.2 File Paths Report

Generated on 2026-07-27T12:39:39.710

Warning: Our search on file path types is imperfect and incurs both type 1 and type 2 errors. We aim to strike a reasonable balance between both. The below table is therefore only indicative. Detailed listings can be found in the appendix to this report.

In this table we analyse all files which contain source code (not data and documentation), and we report the grand total of each type of filepath we encountered.

Please check and replace any **windows** filepaths with unix compliant paths, insofar as this is possible in your setup. (Notice that **STATA** allows **/** to be a filepath separator on a windows platform, hence this is a requirement for *all* **STATA** applications.)

Files Analyzed	Windows Paths	Unix Paths	Mixed Paths	Drive Letters (C:\ etc)
224	0	15	0	0

7.1.3 Duplicate Files Report

We found the following duplicate files:

Filename	Size	Checksum (MD5)
	(MB)	
/__MACOSX/labor_networks/code/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
/__MACOSX/labor_networks/code/inter/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
/__MACOSX/labor_networks/code/simulate/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
/__MACOSX/labor_networks/data/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
/__MACOSX/labor_networks/data/input/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
/__MACOSX/labor_networks/output/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c
/__MACOSX/labor_networks/output/csv_real/._.DS_Store	0.0	0bed7e90c2bade9763fa18f1fb4441d31f91c87c

7.1.4 Zero Size Files Report

We did not find any zero sized files.

7.1.5 Large Files Report

We did not find any files larger than 100MB.

7.2 Code description

There are 108 R scripts of which 4 are master scripts

cloc	github.com/AIDanial/cloc v 2.02 T=0.11 s (1398.7 files/s, 213994.2 lines/s)
------	---

Language	files	blank	comment	code
R	112	3553	1782	11815
CSV	37	0	0	5371
Markdown	1	86	0	343
---	---	---	---	---
SUM:	150	3639	1782	17529

☒ The replication package contains a "main" or "master" file(s) which calls all other auxiliary programs

7.3 Computing Environment of the Replicator

- Nuvolos: Ubuntu 24.04.1 LTS, 4 vCPU + 16 GB RAM
- R 4.5.2 with RStudio 2026.01

8 Replication

- Downloaded code and data from dropbox.
- Copied git repo and unzipped the replication package into this repo.
- Set `root` in `master_all.R` as per the README instructions.
- Installed packages as per the README instructions.
- Ran with `run_mode <- "A"`
- Ran with `run_mode <- "B"`
- Committed changes

9 Findings

9.1 Missing Requirements

- ☐ Software Requirements
 - ☐ Stata
 - ☐ Version
 - Packages go here
 - ☐ Matlab
 - ☐ Version
 - ☐ R
 - ☐ Version
 - R packages go here
 - ☐ Python
 - ☐ Version
 - Python package go here
 - ☐ REPLACE ME WITH OTHER

- ☐ Computational Requirements specified as follows:
 - Cluster size, disk size, memory size, etc.
- ☒ Time Requirements
 - Length of computation time for Mode C

[REQUIRED] Please amend README to contain complete requirements.

9.2 Data Preparation Code

- Master script run as expected. Tables `.tex` were missing the tabular/table environment for compilation.

9.3 Tables and Figures

Figure/Table #	Program	Line Number	Reproduced?
Table 1	gen_tables.R	3	Yes
Table 2	gen_tables.R	201	Yes
Table 3	gen_tables.R	474	Yes
Table 4	gen_tables.R	539	Yes
Table 5	gen_tables.R	680	Yes
Table A1	gen_tables.R	809	Yes
Table A2	gen_tables.R	848	Yes
Table A3	gen_tables.R	1004	Yes
Table A4	gen_tables.R	1179	Yes
Table A5	gen_tables.R	1275	Yes
Table A6	gen_tables.R	1400	Yes
Table A7	gen_tables.R	1552	Yes
Table A8	gen_tables.R	1798	Yes
Figure 1	gen_figures.R	147	Yes
Figure 2	gen_figures.R	184	Yes
Figure 3	gen_figures.R	375	Yes
Figure 4	gen_figures.R	540	Yes
Figure 5	gen_figures.R	573	Yes

Figure/Table #	Program	Line Number	Reproduced?
Figure 6	gen_figures.R	635	Yes
Figure A1	gen_figures.R	695	Yes
Figure A2	gen_figures.R	788	Yes
Figure A3	gen_figures.R	838	Yes
Figure A4	gen_figures.R	907	Yes
Figure A5	gen_figures.R	936	Yes
Figure A6	gen_figures.R	1004	Yes
Figure A7	gen_figures.R	1074	Yes
Figure A8	gen_figures.R	1131	Yes
Figure A9	gen_figures.R	1191	Yes
Figure A10	gen_figures.R	1227	Yes
Figure A11	gen_figures.R	1273	Yes
Figure A12	gen_figures.R	1371	Yes
Figure A13	gen_figures.R	1400	Yes

- Figure A.8 is printed with a confidence interval with a different style than the one in the manuscript

9.4 In-Text Numbers

- ☒ In-text numbers not verified.
- ☐ There are no in-text numbers, or all in-text numbers stem from tables and figures.
- ☐ There are in-text numbers, but they are not identified in the code

9.5 Other Issues

- LICENSE.txt is missing the title, the copyright year and author

10 Classification

- ☐ full reproduction
- ☒ full reproduction with minor issues
- ☐ partial reproduction (see above)
- ☐ not able to reproduce most or all of the results (reasons see above)

10.1 Reason for incomplete reproducibility

- ☐ None.
- ☒ **Discrepancy in output** (either figures or numbers in tables or text differ)
- ☐ **Bugs in code** that were fixable by the replicator (but should be fixed in the final deposit)
- ☐ **Code missing**, in particular if it prevented the replicator from completing the reproducibility check
 - ☐ **Data preparation code missing** should be checked if the code missing seems to be data preparation code
- ☐ **Code not functional** is more severe than a simple bug: it prevented the replicator from completing the reproducibility check
- ☐ **Software not available to replicator** may happen for a variety of reasons, but in particular (a) when the software is commercial, and the replicator does not have access to a licensed copy, or (b) the software is open-source, but a specific version required to conduct the reproducibility check is not available.
- ☐ **Insufficient time available to replicator** is applicable when (a) running the code would take weeks or more (b) running the code might take less time if sufficient compute resources were to be brought to bear, but no such resources can be accessed in a timely fashion (c) the replication package is very complex, and following all (manual and scripted) steps would take too long.
- ☐ **Data missing** is marked when data *should* be available, but was erroneously not provided, or is not accessible via the procedures described in the replication package
- ☐ **Data not available** is marked when data requires additional access steps, for instance purchase or application procedure.
- ☒ **Missing README** is marked if there is no README to guide the replicator, or the README is not in compliance with JPE requirements

10.2 Potential Personal Identifiable Information (PII)

△ We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. *As a reminder, privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals.* If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

Summary: - Data files with PII indicators: 5 - Variables flagged in data: 7 - Code files with PII references: 112 - PII references in code: 3566

10.2.1 Summary of Flagged Files

File Type	File	Variables/References	PII Categories
Data	figure_reg_emp_con_long_firm.csv	1	name
Data	figure_reg_emp_con_long_sector_sex.csv	1	name
Data	table_hist_con_worker.csv	2	sex, city
Data	table_retirement.csv	1	sex

File Type	File	Variables/References	PII Categories
Data	table_summary_children_multiple2.csv	2	city, sex
Code	functions_moments.R	46	lat, city, sex
Code	functions_reg_emp_con.R	223	child, name, birth, city, district, sex, lat, loc, location
Code	functions_reg_emp_con_long.R	230	child, lon, name, birth, city, district, sex, son, lat
Code	functions_reg_emp_con_long_figure.R	47	lon, block, loc, child, name, birth, city, district, sex
Code	gen_figures.R	60	city, gender, child, lat, lon, name, coord, sex
Code	gen_tables.R	333	child, name, city, gender, sex
Code	master_all.R	9	network, lat, minute, name
Code	master_inter.R	29	name, lat, loc, location, child, lon, sex
Code	master_output.R	6	name, lat
Code	master_simulate.R	29	lat, name, child, loc, birth, father, district, country, location
Code	prepare_akm.R	46	child, name, lat, birth,

File Type	File	Variables/References	PII Categories
			Iname, son
Code	prepare_akm_children.R	37	name, lat, birth, Iname, son, child
Code	prepare_akm_res.R	27	child, name, lat, birth
Code	prepare_children_first_job_data.R	26	child, name, sex, birth, city, district
Code	prepare_children_first_job_data_multiple2.R	26	child, name, sex, birth, city, district
Code	prepare_children_panel.R	17	child, name, birth, city, district, sex
Code	prepare_children_panel_employment.R	20	child, name, birth, city, district, sex
Code	prepare_children_panel_employment_25.R	21	child, name, city, district, sex
Code	prepare_children_panel_employment_phantom_past.R	19	child, name, birth, city, district, sex
Code	prepare_children_panel_total_5years.R	21	child, name, sex, city, district
Code	prepare_children_panel_total_5years_multiple2.R	21	child, name, sex, city, district
Code	prepare_children_salary_30.R	25	child, name, birth, Iname
Code	prepare_children_sample.R	14	name, child
Code	prepare_children_sample1.R	61	name, child, lat, birth, city, father,

File Type	File	Variables/References	PII Categories
			mother, sex, loc, location, district, lname
Code	prepare_children_sample1_1927.R	61	name, child, lat, birth, city, father, mother, sex, loc, location, district, lname
Code	prepare_children_sample1_25.R	59	name, child, lat, birth, city, father, mother, sex, loc, location, district, lname
Code	prepare_children_sample1_employment.R	59	name, child, lat, birth, city, father, mother, sex, loc, location, district, lname
Code	prepare_children_sample1_grad1.R	58	name, child, lat, birth, city, father, mother, sex, loc, location, district, lname
Code	prepare_children_sample_1927.R	14	name, child
Code	prepare_children_sample_25.R	14	name, child
Code	prepare_children_sample_employment.R	14	name, child
Code	prepare_children_sample_grad1.R	14	name, child
Code	prepare_connections_employment_rate_25_20.R	35	birth, name, child, lname

File Type	File	Variables/References	PII Categories
Code	<code>prepare_connections_firm_rank.R</code>	13	child, name, lat
Code	<code>prepare_connections_firm_rank_multiple2.R</code>	13	child, name, lat
Code	<code>prepare_connections_id_pco.R</code>	8	birth, name
Code	<code>prepare_connections_indirect.R</code>	47	birth, lat, name, city, sex, child, lname
Code	<code>prepare_connections_indirect_1927.R</code>	47	birth, lat, name, city, sex, child, lname
Code	<code>prepare_connections_indirect_25.R</code>	47	birth, lat, name, city, sex, child, lname
Code	<code>prepare_connections_indirect_grad1.R</code>	47	birth, lat, name, city, sex, child, lname
Code	<code>prepare_connections_indirect_multiple.R</code>	8	birth, name
Code	<code>prepare_connections_indirect_multiple_firm_size.R</code>	8	birth, name
Code	<code>prepare_connections_long.R</code>	67	birth, name, lname, child, lat, city, sex, lon
Code	<code>prepare_connections_phantom_past_employment.R</code>	32	birth, name, child, lname
Code	<code>prepare_connections_type.R</code>	13	name
Code	<code>prepare_connections_type_1927.R</code>	8	name
Code	<code>prepare_connections_type_25.R</code>	8	name
Code	<code>prepare_connections_type_grad1.R</code>	8	name
Code	<code>prepare_connections_type_multiple2.R</code>	8	name

File Type	File	Variables/References	PII Categories
Code	<code>prepare_connections_type_multiple2_firm_size.R</code>	8	name
Code	<code>prepare_duration_first_job.R</code>	14	child, name
Code	<code>prepare_education.R</code>	19	name, lname, school, lat, birth
Code	<code>prepare_employment_history.R</code>	4	name
Code	<code>prepare_employment_history_1927.R</code>	4	name
Code	<code>prepare_firm_duration.R</code>	10	name, child, lat
Code	<code>prepare_firm_location.R</code>	26	name, child, loc, location, lname, lat
Code	<code>prepare_firm_year.R</code>	16	child, name
Code	<code>prepare_industry.R</code>	22	name, lname, lat
Code	<code>prepare_location.R</code>	13	name, lname, district, city, loc, location
Code	<code>prepare_parents.R</code>	11	lat, name, father, mother
Code	<code>prepare_parents_firms.R</code>	21	name, child, birth, lon
Code	<code>prepare_parents_firms_1927.R</code>	23	name, child, birth, lon
Code	<code>prepare_parents_firms_25.R</code>	23	name, child, birth, lon
Code	<code>prepare_parents_firms_employment.R</code>	23	name, child, birth, lon
Code	<code>prepare_parents_firms_firm_size.R</code>	21	name, child, birth
Code	<code>prepare_parents_firms_grad1.R</code>	23	name, child, birth, lon

File Type	File	Variables/References	PII Categories
Code	<code>prepare_population.R</code>	32	lat, name, lname, father, mother, birth, country, sex, city
Code	<code>prepare_sector.R</code>	11	lon, name
Code	<code>prepare_summary_children_multiple2.R</code>	25	child, name, sex, birth, city
Code	<code>prepare_wages.R</code>	35	lat, name, birth, lname
Code	<code>prepare_wages_1927.R</code>	35	lat, name, birth, lname
Code	<code>prepare_wages_total.R</code>	38	son, child, lat, name, birth, lname
Code	<code>simulate_all_population.R</code>	20	lat, name, birth, father, mother, child, country, son
Code	<code>simulate_crosswalks.R</code>	12	lat, birth, country, name, loc
Code	<code>simulate_education.R</code>	7	lat, birth
Code	<code>simulate_hardi.R</code>	2	lat
Code	<code>simulate_location.R</code>	11	lat, loc, location, district, city, name, son
Code	<code>simulate_wages.R</code>	22	lat, name, child, birth, son
Code	<code>tabels_hist_group_size.R</code>	17	child, name, city, sex, district

File Type	File	Variables/References	PII Categories
Code	<code>tables_children_panel.R</code>	12	child, name, city, sex, district
Code	<code>tables_firm_var_sector.R</code>	21	name, child, son
Code	<code>tables_hist_con.R</code>	68	name, child, city, sex, lon
Code	<code>tables_hist_con_firm_size_multiple2.R</code>	8	name
Code	<code>tables_raw_emp_con.R</code>	10	child, name
Code	<code>tables_reg_balancing.R</code>	22	name, child
Code	<code>tables_reg_children_panel_employment.R</code>	4	child, name
Code	<code>tables_reg_emp_con.R</code>	38	name, child, city, sex
Code	<code>tables_reg_emp_con_1927.R</code>	38	name, child, city, sex
Code	<code>tables_reg_emp_con_1927_entry_age.R</code>	36	name, child, birth, city, sex
Code	<code>tables_reg_emp_con_25.R</code>	38	name, child, city, sex
Code	<code>tables_reg_emp_con_exit.R</code>	22	name, child
Code	<code>tables_reg_emp_con_grad1.R</code>	38	name, child, city, sex
Code	<code>tables_reg_emp_con_long_figure.R</code>	34	lon, name, child, sex, city
Code	<code>tables_reg_emp_con_long_firm.R</code>	24	lon, name, child
Code	<code>tables_reg_emp_con_long_sector_sex.R</code>	27	lon, name, sex, child
Code	<code>tables_reg_emp_con_long_year.R</code>	26	lon, name, child

File Type	File	Variables/References	PII Categories
Code	<code>tables_reg_emp_con_multiple2.R</code>	32	name, child, city, sex
Code	<code>tables_reg_emp_con_multiple2_firm_size.R</code>	29	name, child
Code	<code>tables_reg_emp_con_multiple_jobs.R</code>	35	name, child
Code	<code>tables_reg_emp_con_one_job.R</code>	49	name, child, city, sex
Code	<code>tables_reg_emp_con_placebo.R</code>	34	lon, name, child, city, sex
Code	<code>tables_reg_panel_total_5years_multiple2.R</code>	4	child, name
Code	<code>tables_reg_salary_duration_con_event.R</code>	21	child, name, city, sex, district
Code	<code>tables_reg_salary_duration_con_multiple2.R</code>	41	child, name, city, sex, district
Code	<code>tables_retirement.R</code>	41	lat, name, birth, sex, lname
Code	<code>tables_structural_data_multiple2.R</code>	29	child, name, birth, city, sex
Code	<code>tables_summary_children_multiple2.R</code>	17	child, name, city, sex
Code	<code>tables_summary_firms.R</code>	4	name
Code	<code>functions_reg_emp_con_25.R</code>	33	child, name, birth, city, district, sex
Code	<code>tables_reg_emp_con_event_multiple2.R</code>	24	name, child
Code	<code>functions_reg_emp_con_grad1.R</code>	33	child, name, birth, city, district, sex
Code	<code>tables_reg_emp_con_long_int.r</code>	23	lon, name, child

See [Appendix](#) for detailed listing of all flagged instances.

