

JPE Replication Report

2026-07-17

1 Paper Identification

ID	20240098
Author	Sollaci
Title	Managers and Productivity in Retail
Iteration	3

Some useful information up front:

- JPE Data and Code Availability Policy
- Step by step guidance from Data Editor for Authors
- Template README

2 Summary

In assessing compliance with our Data and Code Availability Policy, our reproducibility team has identified the following issues, which we ask you to address:

3 General

- ☒ Data Availability and Provenance Statements
 - ☒ Statement about Rights - Part 1: Right to use the data (e.g. *did the authors lawfully obtain the data*)
 - ☐ Statement about Rights - Part 2: Right to publish the data (e.g. *are human subjects involved and did permission been granted to publish their data?*)
 - ☐ License for Data (optional, but recommended)
 - ☐ Details on each Data Source
- ☒ Dataset list
- ☒ Computational requirements
 - ☒ Software Requirements
 - ☒ Controlled Randomness (as necessary)
 - ☒ Memory
 - ☒ Runtime
 - ☐ and Storage Requirements
- ☒ Description of programs/code

- ☐ License for Code (Optional, but recommended)
- ☐ {REPLICATOR} to Replicators
 - ☐ Details (as necessary)
- ☐ List of tables and programs
- ☐ References (Optional, but recommended)

4 High-level Description of Research Project

This research project...

- ☐ uses observational data.
- ☒ uses *confidential* observational data.
- ☐ uses data generated via experiment or trial by the authors (in field or lab).
 - ☐ For lab experiments: The code to implement the experimental protocol (z-Tree, o-Tree etc) is included in the package.
 - ☐ A PDF copy of IRB approval is contained in the package.
 - ☐ A PDF document outlining the design of the experiment, including information on the selection and eligibility of participants is included.
 - ☐ A PDF copy of the instructions given to participants in both original language and an English translation is included.
- ☐ uses data generated via survey by the authors (in field or online)
 - ☐ The programs used to administer the survey (e.g. qualtrics survey file) are included.
 - ☐ A PDF copy of IRB approval is contained in the package.
 - ☐ A PDF of the original questionnaire(s) and information on the selection and eligibility of participants is included.
- ☒ is a simulation study: the data are generated by an algorithm. (Parts of it.)
- ☐ is a numerical illustration: no data are used but code is used to produce illustrative output (tables, figures)

5 Data description

The data was provided to the authors under the condition that the companies the data stems from remain anonymous. The data was provided for replication purposes but data sources, references and access conditions were not provided for this reason.

The authors specified that the data “should be preserved in the restricted-access location of the Journal of Political Economy for as long as necessary for the successful replication of the paper. It should be deleted after the replication is confirmed. The authors commit to preserving the data and code for a period of at least five years following the publication of the paper and to provide reasonable assistance to requests for clarification and replication.”

For any data that cannot be provided as part of the replication package, please provide the following information as part of the README:

- The authors provided a codebook for the data describing the variables contained in the datasets.

5.1 Data Sources

file/name	public	private	DOI/URL	Access described	cited readme	cited paper
data/A_dataset.dta		yes	no	no	no	no
data/B_dataset.dta		yes	no	no	no	no

5.1.a Data

Data are not cited, no access description provided either, no information regarding the data is provided.

- ☐ Dataset is provided in public deposit
- ☒ Dataset is PRIVATELY provided (not for publication)
- ☐ DOI or URL is provided, and works: <http://data.bls.gov/cgi-bin/surveymost?sm+08>
- ☐ Access conditions are described:
 - No information on access conditions.
- ☐ Data are not cited, but a working paper, article, or other document is cited (not a data citation)
- ☐ Data are cited
 - ☐ in the manuscript
 - ☐ in the README:

6 Requirements

- ☒ README is in TXT, MD, or PDF format
- ☒ README is accessible at the root of the package (not inside a folder)
- ☐ Title conforms to guidance (starts with “Data and Code for: Title of Paper” or “Code for: Title of Paper”, is properly capitalized)
- ☒ Authors (with affiliations) are listed in the same order as on the paper

{REQUIRED} Please review the title of the deposit as per our guidelines.

6.1 Stated Requirements

- ☐ No requirements specified
- ☒ Software Requirements specified as follows:
 - R (version 4.4.0)
 - Stata (version 19)

- Python (version 3.11.11)
- ☒ Computational Requirements specified as follows:
 - R: packages: haven, rstudioapi, doBy, lfe, Matrix
 - Stata: packages to be installed: reghdfe, ftools, did_imputation, event_plot, binscatter, grc1leg2, schemepack
 - Python: libraries: numpy, pandas, scipy, matplotlib, os
 - ebayes.ado and fese_fast.ado (provided in repository)
- ☒ Time Requirements specified as follows:
 - ca. 2h
- ☐ Requirements are complete.

For missing requirements, see the list of required changes in Section 9

7 Analyzing Data and Code Files

7.1 Potential Personal Identifiable Information (PII)

⚠ We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. *As a reminder, privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals.* If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

Summary: - Data files with PII indicators: 8 - Variables flagged in data: 96 - Code files with PII references: 72 - PII references in code: 7679

7.1.a Summary of Flagged Files

File Type	File	Variables/References	PII Categories
Data	A_dataset4dta		loc, location, name
Data	A_dataset4fe_eb.dta		loc, location, name
Data	A_dataset4gfe.dta		loc, location, name
Data	A_event_s4udy.dta		loc, location, name
Data	B_dataset20dta		name, lon, lat, country, minute, loc, location, city
Data	B_dataset20fe_eb.dta		name, lon, lat, country, minute, loc, location, city
Data	B_dataset20gfe.dta		name, lon, lat, country, minute, loc, location, city
Data	B_event_s20udy.dta		name, lon, lat, country, minute, loc, location, city
Code	01_main.R5		name, loc

File Type	File	Variables/References	PII Categories
Code	02_main.d01		lat, son, name, gender
Code	A_analyze16E.do		name, lat, loc, location, lon
Code	A_estimat8_fe.R		network, name
Code	A_estimat8_gfe.R		network, name, lat
Code	A_event_s80dy.do		loc, name, lon, son, lat
Code	A_prelim_80analysis.do		loc, location, lat, name
Code	A_revenue8counterfactuals.do		loc
Code	B_analyze6FE.do		name, lat, loc, location
Code	B_estimat8_fe.R		network, name
Code	B_estimat8_gfe.R		lat, network, name
Code	B_event_s80dy.do		loc, name, lon, son, lat
Code	B_gender_7moves.do		gender, lon, loc, location
Code	B_prelim_80analysis.do		name, lat
Code	B_revenue8counterfactuals.do		loc
Code	_eststo.a80		loc, lon
Code	binscatte209do		lat, name, loc, lon, lname, block, coord
Code	calibrate1NAM.py		lat
Code	did_imput207lon.ado		lon, name, loc, son, lat, degree, lname
Code	ebayes.ad52		name, loc, lat, second, degree, lon
Code	estadd.ad737		loc, lon, name, lname, lat
Code	estfe.ado47		name, loc, lname
Code	estout.ad1787		loc, name, son, lat, lname, block, lon
Code	estpost.a702		lat, loc, name, lon, lname, son
Code	eststo.ad000		loc, lon, name
Code	esttab.ad645		loc, lon, name, second
Code	event_plot114do		lat, name, loc, lname

File Type	File	Variables/References	PII Categories
Code	fcollapse68.do		loc, name, lat, lon
Code	fegen.ado16		loc, name
Code	fegen_gro31p.ado		name, lname, loc, lon
Code	fese_fast13.do		lat, city, name, loc
Code	fisid.ado12		loc, name
Code	flevelsof15.do		name, loc
Code	fmerge.ad4		loc
Code	freshape.6.do		lon, loc
Code	fsort.ado6		loc
Code	ftab.ado 26		loc, name, lname, lon
Code	ftools.ad8		loc
Code	grclleg2.324		name, loc, location, lat, son, fname, lname, compound, lon
Code	grclleg2_420mples.ado		name, loc, lon, second, country, location, coord
Code	join.ado 108		name, loc, country, dob, lon
Code	local_inl10t.ado		loc, name
Code	ms_add_comma.ado		loc, name
Code	ms_compile37mata.ado		loc, name, son
Code	ms_expand23varlist.ado		loc
Code	ms_fvstri51ado		name, lat, loc
Code	ms_fvunab15.do		name, lon, loc
Code	ms_get_vers1ion.ado		name, loc
Code	ms_parse_115vars.ado		name, loc
Code	ms_parse_7epvar.ado		loc
Code	ms_parse_8arlist.ado		loc
Code	ms_parse_24e.ado		loc, name
Code	parallel_74p.ado		loc, lon, name, lat, son
Code	parallel_6ap_template.do.ado		loc, name

File Type	File	Variables/References	PII Categories
Code	reghdfe_005		loc, url, name, degree, lat, block, lname
Code	reghdfe3_070		loc, name, block, lon, lat, zip, url, degree, second, district, son, city, lname, fname, email
Code	reghdfe3_0stat.ado		loc
Code	reghdfe3_0footnote.ado		loc, degree
Code	reghdfe3_00ado		loc, name
Code	reghdfe5_000		loc, lat, url, name, degree, lname
Code	reghdfe5_0stat.ado		loc
Code	reghdfe5_0footnote.ado		name, loc, degree
Code	reghdfe5_0header.ado		name, loc
Code	reghdfe5_0.ado		loc, name
Code	reghdfe5_0parse.ado		loc, name, degree, lat
Code	reghdfe_0stat.ado		loc
Code	reghdfe_0footnote.ado		name, loc, degree
Code	reghdfe_0header.ado		name, loc
Code	reghdfe_0p0ado		loc, name
Code	require.000		name, loc, network, son, url, email
Code	selection6based_NAM.do		lat
Code	simulate_0selection.py		name, lat, loc

See Appendix for detailed listing of all flagged instances.

7.1.b File Paths Report

Generated on 2026-07-07T11:39:42.998

Warning: Our search on file path types is imperfect and incurs both type 1 and type 2 errors. We aim to strike a reasonable balance between both. The below table is therefore only indicative. Detailed listings can be found in the appendix to this report.

In this table we analyse all files which contain source code (not data and documentation), and we report the grand total of each type of filepath we encountered.

Please check and replace any windows filepaths with unix compliant paths, insofar as this is possible in your setup. (Notice that STATA allows / to be a filepath separator on a windows platform, hence this is a requirement for *all* STATA applications.)

Files Analyzed	Windows Paths	Unix Paths	Mixed Paths	Drive Letters (C:\ etc)
77	10	13	2	0

7.1.c Duplicate Files Report

We did not find any duplicate files.

7.1.d Zero Size Files Report

We did not find any zero sized files.

7.1.e Large Files Report

We did not find any files larger than 100MB.

7.2 Code description

- Folder A contains 2 R scripts, a master Stata do-file which references to 5 separate stata files. Additionally it contains 2 python files and another separate stata do-file for the simulation part of the study. Folder B replicates the same structure of folder A for the analysis for company B instead of company A, excluding the simulation.

cloc	github.com/AlDanial/cloc v 2.02 T=0.16 s (766.8 files/s, 338664.9 lines/s)
------	---

Language	files	blank	comment	code
Stata	99	7742	3481	40489
R	5	181	82	327
Text	10	58	0	188
Python	2	77	48	174
TeX	3	0	0	145
CSV	1	0	0	4
----	----	----	----	----
SUM:	120	8058	3611	41327

- ☒ The replication package contains a “main” or “master” file(s) which calls all other auxiliary programs.

7.3 Computing Environment of the Replicator

- MacBook Pro 24Go RAM M4Pro

- R 4.5.1
- Stata/MP 19
- Positron with Python 3.14

Replication time : ~33 mn (25mn for R/7mn for Stata/<1mn for Python)

and

Nuvolos 4 CPU threads and 16Go RAM - R 4.4.1 - Stata/MP 18 - VSCode

Replication time : 1h05 (51 mn for R/15 mn for Stata/<1mn for Python)

8 Replication

- Downloaded code and data from dropbox.
- Committed code to git repo.
- Installed all R packages mentioned in the ReadMe.
- Installed all Stata packages mentioned in the ReadMe.
- Imported all Python libraries as per ReadMe. As running Python directly from Stata leads to break and procedure to put Python and Stata on the same path can be cumbersome, I propose the following manipulations. First, open the Python scripts in VSCode/RStudio/Positron. Second create a venv (python3 -m venv .venv) and activate it. After that you can download the packages with command (pip install -r requirements.txt). Also, get rid of osin the requirements as it is a built-in package of Python.
- Running R scripts on MacBookPro and Nuvolos : ok.
- Running Stata scripts on MacBookPro and Nuvolos : ok.
- Running Python scripts on MacbookPro and Nuvolos without issue : run without issue but we need to change the path system in `simulate_selection.py` (see below):

```
##%% Set directory

script_dir = os.getcwd()
# parent_dir = os.path.dirname(os.path.dirname(script_dir))
figures_dir = os.path.join(script_dir, "Results/Figures")
```

We commented `parent_dir` and replaced it by `script_dir` in `figures_dir`. Otherwise the path wrongly located at the root of the folder (JPE-SOLLACI-20240098).

9 Findings

It seems that table 1 is not outputed directly but must be written inline in the latex file. I generated a code outputing the table `create_table_1_clean_from_fe.R`. Same issue for table 2, I did not produce compiling code.

9.1 Missing Requirements

- ☐ Software Requirements
 - ☒ Stata
 - package: require (was missing from the required packages list)
 - ☒ R
 - ☐ Python
 - ☐ Packages Version (missing)
- ☒ Computational Requirements specified as follows:
 - Lenovo Thinkpad T14s, AMD Rizen AI 7 PRO with Radeon 860M, 32Go of RAM
- ☒ Time Requirements
 - ~1 hour for complete reproduction

[REQUIRED] Please amend README to contain complete requirements.

You can copy the section above, amended if necessary.

9.2 Data Preparation Code

A_estimate_fe.R prepares the following datasets: A_connected.dta, A_manager_fe.dta, A_store_fe.dta.

A_estimate_gfe.R prepares the following datasets: A_manager_gid.dta, A_manager_gfe.dta, A_store_gid.dta, A_store_gfe.dta.

A_fixed_effects.do prepares A_dataset_fe_eb.dta.

A_grouped_fixed_effects.do prepares A_dataset_gfe.dta.

A_event_study.do prepares A_event_study.dta.

B_estimate_fe.R prepares the following datasets: B_connected.dta, B_manager_fe.dta, B_store_fe.dta.

B_estimate_gfe.R prepares the following datasets: B_manager_gid.dta, B_manager_gfe.dta, B_store_gid.dta, B_store_gfe.dta.

B_fixed_effects.do prepares B_dataset_fe_eb.dta.

B_grouped_fixed_effects.do prepares B_dataset_gfe.dta.

B_event_study.do prepares B_event_study.dta.

selection_based_NAM.do prepares simulate_match.dta.

9.3 Tables and Figures

- Table 1: Results slightly diverge : we only 132 obs for A 4 instead of 142 and the cov/var ratio is different for compagny B

Company	CS Rank	Obs	Var(mu_s) / Var(log(prod_s,t)-mu_t)	Var(mu_m) / Var(log(prod_s,t)-mu_t)	Cov(mu_s,mu_m) / Var(log(prod_s,t)-mu_t)
A	1	215	0.72	0.05	-0.07
A	2	191	1.81	1.02	-1.14
A	3	171	0.21	0.12	0.15
A	4	132	0.48	0.07	-0.02
B	1	3710	1.63	1.5	-1.23
B	2	1979	0.72	0.22	-0.14
B	3	1179	1.02	0.77	-0.62
B	4	1008	0.39	0.3	-0.03

Figure 1: Table 1

- Table 2: The numbers reproduced do not match the table in the manuscript. See screenshots below:

manager...	store_bin	freq	lab_man...	lab_store
1	1	1	33 Top	Top
2	2	1	44 Middle	Top
3	3	1	92 Bottom	Top
4	1	2	51 Top	Middle
5	2	2	69 Middle	Middle
6	3	2	75 Bottom	Middle
7	1	3	97 Top	Bottom
8	2	3	72 Middle	Bottom
9	3	3	61 Bottom	Bottom

(a) Reproduced output should correspond to the company A side of table 2

manager...	store_bin	freq	lab_man...	lab_store
1	1	1	114 Top	Top
2	2	1	228 Middle	Top
3	3	1	459 Bottom	Top
4	1	2	225 Top	Middle
5	2	2	330 Middle	Middle
6	3	2	295 Bottom	Middle
7	1	3	456 Top	Bottom
8	2	3	328 Middle	Bottom
9	3	3	170 Bottom	Bottom

(b) Reproduced output should correspond to the company B side of table 2

Figure 2:

- Figure 2: looks the same.
- Figure 3: There are 4 figures that are called figure 3a, figure 3b, etc. It's not clear to the replicator which figure corresponds to which. For instance, the authors might consider creating a table in the ReadMe which maps the outputs to the corresponding figures. This would greatly reduce the time burden for the replicator.
- Figure 4: Looks the same.
- Figure 5: looks the same
- Figure 6: looks the same.
- Figure 7: looks the same.
- Table 3: Numbers diverge similar as table 2.

Table 1: Decomposition of the Variance of Productivity

CS Rank	Obs	Var(μ_s)	Var(μ_m)	Cov(μ_s, μ_m)
		Var($\log(\text{prod}_s, t) - \mu_t$)	Var($\log(\text{prod}_m, t) - \mu_t$)	Var($\log(\text{prod}_s, t) - \mu_t$)
1	215	0.72	0.05	-0.07
2	191	1.82	1.02	-1.13
3	171	0.21	0.12	0.15
4	132	0.48	0.07	-0.02

CS Rank	Obs	Var(μ_s)	Var(μ_m)	Cov(μ_s, μ_m)
		Var($\log(\text{prod}_s, t) - \mu_t$)	Var($\log(\text{prod}_m, t) - \mu_t$)	Var($\log(\text{prod}_s, t) - \mu_t$)
1	3710	1.63	1.51	-1.21
2	1979	0.72	0.22	-0.13
3	1179	1.03	0.77	-0.60
4	1008	0.39	0.30	-0.03

Table 2: Number of manager and store matches

		Stores					
		Company A			Company B		
		Top	Middle	Bottom	Top	Middle	Bottom
Managers	Top	33	51	97	116	229	461
	Middle	49	67	69	225	332	285
	Bottom	88	76	64	457	322	173

(c) Paper version

	start_in	move_to	freq	lab_start	lab_go	total_mng	pct
1	1	4	Top	Top	42	9.523809	
1	1	2	21	Top	Middle	42	50
1	1	3	17	Top	Bottom	42	40.47619
1	2	1	24	Middle	Top	48	50
1	2	2	5	Middle	Middle	48	10.41667
1	2	3	19	Middle	Bottom	48	39.58333
1	3	1	23	Bottom	Top	74	31.08108
1	3	2	35	Bottom	Middle	74	47.2973
1	3	3	16	Bottom	Bottom	74	21.62162

(a) Reproduced output should correspond to the company A side of table 3

	start_in	move_to	freq	lab_start	lab_go	total_mng	pct
1	1	1	79	Top	Top	235	33.61702
2	1	2	96	Top	Middle	235	40.85106
3	1	3	60	Top	Bottom	235	25.53192
4	2	1	82	Middle	Top	262	31.29771
5	2	2	75	Middle	Middle	262	28.62595
6	2	3	105	Middle	Bottom	262	40.07634
7	3	1	80	Bottom	Top	310	25.80645
8	3	2	112	Bottom	Middle	310	36.12903
9	3	3	118	Bottom	Bottom	310	38.06452

(b) Reproduced output should correspond to the company B side of table 3


Table 2: Number of manager and store matches

	Stores					
	Company A			Company B		
	Top	Middle	Bottom	Top	Middle	Bottom
Managers	33	51	97	116	229	461
Top	49	67	69	225	332	285
Middle	88	76	64	457	322	173
Bottom						


(c) Paper version

Figure 3:

- Figure 8: looks the same.
- Figure 9: looks the same.
- Table 4 results return 0 for each estimation. Probably a mistake.
- Figure A1 looks the same.
- Figure A2 is showing discrepancies:




(a) Reproduced figure A2 Company A




(b) Paper version Company A

Figure 4:



(a) Reproduced figure A2 Company B



(b) Company B

(b) Paper version Company B

Figure 5:

- Figure A3 showcases similar discrepancies as figure A2.

- Figure A4 looks the same.
- Figure A5: Looks the same.
- Table B.1 does not procuded the paper version of the table.
- Table B.2 does not procuded the paper version of the table.
- Table C.1 looks the same.
- Figure C.1 looks the same.
- Figure C.2 looks the same.
- Figure C.3 looks the same.
- Table D1 are similar.
- Figure D1 displays discrepancies for both companies:




Figure 6

- Figure D2 looks the same.
- Figure D3 showcases some discrepancies, but the figures are based on a randomised simulation, which could explain reasonably minor differences:
- Figure E1: looks the same.
- Figure E2: looks the same.
- Figure E3 look the same.

- Table F.1 shows discrepancies :




Figure 7:

- Figure G.1: looks the same.
- Figure G.2: looks the same.
- Figure G.3: discrepancy in (c) full-time employment.




Figure 8:

- Figure G.4: looks the same.
- Figure G.5: looks the same.
- Figure G.6: looks the same.

9.4 In-Text Numbers

{REPLICATOR}: list page and line number of in-text numbers. If ambiguous, cite the surrounding text, i.e., “the rate fell to 52% of all jobs: verified”.

- p. 11 “Our data contains about 890 connected sets in Company A and just over 1,200 connected sets for Company B”: verified
- p. 11 “The four largest connected sets in Company A have between 13 and 18 managers and 7 to 10 stores.”: verified
- p. 12 “Company B. The largest set has 202 managers”: verified “and 130 stores.”: NOT verified, the replication excerise returns 131 stores.

- p.12 “Set sizes to [this reads like a typo?] drop quickly, however, with the next 3 largest connected sets respectively containing 100, 66, and 55 managers and 67, 44, and 32 stores.”: verified.
- p.52 “In Company A the correlation between store fixed effects under the two methods is 0.98, and the correlation between manager fixed effects is 0.76. In Company B, these correlations are 0.93 and 0.80, respectively”: Not verified. Did not see those numbers in the referenced code from the ReadMe.
- p. 72 “Averaging these ratios, we find that the mean of r90m stands at about 0.005, with a standard deviation of 0.112. Increasing the percentile to 99 changes the average ratio r99m to about 0.021, with a standard deviation of 0.568.”: verified, but the code that displays these numbers is referenced wrongly as Appenix C.2 and not E.2.
- p. 31 “In Company A the tenure gap is 14 months and significantly different from zero at the 1% level. The gap is smaller in Company B, only 3.4 months and not statistically significant at the usual levels.”: verified.
- p. 8 “60% change managers only once, 30% change managers twice, and the remainder more frequently than that. Similarly, 14 or 23% of managers (depending on the company) work in two different stores, and a small fraction move through three or more. Between 20 and 30% of each company’s manager changes are internal”: not verified, didn’t find the numbers under the heading in the code indicated in the ReadMe.
- p. 73 “almost USD 700,000 each month”: not verified, I found over 700 000 USD not under.”
- p.73 “about GBP 4 million”: verified.
- p.10 footnote 7 “Female managers are about 7% less likely to move to another store than male managers, a gap that cannot be explained by manager tenure or store characteristics”: verified.

9.5 Other Issues

- Title of the Readme needs to be adjusted.
- Line of code where results are reproduced in the codes are not provided in the ReadMe.
- There is no clear mapping of tables/figures in the manuscripts to the tables and figure names in the results folder. Many tables and results are not saved in the results folder which makes the replication time consuming. The lines of codes where tables and figures are reproduced need to be checked in the code files.
- There is no systemic output of tables as they are shown in the paper.

10 Classification

- ☐ full reproduction
- ☒ full reproduction with minor issues
- ☐ partial reproduction (see above)
- ☐ not able to reproduce most or all of the results (reasons see above)

10.1 Reason for incomplete reproducibility

- ☐ None.
- ☒ Discrepancy in output (either figures or numbers in tables or text differ)
- ☐ Bugs in code that were fixable by the replicator (but should be fixed in the final deposit)
- ☐ Code missing, in particular if it prevented the replicator from completing the reproducibility check
 - ☐ Data preparation code missing should be checked if the code missing seems to be data preparation code
- ☐ Code not functional is more severe than a simple bug: it prevented the replicator from completing the reproducibility check
- ☐ Software not available to replicator may happen for a variety of reasons, but in particular (a) when the software is commercial, and the replicator does not have access to a licensed copy, or (b) the software is open-source, but a specific version required to conduct the reproducibility check is not available.
- ☐ Insufficient time available to replicator is applicable when (a) running the code would take weeks or more (b) running the code might take less time if sufficient compute resources were to be brought to bear, but no such resources can be accessed in a timely fashion (c) the replication package is very complex, and following all (manual and scripted) steps would take too long.
- ☐ Data missing is marked when data *should* be available, but was erroneously not provided, or is not accessible via the procedures described in the replication package
- ☐ Data not available is marked when data requires additional access steps, for instance purchase or application procedure.
- ☐ Missing README is marked if there is no README to guide the replicator, or the README is not in compliance with JPE requirements