

JPE Replication Report

PUBLISHED

July 28, 2026

1 Paper Identification

ID	20230441
Author	Tincani
Title	Beliefs and the Incentive Effects of Preferential College Admissions: Evidence from an Experiment and a Structural Model
Iteration	1

Some useful information up front:

- [JPE Data and Code Availability Policy](#)
- [Step by step guidance from Data Editor for Authors](#)
- [Template README](#)

2 Summary

In assessing compliance with our [Data and Code Availability Policy](#), our reproducibility team has identified the following issues, which we ask you to address:

1. For all your confidential data, please describe how I would go about getting access to those. You say they are from the ministry of education. Who can I contact there, what do I need to ask for exactly, how much will it cost?
2. Please add instructions for the julia part that users have to `activate` and then also `instantiate` your environment.
3. There is an issue with case-sensitive OS like ours - please fix file names.
4. there is a small glitch in Table E3.

3 General

- ☒ Data Availability and Provenance Statements
 - ☒ Statement about Rights - Part 1: Right to use the data (e.g. *did the authors lawfully obtain the data*)
 - ☒ Statement about Rights - Part 2: Right to publish the data (e.g. *are human subjects involved and did permission been granted to publish their data?*)
 - ☐ License for Data (optional, but recommended)
 - ☒ Details on each Data Source
- ☒ Dataset list
- ☒ Computational requirements
 - ☒ Software Requirements
 - ☒ Controlled Randomness (as necessary)
 - ☒ Memory, Runtime, and Storage Requirements
- ☒ Description of programs/code
 - ☒ License for Code (Optional, but recommended)
 - ☒ Details (as necessary)
- ☐ List of tables and programs
- ☒ References (Optional, but recommended)

4 High-level Description of Research Project

This research project...

- ☒ uses observational data.
- ☒ uses *confidential* observational data.
- ☐ uses data generated via experiment or trial by the authors (in field or lab).
 - ☐ For lab experiments: The code to implement the experimental protocol (z-Tree, o-Tree etc) is included in the package.
 - ☐ A PDF copy of IRB approval is contained in the package.
 - ☐ A PDF document outlining the design of the experiment, including information on the selection and eligibility of participants is included.

- ☐ A PDF copy of the instructions given to participants in both original language and an English translation is included.
- ☒ uses data generated via survey by the authors (in field or online)
- ☐ The programs used to administer the survey (e.g. qualtrics survey file) are included.
- ☐ A PDF copy of IRB approval is contained in the package.
- ☐ A PDF of the original questionnaire(s) and information on the selection and eligibility of participants is included.
- ☐ is a simulation study: the data are generated by an algorithm.
- ☐ is a numerical illustration: no data are used but code is used to produce illustrative output (tables, figures)

Original surveys are included, but replication found no information on the selection and eligibility of participants no copy of IRB approval. Survey was administered on paper, no program files expected.

5 Data description

For any data that cannot be provided as part of the replication package, please provide the following information as part of the README.

{REQUIRED} Please specify how long the data will be preserved in the restricted-access location.

{REQUIRED} Please provide affirmation of support for replication checks. - As per the [JPE policy](#), "In cases where data cannot be published in an openly accessible trusted data repository like the JPE dataverse, authors who have requested an exemption to publish them at the time of first submission must commit to preserving the data and code for a period of no less than five years following the publication of the paper. They should also provide reasonable assistance to requests for clarification and replication."

{REQUIRED} Please provide a codebook for the data. - The codebook should at a minimum describe the variables obtained from the data source, in a manner that will let others verify that they have obtained a substantially similar dataset if successfully obtaining access to the data.

5.1 Data Sources

file/name	public	private	DOI/URL	Access described	cited readme	cited paper
data/raw/August_survey/*	yes	no	no	yes	yes	yes
data/raw/Teachers_and_principals/*	yes	no	no	yes	yes	yes
data/raw/Enrollment/*	yes	no	yes	yes	yes	yes
data/raw/Graduation/*	yes	no	yes	yes	yes	yes
data/raw/High_school_registration/*	yes	no	yes	yes	yes	yes
data/raw/Low_SES/*	yes	no	yes	yes	yes	yes
confidential-data-not-for-publication/raw/Admission/*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/Postulantes Cupos Regulares/*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/April_survey/Estudio_PACE_Estudiantes_MRUN.*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/April_survey/data_expvar_*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/Distance_and_transfers_to_universities/*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/GPA/Notas_por_estudiante_y_subsector_*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/GPA/Rendimiento*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/GPA/*NEM_PERCENTILES*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/High_school_registration/*PACE*, *missing*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/List_experimental_high_schools/*	no	yes	no	yes	yes	yes

file/name	public	private	DOI/URL	Access described	cited readme	cited paper
confidential-data-not-for-publication/raw/List_selective_colleges/*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/major_class/*	no	yes	no	yes	yes	yes
confidential-data-not-for-publication/raw/PSU/*	no	yes	yes	yes	yes	yes
confidential-data-not-for-publication/raw/Simce/*	no	yes	yes	yes	yes	yes
confidential-data-not-for-publication/raw/Teachers_and_principals/*	no	yes	no	yes	yes	yes

6 Requirements

- ✓ README is in TXT, MD, or PDF format
- ✓ README is accessible at the root of the package (not inside a folder)
- ✓ Title conforms to guidance (starts with "Data and Code for: Title of Paper" or "Code for: Title of Paper", is properly capitalized)
- ✓ Authors (with affiliations) are listed in the same order as on the paper

6.1 Stated Requirements

- ☐ No requirements specified
- ✓ Software Requirements specified as follows:
 - Local steps
 - Windows 10
 - Julia v1.10.5
 - Stata/MP v18.0
 - Python v3.7+
 - Cluster Steps
 - Linux-based system (HPC Cluster)
 - Julia v1.11.1
- ✓ Computational Requirements specified as follows:
 - Local steps
 - RAM: 32 GB – 64 GB
 - Cluster Steps
 - Storage: 15 GB (temporary filesystem per job)
 - RAM: 64 GB per job
- ✓ Time Requirements specified as follows:
 - Local steps, total runtime: ~9 days 8 hours
 - Cluster Steps, total runtime: ~1 day per sample
- ✓ Requirements are complete.

7 Analyzing Data and Code Files

7.1 Potential Personal Identifiable Information (PII)

⚠ We found the following instances of potentially personally identifying information. This may be completely legitimate but might be worth checking. As a reminder, *privacy legislation in many countries (e.g. GDPR in EU) prohibits the dissemination of personal identifiable information without prior (and documented) consent of individuals*. If indeed you want to publish such information with your replication package, you should probably have obtained IRB approval for this - please check!

Summary:

- Data files with PII indicators: 13
- Variables flagged in data: 34
- Code files with PII references: 351
- PII references in code: 32406

7.1.1 Summary of Flagged Files

File Type	File	Variables/References	PII Categories
Data	A_INSCRITOS_PUNTAJES_PSU_2018_PRIV_MRUN.csv	2	sex, loc
Data	Cuestionario+-+Jefe_December+18%252C+2017_13.56_rp.dta	1	son
Data	archivo_E_PACE_2018_MRUN.csv	2	sex, loc
Data	basefinal_rp.dta	4	sex, dob, son
Data	distance_pace_ucl.dta	1	school
Data	enrollment_university_geocoded.csv	2	lat, lon
Data	enrollment_university_geocoded.dta	2	lat, lon
Data	high_school_geocoded.csv	4	lat, school, lon
Data	high_school_geocoded.dta	4	lat, school, lon
Data	ranking_applications_high_school_geocoded.csv	4	lat, school, lon
Data	ranking_applications_high_school_geocoded.dta	4	lat, school, lon
Data	ranking_applications_university_geocoded.csv	2	lat, lon
Data	ranking_applications_university_geocoded.dta	2	lat, lon
Code	0.Main.do	12	son, loc, school
Code	00.setup.do	8	loc, son
Code	01.run_1_8_data_construction.do	20	loc, school, second, minute
Code	02.run_9_11_submission_tables_figures.do	9	loc, second, minute
Code	1.Clean_GPA.do	96	school, name, loc, lon, lat
Code	10.Figures.do	133	lat, school, loc, degree, social, lon, name, location
Code	11.Data_for_model_estimation_rescale.do	136	school, name, loc, lat, degree, location, lon

See [Appendix](#) for detailed listing of all flagged instances.

7.1.2 File Paths Report

Generated on 2026-07-17T16:03:23.437

Warning: Our search on file path types is imperfect and incurs both type 1 and type 2 errors. We aim to strike a reasonable balance between both. The below table is therefore only indicative. Detailed listings can be found in the appendix to this report.

In this table we analyse all files which contain source code (not data and documentation), and we report the grand total of each type of filepath we encountered.

Please check and replace any `windows` filepaths with unix compliant paths, insofar as this is possible in your setup. (Notice that `STATA` allows `/` to be a filepath separator on a windows platform, hence this is a requirement for *all* `STATA` applications.)

Files Analyzed	Windows Paths	Unix Paths	Mixed Paths	Drive Letters (<code>C:\</code> etc)
368	15	67	19	1

7.1.3 Duplicate Files Report

We found the following duplicate files:

Filename	Size (MB)	Checksum (MD5)
/Replication_Tincani_Kosse_Miglino/code/tex/appendix_estimation_within.tex	0.0	da39a3ee5e6b4b0d3255bfef95601890afd80709

Filename	Size (MB)	Checksum (MD5)
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/r/rlassologit.sthlp	0.0	6c38fd972f5e490ac73b47217cad20c2fd29b9a7
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/g/gregress.sthlp	0.01	f84364cfc96c3b13a4b7c8bd5ae3b806d7f5b4e7
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/g/gstats_residualize.sthlp	0.01	a9bff453b2808af7412e5183997658b870b00c56
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/g/gstats_range.sthlp	0.01	f8800344db255d02ba5b000a4db2fb18e1c450e5
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/g/gstats_transform.sthlp	0.01	f8800344db255d02ba5b000a4db2fb18e1c450e5
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/g/gstats_summarize.sthlp	0.01	7b6e79973a60ecc06f300de3510285c277b11298
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/g/gstats_tab.sthlp	0.01	7b6e79973a60ecc06f300de3510285c277b11298
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/g/gtoplevelsof.sthlp	0.02	6bacec2ea5653d08173d90bf6e1d7cf84a122f09
/Replication_Tincani_Kosse_Miglino/code/stata/ado_frozen/plus/g/gquantiles.sthlp	0.02	0c6e67ae057265e1c4ee74a78e16ae068a72de2d
/Replication_Tincani_Kosse_Miglino/code/julia/bootstrap/Criterion_Function_rescale_fast_adjw.jl	0.02	323a50c650d44ec4eb6bfa5bf7e0ef8e203b10d5
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/Postulantes Cupos Regulares/PACEcriterios_mrun_2018.csv	0.88	cd4a0e6b4aa5a77b63a56cebbbc724552c56c4ecd

7.1.4 Zero Size Files Report

We found the following zero size files:

Filename	Size (MB)	Checksum (MD5)
/Replication_Tincani_Kosse_Miglino/code/tex/appendix_estimate_PSubGPAb.tex	0.0	da39a3ee5e6b4b0d3255bfef95601890afd80709
/Replication_Tincani_Kosse_Miglino/code/tex/appendix_estimation_within.tex	0.0	da39a3ee5e6b4b0d3255bfef95601890afd80709

7.1.5 Large Files Report

We found the following files larger than 100MB:

Filename	Size (MB)
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/Simce/SIMCE_2M_2006_CPADRES.xlsx	102.63
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/Simce/SIMCE_2M_2010_CPADRES.xlsx	124.3
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2002.csv	391.89
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2012.csv	392.59
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2010.csv	397.4
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2009.csv	410.61
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2008.csv	412.74
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2007.csv	415.94
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20130305_Rendimiento_2006_20070620_PUBL.csv	419.62
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2003.csv	420.97

Filename	Size (MB)
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20130422_Rendimiento_2004_20050323_PUBL.csv	423.15
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2005.csv	423.55
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2011.csv	425.13
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2013.csv	430.7
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2014.csv	433.21
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/Rendimiento por estudiante 2015.csv	481.15
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20170216_Rendimiento_2016_20170131_PUBL.csv	488.54
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20190220_Rendimiento_2018_20190131_PUBL.csv	515.12
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20180213_Rendimiento_2017_20180131_PUBL.csv	522.3
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/Admission/20180829_Matricula_Ed_Superior_2018_PRIV_MRUN.csv	766.83
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20150316_Notas_por_estudiante_y_subsector_2014_20150218_PUBL.csv	6384.02
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20160226_Notas_por_estudiante_y_subsector_2015_20160131_PUBL.csv	6823.56
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20170315_Notas_por_estudiante_y_subsector_2016_20170131_PUBL.csv	7116.24
/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/raw/GPA/20180220_Notas_por_estudiante_y_subsector_2017_20180131_PUBL.csv	7311.04

7.2 Code description

The replication package contains a multi-step Stata/Julia/Python pipeline in 27 steps, arranged in 7 main blocks, plus a final step to compile the paper in LaTeX. The pipeline is divided into local machine and cluster work (3rd main block).

cloc		github.com/AIDanial/cloc v 2.06 T=5.02 s (115.2 files/s, 927400.1 lines/s)		
Language	files	blank	comment	code
CSV	101	0	0	4372965
Stata	362	30473	15585	179932
Julia	68	10119	6581	28374
TeX	35	1399	53	3332
TOML	4	387	2	1694
Python	1	64	19	336
Markdown	7	86	0	292
---	---	---	---	---

Language	files	blank	comment	code
SUM:	578	42528	22240	4586925

☐ The replication package contains a “main” or “master” file(s) which calls all other auxiliary programs.

{SUGGESTED} We strongly advise the use of a single (or a small number of) main control file(s) to automatically reproduce all figures and tables in the paper, without manual interaction.

NOTE: In-text numbers that reference numbers in tables do not need to be listed. Only in-text numbers that correspond to no table or figure need to be listed.

7.3 Computing Environment of the Replicator

- Nuvolos Cloud, Ubuntu 22.04.2 LTS, 16-core CPU, 64 GB RAM, 100 GB storage
- Stata/MP 18.0
- Python 3.10
- Julia 1.10.4

8 Replication

- Downloaded code and data from dropbox.
- Ran Replication Steps 1-13 (Stata).
- On our Linux-based system, extensions are case-sensitive, so we encountered the following type of errors

```
. import delimited "$dataRawPublic/High_school_registration/20140924_Matricula_u
> nica_2014_20140430_PUBL.CSV", clear
file
/files/Replication_Tincani_Kosse_Miglino/data/raw/High_school_registration/20140
> 924_Matricula_unica_2014_20140430_PUBL.CSV not found
r(601);
```

```
. import delimited "$dataRawPublic/High_school_registration/20160926_Matricula_
> Unica_2016_20160430_PUBL.csv", delimiter(";") clear
file /files/Replication_Tincani_Kosse_Miglino/data/raw/High_school_registration/20160
> 926_Matricula_Unica_2016_20160430_PUBL.csv not found
r(601);
```

```
. use "$dataTemp/ranking_selected_applications_pace.dta", clear
file
/files/Replication_Tincani_Kosse_Miglino/confidential-data-not-for-publication/
> processed/ranking_selected_applications_pace.dta not found
r(601);
```

- To solve this, replicator ran a script fixing all package .csv files to have lower case extension and scripts to call them with lower case extension. Similarly, all “_Unica” were replaced with “_unica” and “_PACE” with “_pace”.
- Loaded solutions uploaded by the authors for step 14. Proceeded to run steps 15-18 (Julia).

```
(base) 10:25:47 ~ nuvolos:/files/Replication_Tincani_Kosse_Miglino$ julia code/julia/
> 15.Simulations_rescale.jl
Activating project at `~/files/Replication_Tincani_Kosse_Miglino/code/julia`
ERROR: LoadError: ArgumentError: Package Juniper [2ddba703-00a4-53a7-87a5-e8b9971dde84]
> is required but does not seem to be installed:
- Run `Pkg.instantiate()` to install all recorded dependencies.
```

- Had to install julia libraries before running (Pkg.instantiate). Just using Pkg.activate() was not enough to actually retrieve the libraries.
- Loaded solutions provided by authors for major step 3 (Julia cluster bootstrapping). Ran Python script.
- Ran steps 19-24. Loaded included solutions for step 25. Finally ran steps 26-27.
- Substituted .tex files' paths. All paths in the included code/tex/ were pointing at non-existing directories in the package, such as Revision/abstract.tex or Revision/Figures R/TE_effort_byrank_fe_model1.png. With the use of AI, replicator mapped and replaced 137 paths to the correct location in the package-generated output.

9 Findings

9.1 Data Preparation Code

All data preparation code ran without issues after case-sensitivity fixes described in [Section 9](#).
Authors are invited to fix these issues in their package.

9.2 Tables and Figures

All replicated figures and tables match the ones in the accepted version of the paper except for **Table E3**, for which the number of observations is different for columns (2), (4) and (6) and consequently results differ. Below, we report a comparison of the two tables and the full replication table for figures and tables.

Table E3: TREATMENT EFFECTS ON TEACHERS EFFORT AND FOCUS OF INSTRUCTION

	Effort (Prep Hours)		Effort (Absences)		Focus of Instruction	
	Mathematics	Language	Mathematics	Language	Mathematics	Language
	(1)	(2)	(3)	(4)	(5)	(6)
Treatment	0.011 (1.123)	0.247 (0.449)	0.257 (1.219)	0.152 (1.000)	0.021 (0.030)	0.021 (0.028)
RW-adj p-val	0.996	0.977	0.996	0.996	0.977	0.977
q-val	1.000	1.000	1.000	1.000	1.000	1.000
Control mean	6.051	5.741	3.391	2.928	0.186	0.346
R-squared	0.000	0.003	0.001	0.000	0.006	0.007
Observations	309	316	309	316	309	316

Paper version

Table E3: TREATMENT EFFECTS ON TEACHERS EFFORT AND FOCUS OF INSTRUCTION

	Effort (Prep Hours)		Effort (Absences)		Focus of Instruction	
	Mathematics	Language	Mathematics	Language	Mathematics	Language
	(1)	(2)	(3)	(4)	(5)	(6)
Treatment	0.011 (1.123)	0.264 (0.450)	0.257 (1.219)	0.134 (1.001)	0.021 (0.030)	0.022 (0.028)
RW-adj p-val	0.996	0.977	0.996	0.996	0.977	0.976
q-val	1.000	1.000	1.000	1.000	1.000	1.000
Control mean	6.051	5.723	3.391	2.947	0.186	0.346
R-squared	0.000	0.004	0.001	0.000	0.006	0.007
Observations	309	315	309	315	309	315

Replicated version

Figure 1

Figure/Table #	Program	Line Number	Reproduced?
Table 1 - sample_balance.tex	code/stata/9.Tables.do	58	yes
Table 2 - Overview of Data	code/tex/data.tex	7	yes
Figure 1 - histogram_simce_control_all.png; histogram_simce_controltop15_all.png	code/stata/10.Figures.do	24; 34	yes
Table 3 - summary_stats_outcomes.tex	code/stata/9.Tables.do	191	yes
Figure 2 - TE_over_time_enrolled_SUA_in_experimental_schools.png	code/stata/10.Figures.do	130	yes
Table 4 - TE_pre_college_outcomes.tex	code/stata/9.Tables.do	262	yes
Figure 3 - heterog_effects_effort_score.png	code/stata/10.Figures.do	210	yes
Table 5 - summary_beliefs.tex	code/stata/9.Tables.do	316	yes
Table 6 - TE_pre_college_outcomes_perceived_dist_cutoff_f.tex	code/stata/9.Tables.do	378	yes
Figure 4 - histogram_p_graduate_T_C.png	code/stata/10.Figures.do	289	yes
Figure 5 - returns_effort_PSUGPA_raw_answers_comb.png	code/stata/10.Figures.do	304	yes
Table 7 - causal_correlational_returns_eff_pers.tex	code/stata/27.Tables_Figures_model_numbers.do	257	yes
Figure 6 - TE_over_time_enrolled_SUA.png	code/stata/27.Tables_Figures_model_numbers.do	2823	yes
Figure 7 - TE_effort_byrank_fe_model1.png	code/stata/27.Tables_Figures_model_numbers.do	2872	yes
Table 8 - TE_pre_college_outcomes_model_fit.tex	code/stata/27.Tables_Figures_model_numbers.do	476	yes
Table 9 - simulated_ATEs_RE.tex	code/stata/27.Tables_Figures_model_numbers.do	2700	yes
Figure 8 - TE_over_time_enrolled_SUA_count.png	code/stata/27.Tables_Figures_model_numbers.do	3207	yes
Table 10 - simulated_ATEs.tex	code/stata/27.Tables_Figures_model_numbers.do	1176	yes
Figure 9 - Counterfactual_multiple_cutoffs_avg_individual_TE.png	code/stata/27.Tables_Figures_model_numbers.do	3622	yes
Figure B1 - enrollment_SUA_gradient.png	code/stata/10.Figures.do	329	yes
Figure B2 - hist_majors_pace_regular_slots.png	code/stata/10.Figures.do	352	yes
Figure B3 - hist_quality_pace_regular_slots.png	code/stata/10.Figures.do	377	yes
Figure B4 - timeline.png	code/tex/timeline.png	-	yes
Figure B5 - sit_PSU_prepared_admitted_ipoly_inpaper.png	code/stata/10.Figures.do	395	yes
Figure B6 - PSU_belief_actual_distribution.png	code/stata/10.Figures.do	417	yes
Figure B7 - GPA_hist.png	code/stata/10.Figures.do	425	yes
Figure B8 - discrimination.png	code/stata/10.Figures.do	438	yes
Figure B9 - beliefs_hetero_byranksimce_inpaper.png	code/stata/10.Figures.do	470	yes
Figure B10 - heterog_effects_p_grad.png	code/stata/10.Figures.do	555	yes
Figure B11 - admission_regular_PSU_fit.png	code/stata/10.Figures.do	593	yes
Figure B12 - admission_quality_fit_rescale.png	code/stata/10.Figures.do	693	yes
Figure B13 - TE_perceived_returns_effort_REC_REPT.png	code/stata/27.Tables_Figures_model_numbers.do	3677	yes
Figure B14 - effects_info_CC_bysimce.png	code/stata/27.Tables_Figures_model_numbers.do	4030	yes

Figure/Table #	Program	Line Number	Reproduced?
Figure B15 - college_entrants_multiple_cutoffs_count.png	code/stata/27.Tables_Figures_model_numbers.do	4241	yes
Table C1 - summary_stats_geog_regular_PACE.tex	code/stata/9.Tables.do	554	yes
Table C2 - List_Majors.tex	code/tex/List_Majors.tex	4	yes
Table C3 - summary_statistics_target_population.tex	code/stata/9.Tables.do	593	yes
Table C4 - TE_applications_admissions.tex	code/stata/9.Tables.do	687	yes
Table C5 - TE_enrolled_over_time.tex	code/stata/9.Tables.do	788	yes
Table C6 - TE_enrolled_over_time_top15.tex	code/stata/9.Tables.do	864	yes
Table C7 - summary_stats_outcomes_TC.tex	code/stata/9.Tables.do	956	yes
Table C8 - TE_effort_items.tex	code/stata/9.Tables.do	1026	yes
Table C9 - TE_psu.tex	code/stata/9.Tables.do	1122	yes
Table C10 - TE_enrolled_over_time_STEM.tex	code/stata/9.Tables.do	1189	yes
Table C11 - TE_enrolled_over_time_top15_STEM.tex	code/stata/9.Tables.do	1271	yes
Table C12 - RCT_selectivity_distance_only_selective.tex	code/stata/9.Tables.do	1350	yes
Table C13 - leebounds_selectivity_distance_only_selective.tex	code/stata/9.Tables.do	1423	yes
Table C14 - TE_college_entrants.tex	code/stata/9.Tables.do	1466	yes
Table C15 - persistence_SUA.tex	code/stata/9.Tables.do	1532	yes
Table C16 - belief_elicitation.tex	code/tex/belief_elicitation.tex	3	yes
Table C17 - correlates_belief_biases.tex	code/stata/9.Tables.do	1573	yes
Table C18 - p_graduate_reg_whole_sample.tex	code/stata/9.Tables.do	1621	yes
Table C19 - summary_perceived_returns_construction.tex	code/stata/9.Tables.do	1675	yes
Table C20 - params_outside_model_regularadm.tex	code/stata/11.Data_for_model_estimation_rescale.do	279	yes
Table C21 - params_outside_model_rescale.tex	code/stata/11.Data_for_model_estimation_rescale.do	368	yes
Table C22 - structural_model_estimates_edited.tex	code/python/add_params_ses_to_table_csv_estimates.py	51	yes
Table C23 - summary_stats_outcomes_model_fit.tex	code/stata/27.Tables_Figures_model_numbers.do	1665	yes
Table C24 - fit_TE_moments_adm_enr_per.tex	code/stata/27.Tables_Figures_model_numbers.do	1879	yes
Table D1 - in_out_flow.tex	code/stata/9.Tables.do	1835	yes
Table D2 - attrition_both.tex	code/stata/9.Tables.do	1866	yes
Table D3 - leebounds_effort_achievement.tex	code/stata/9.Tables.do	1923	yes
Table D4 - validate_achievement_effort.tex	code/stata/9.Tables.do	1956	yes
Table D5 - tab_reduced_form_irt.tex	code/stata/9.Tables.do	2049	yes
Table D6 - TE_subjective_expectations_michela.tex	code/stata/9.Tables.do	2102	yes
Table D7 - sample_balance_within_med_exp_PSU.tex	code/stata/9.Tables.do	2176	yes
Table D8 - validate_beliefs.tex	code/stata/9.Tables.do	2223	yes
Figure D1 - type_histogram_2types.png; type_histogram_3types.png	code/stata/27.Tables_Figures_model_numbers.do	5130; 5139	yes
Table D9 - summary_stats_outcomes_3types.tex	code/stata/27.Tables_Figures_model_numbers.do	4526	yes
Table D10 - TE_pre_college_outcomes_3types.tex	code/stata/27.Tables_Figures_model_numbers.do	4872	yes

Figure/Table #	Program	Line Number	Reproduced?
Table D11 - fit_TE_moments_adm_enr_per_3types.tex	code/stata/27.Tables_Figures_model_numbers.do	5063	yes
Table E1 - tab_grading.tex	code/stata/9.Tables.do	2331	yes
Table E2 - tab_principal.tex	code/stata/9.Tables.do	2357	yes
Table E3 - teachers_effort.tex	code/stata/9.Tables.do	2405	no
Table E4 - tab_principal2.tex	code/stata/9.Tables.do	2433	yes
Table E5 - exp_earnings.tex	code/stata/9.Tables.do	2483	yes
Figure F1 - histogram_quality_regular_T_C_comb.png	code/stata/10.Figures.do	948	yes
Figure F2 - histogram_quality_T_PACE_regular_top15_comb.png	code/stata/10.Figures.do	960	yes
Figure F3 - histogram_distance_regular_T_C_comb.png	code/stata/10.Figures.do	972	yes
Figure F4 - histogram_distance_top15_comb.png	code/stata/10.Figures.do	983	yes
Figure F5 - histogram_field_regular_T_C_comb.png	code/stata/10.Figures.do	994	yes
Figure F6 - histogram_field_T_PACE_regular_top15_comb.png	code/stata/10.Figures.do	1005	yes
Table F1 - TE_regular_admissions_enrollments_f.tex	code/stata/9.Tables.do	2598	yes
Table F2 - summary_stats_applications_assignments_top15_all.tex	code/stata/9.Tables.do	2664	yes
Table F3 - TE_applications_assignments_top15.tex	code/stata/9.Tables.do	2800	yes
Table F4 - differences_pace_regular_for_treated_top15.tex	code/stata/9.Tables.do	2921	yes
Figure G1 - PSU_GPA_ppersist_belief_GoF.png	code/stata/10.Figures.do	1417	yes
Table G1 - params_outside_model_PSubGPAb.tex	code/stata/11.Data_for_model_estimation_rescale.do	591	yes
Figure G2 - PSubGPAb_belief_GoF_nolasso.png	code/stata/11.Data_for_model_estimation_rescale.do	635	yes
Table G2 - Targeted parameters from descriptive regressions	code/tex/auxiliary_parameters.tex	31	yes
Table G3 - Targeted parameters from regressions linking endogenous model outcomes	code/tex/auxiliary_parameters.tex	84	yes
Figure H1 - college_entrants_info_count.png	code/stata/27.Tables_Figures_model_numbers.do	3443	yes

9.3 In-Text Numbers

- ☒ In-text numbers verified.
- ☐ There are no in-text numbers, or all in-text numbers stem from tables and figures.
- ☐ There are in-text numbers, but they are not identified in the code

In-text numbers	Program	Line Number	Reproduced?
SIMCE gap: targeted schools vs regular entrants	code/stata/27b.In_text_numbers.do	15	yes
Year-5 continuous enrollment effect	code/stata/27b.In_text_numbers.do	20	yes
Year-5 effect as percent of control mean	code/stata/27b.In_text_numbers.do	24	yes
p-value for difference between year-5 and year-1 effects	code/stata/27b.In_text_numbers.do	32	yes
Top-15 sample year-1 enrollment effect	code/stata/27b.In_text_numbers.do	39	yes
Top-15 sample year-5 enrollment effect	code/stata/27b.In_text_numbers.do	43	yes

In-text numbers	Program	Line Number	Reproduced?
Top-15 p-value: year-5 vs year-1 effects	code/stata/27b.ln_text_numbers.do	47	yes
Top-15 sample year-1 percent change	code/stata/27b.ln_text_numbers.do	51	yes
Top-15 sample year-5 percent change	code/stata/27b.ln_text_numbers.do	55	yes
Estimated shares of model types 1 and 2	code/stata/27b.ln_text_numbers.do	68	yes
Three-type model share assigned to type 3	code/stata/27b.ln_text_numbers.do	77	yes
Believed persistence probability	code/stata/27b.ln_text_numbers.do	82	yes
Actual persistence probability	code/stata/27b.ln_text_numbers.do	98	yes
College-degree earnings premium belief	code/stata/27b.ln_text_numbers.do	107	yes
Financial-aid awareness share and p-value	code/stata/27b.ln_text_numbers.do	116	yes
Correlation between raw GPA and PRN	code/stata/27b.ln_text_numbers.do	121	yes
Surveyed students: N and percent of enrolled students	code/stata/27b.ln_text_numbers.do	128	yes
Shares of tertiary enrollments by institution type	code/stata/27b.ln_text_numbers.do	158	yes
Family income of targeted students relative to Chile and regular entrants	code/stata/27b.ln_text_numbers.do	172	yes
Top-15 targeted-student achievement vs regular entrants	code/stata/27b.ln_text_numbers.do	190	yes
Share reporting preparation for PSU	code/stata/27b.ln_text_numbers.do	195	yes
Parents not studying beyond secondary education	code/stata/27b.ln_text_numbers.do	202; 207; 209	yes
Average minimum PSU required for regular admission	code/stata/27b.ln_text_numbers.do	214	yes
Median subjective expectation for PSU score	code/stata/27b.ln_text_numbers.do	217	yes
Type-2 share difference among treated college entrants	code/stata/27b.ln_text_numbers.do	233	yes

9.4 Other issues

As described in [Section 9](#), Julia packages were not correctly instantiated and tex paths were not correctly specified. Authors are invited to fix these issues. For simplicity, replicator included a .csv file with all replacements in the repository linked to this report.

10 Classification

- ☐ full reproduction
- ☒ full reproduction with minor issues
- ☐ partial reproduction (see above)
- ☐ not able to reproduce most or all of the results (reasons see above)

10.1 Reason for incomplete reproducibility

- ☐ None.
- ☒ **Discrepancy in output** (either figures or numbers in tables or text differ)
- ☒ **Bugs in code** that were fixable by the replicator (but should be fixed in the final deposit)
- ☐ **Code missing**, in particular if it prevented the replicator from completing the reproducibility check

☐ **Data preparation code missing** should be checked if the code missing seems to be data preparation code
- ☐ **Code not functional** is more severe than a simple bug: it prevented the replicator from completing the reproducibility check
- ☐ **Software not available to replicator** may happen for a variety of reasons, but in particular (a) when the software is commercial, and the replicator does not have access to a licensed copy, or (b) the software is open-source, but a specific version required to conduct the reproducibility check is not available.
- ☐ **Insufficient time available to replicator** is applicable when (a) running the code would take weeks or more (b) running the code might take less time if sufficient compute resources were to be brought to bear, but no such resources can be accessed in a timely fashion (c) the replication package is very complex, and following all (manual and scripted) steps would take too long.

- ☐ **Data missing** is marked when data *should* be available, but was erroneously not provided, or is not accessible via the procedures described in the replication package
- ☐ **Data not available** is marked when data requires additional access steps, for instance purchase or application procedure.
- ☐ **Missing README** is marked if there is no README to guide the replicator, or the README is not in compliance with JPE requirements