

```

-----
--CSRC
/*
-- Base Tables
    [serv].[CSRC_TOT_COUNT] *****
    serv.CSRC_REPORT          *****
    [serv].[CSRC_AUTO_BASE]   *****
    base.rawZDSVert
    base.placement_details
    base.DATABLOCK_SUMMARY

-- Ancillary Lookup Tables
    serv.CSRC_MODEL_CONVERTER
    [lup].[SDM_HIERARCHY])
    lup.WORK_CENTRE
    serv.csrc_final_areas

-- When is it run?
    -- Wednesday @ 11.30AM
*/

```

```

-- Parameters to Change:
print ' Generate Week Date'
declare @WeekDate as date
set @WeekDate = '2019-03-06'
print @WeekDate

print ' Generate Month Date'
declare @BWMonth as date
set @BWMonth = 'MAR 2019'
print @BWMonth

```

```

-----
--CSRC SCANS OPPORTUNITES
-----

```

```

print 'Total Scans got from CSRC Total File'
SELECT
    [Serial Number]
    ,[ERP ID]
    ,[Total Counter]

```

```

        ,( [Scanner/FAX:Scan] + [Scanner/FAX:Scan Large]) AS TotalScans
into #TotalCount1
FROM [Management_Information].[serv].[CSRC_TOT_COUNT]

```

```

print 'Total Scans by Equipment and serial number'

```

```

SELECT
    [Serial Number]
    ,[ERP ID]
    ,sum([Total Counter]) as [Total Counter]
    ,sum(TotalScans) as TotalScans

```

```

into #TotalCount2
FROM #TotalCount1
group by
    [Serial Number]
    ,[ERP ID]

```

```

SELECT
    [Serial Number]
    ,[ERP ID]
    ,[Total Counter]
    ,TotalScans
    ,IIF( [Total Counter] <= 0, [Total Counter], TotalScans / [Total Counter]) as ScanningDividedByCounters

```

```

into #TotalCount3
FROM #TotalCount2
where IIF( [Total Counter] <= 0, [Total Counter], TotalScans / [Total Counter]) >= 1

```

```

select
    row_number() over( partition by Serial_Number order by Serial_Number) as Serial_Count
    ,[Equipment]
    ,[Serial_Number]
    ,[Equipment_Description]
    ,[Postal_Code]
    ,[Framework_Partner]
    ,[Sold_To_Party]
    ,[Name_Sold_To]
into #VERTNonDups
from base.RAW_ZDSVERT

```

```

--select * from #VERTNonDups

```

```
select * into #UniqueVert
from #VERTNonDups
where Serial_Count = 1
```

```
--select * from #UniqueVert
```

```
drop table serv.FDT_CSRC_Scan_Opps
SELECT
```

```
    [Serial Number]
    ,[ERP ID]
    ,[Total Counter]
    ,[TotalScans]
    ,[ScanningDividedByCounters]
    ,z.Equipment
    ,Z.Equipment_Description
    ,Z.Framework_Partner
    ,z.Name_Sold_To
    ,z.Sold_To_Party
    ,z.Postal_Code
```

```
into serv.FDT_CSRC_Scan_Opps
```

```
FROM #TotalCount3 as k
```

```
left join #UniqueVert as z on k.[Serial Number] = z.[Serial_Number]
```

```
WHERE z.Equipment is not null
```

```
-----
--CCSRC WEEKLY FULL DATA
-----
-----
-----
-----
-- Add any new models to the CSRC_MODEL_CONVERTER
```

```
select distinct
    Product
into #MissingModels
from serv.CSRC_REPORT
where Product
```

```

        not in(select Model from serv.CSRC_MODEL_CONVERTER)
--select * from #MissingModels

-- Declare the cursor
declare @Product nvarchar(50)
declare @Autonum int
declare @counter as int
select @Autonum = max([auton]) from serv.CSRC_MODEL_CONVERTER
declare missing_cursor cursor for
select Product from #MissingModels

```

```

-- Open the cursor
open missing_cursor
----
fetch next from missing_cursor
into @Product
---- Do something >>>
set @counter = 1
while @@FETCH_STATUS = 0
begin
    insert into

```

```

serv.CSRC_MODEL_CONVERTER ([Model], [Model Type],[auton])
values(@Product,

```

```

case

```

```

when @Product like '%PRO%'

```

```

or @Product like

```

```

'%PRESS%'

```

```

or @Product like '%Accurio%'

```

```

then 'PPD'

```

```

else 'MFD'

```

```

end

```

```

,@Autonum + @counter)

```

```

set @counter = @counter + 1

```

```

fetch next from missing_cursor into @Product

```

```

end

```

```

----
close missing_cursor

```

```

deallocate missing_cursor

```

```

go

```

```

-- Check for model dups
select
    *
into #modelDupCount
from
(
    select
        model
        ,count(model) as mc
    from serv.CSRC_MODEL_CONVERTER
    group by model
    having count(model) > 1
) as tc

-- sort out dups if necessary or move on

declare @dupcount int
select @dupcount = count(*) from #modelDupCount
print @dupcount

if @dupcount = 0
    goto Proceed
else
    select
        model
        , [Model Type]
        , auton
        , iif(row_number() over(partition by model order by model)>1,0,1) as intnum
    into #dupRemover
    from serv.CSRC_MODEL_CONVERTER
    --select * from #dupRemover

    select
        model
        , [Model Type]
        , auton
    into #dupRemover2
    from #dupRemover
    where intnum = 1
    --select * from #dupRemover2

```

```
delete from serv.CSRC_MODEL_CONVERTER
```

```
select model, [Model Type], auton  
into serv.CSRC_MODEL_CONVERTER  
from #dupRemover2
```

Proceed:

```
-----  
-- Generate CSRC Final datasets
```

```
-----Sort out auto so no dups
```

```
select  
[Pool]  
    ,[Customer]  
    ,[Information]  
    ,[Postal Code]  
    ,[Communication type]  
    ,[Create restock order automatically]  
    ,[Equipment]  
    ,[Machine type]  
    ,[Contact person for pool]  
    ,[Telephone Number]  
    ,[Send email confirmation]  
    ,[Planning plant]  
    ,[Planner group]  
    ,[Sales Organization]  
    ,[Distribution Channel]  
    ,[no AutoRestock due to customer request]  
    ,iif(row_number()over(partition by Equipment order by Equipment) > 1,0,1) as UniqueID  
into #AutoDeDupe1  
FROM [Management_Information].[serv].[CSRC_AUTO_BASE]
```

```
select  
[Pool]  
    ,[Customer]  
    ,[Information]  
    ,[Postal Code]  
    ,[Communication type]
```

```

        ,[Create restock order automatically]
        ,[Equipment]
        ,[Machine type]
        ,[Contact person for pool]
        ,[Telephone Number]
        ,[Send email confirmation]
        ,[Planning plant]
        ,[Planner group]
        ,[Sales Organization]
        ,[Distribution Channel]
        ,[no AutoRestock due to customer request]
into #AutoWorkingData
FROM #AutoDeDupe1
where UniquelD = 1

```

-- -----Create list of OPS devices

```

select
    Equipment
    ,[Name_Sold_to]
    ,[Serial_Number]
    ,[Cust_Hierarchy]
into #OPS_Devices
from base.RAW_ZDSVERT
where [Cust_Hierarchy] in (select distinct [HEIRARCHY] from [Iup].[SDM_HIERARCHY])

```

-- -----Create list of gma devices

```

select
    Equipment
    ,[Name_Sold_to]
    ,[Serial_Number]
    ,[Cust_Hierarchy]
into #GMA_Devices
from base.RAW_ZDSVERT
where [Beu_ID] is not null
-- select * from #GMA_Devices

```

-- -----Create list of volume per month from placement details

```

select
    Equipment
    ,cast([Click_BW_Avg] as int) as Avg_Click_BW_Per_Month
    ,cast([Click_Color_Avg] as int) as Avg_Click_Colour_Per_Month
    ,cast([Click_BW_Avg] as int) + cast([Click_Color_Avg] as int) as Avg_Click_Total_Per_Month
    ,w.[Work_Centre]
    ,w.[Serv_Reg_Desc]
    ,w.[Serv_Dist_Desc]
into #CSRC_Placement_Details
from [base].[PLACEMENT_DETAILS] as p
left join lup.WORK_CENTRE as w on IIF(len(p.[Work_Centre_Code])>5,substring(p.[Work_Centre_Code],6,5),p.[Work_Centre_Code]) = w.[Work_Centre]
--drop table #Monthly_Volumes_CSRC

```

-- -----Create list of vert fields needed

```

select
    Equipment
    ,[Serial_Number]
    ,[Framework_Partner]
    ,[Postal_Code]
    ,Ship_to_Party
into #CSRC_VERT
from base.RAW_ZDSVERT
-- drop table #CSRC_VERT

```

-- -----Create weekly CSRC check file

```

SELECT
    [Device Name]
    ,p.Avg_Click_Total_Per_Month
    ,p.Avg_Click_Colour_Per_Month
    ,p.Avg_Click_BW_Per_Month
    ,p.Serv_Reg_Desc
    ,f.[Final Service District]
    ,p.Work_Centre
    ,v.Framework_Partner
    ,v.Postal_Code
    ,v.Ship_to_Party
    ,[Center ID]
    ,[Com Server]

```



```

, [Device ID]
, [Serial Number]
, [Product] as ModelDescription
, m.[Model Type]
, [Location]
, [IP Address]
, [MAC Address]
, [Comm Type]
, a.[Customer]
, [Service Office]
, [Sales Office]
, f.[SupportedBy]
, f.[MFDPPD]
, [Inspection Settings]
, [Registering]
, [Mount Date]
, [Reg Date]
, [Init Date]
, [Latest Received]
, [Latest Counter Date]
, [PeriodicJob]
, [STATUS]
,
    case
        when k.[Create restock order automatically] is null then 'Flag is Not Set'
        else k.[Create restock order automatically]
    end as AutoRestocking
,
    case
        when k.[no AutoRestock due to customer request] is null then ''
        else k.[no AutoRestock due to customer request]
    end as [Customer Request no AutoRestock]
, [Customer Email]
, [Service Office Email]
, [AutoNotify]
, [Controler]
, [Under Maintenance]

```

into #CSRC\_Weekly\_1

```

FROM [Management_Information].[serv].[CSRC_REPORT] as a
left join serv.CSRC_MODEL_CONVERTER as m on a.[Product] = m.Model
left join #CSRC_Placement_Details as p on a.[Device Name] = p.Equipment

```

```
left join #CSRC_VERT as v on a.[Device Name] = v.Equipment
left join #AutoWorkingData as k on a.[Device Name]= k.Equipment
left join [serv].[CSRC_FINAL_AREAS] as f on p.Work_Centre = f.[Work_Centre]
-- select * from #CSRC_Weekly_1
-- select * from #CSRC_PLacement_Details
```

```
drop table serv.CSRC_Weekly_Final
```

```
SELECT
```

```
--@WeekDate as CurrentWeek
```

```
[Device Name]
```

```
.Avg_Click_Total_Per_Month
```

```
.Avg_Click_Colour_Per_Month
```

```
.Avg_Click_BW_Per_Month
```

```
.Serv_Reg_Desc
```

```
.[Final Service District]
```

```
.Work_Centre
```

```
.Framework_Partner
```

```
.Postal_Code
```

```
.Ship_to_Party
```

```
.[Center ID]
```

```
.[Com Server]
```

```
.[Device ID]
```

```
.[Serial Number]
```

```
.ModelDescription
```

```
.[Model Type]
```

```
.[Location]
```

```
.[IP Address]
```

```
.[MAC Address]
```

```
.[Comm Type]
```

```
.[Customer]
```

```
.[Service Office]
```

```
.[Sales Office]
```

```
.[SupportedBy]
```

```
.[MFDPPD]
```

```
.[Inspection Settings]
```

```
.[Registing]
```

```
.[Mount Date]
```

```
.[Reg Date]
```

```
.[Init Date]
```

```
.[Latest Received]
```

```
.[Latest Counter Date]
```

```
.[PeriodicJob]
```

```

        ,[STATUS]
        ,AutoRestocking
        ,[Customer Request no AutoRestock]
    ,
        case
            when AutoRestocking = 'Not set up' then 'Not set up'
            when AutoRestocking = 'Flag is not set' and [Customer Request no AutoRestock] is null then 'Set up - Not Actioned'
            when AutoRestocking = 'Flag is not set' and [Customer Request no AutoRestock] = 'X' then 'Requested to have no auto-restock'
            else 'Set up on auto-restock'
        end as AutoRestocking1

        ,[Customer Email]
        ,[Service Office Email]
        ,[AutoNotify]
        ,[Controler]
        ,[Under Maintenance]
into serv.CSRC_Weekly_Final
FROM #CSRC_Weekly_1
-- select * from serv.CSRC_Weekly_Final
-- select distinct AutoRestocking from #CSRC_Weekly_1

update serv.CSRC_Weekly_Final
set Avg_Click_Colour_Per_Month = 1000 where Avg_Click_Colour_Per_Month is null
update serv.CSRC_Weekly_Final
set Avg_Click_BW_Per_Month = 1000 where Avg_Click_BW_Per_Month is null
update serv.CSRC_Weekly_Final
set Avg_Click_Total_Per_Month = 2000 where Avg_Click_Total_Per_Month is null

-----
-- Generate CSRC checking files using CSRC Weekly

-----Create OFFLINE CCS

drop table serv.CSRC_Offline_CCS_Devices
select
    *
into serv.CSRC_Offline_CCS_Devices
from serv.CSRC_Weekly_Final
where

```

```
Framework_Partner in( 'FMP-GPS' , 'FMP-GPS3' , 'FMP-RM3781' , 'FMP-3781L3')
and [STATUS] in('OFFLINE','INI')
order by Avg_Click_Colour_Per_Month desc
-- drop table serv.CSRC_Offline_CCS_Devices
```

-- -----Create offline dca

```
drop table serv.CSRC_Offline_DCA_Devices
select
    *
into serv.CSRC_Offline_DCA_Devices
from serv.CSRC_Weekly_Final
where
    [Comm Type] LIKE '%DCA%' and ([STATUS] = 'OFFLINE' or [STATUS] = 'INI')
order by Avg_Click_Colour_Per_Month desc
```

-- -----Create offline but other device onsite online

```
select
    Customer
    ,Location
    ,[STATUS]
into #All_Customers_Online_INI
from serv.CSRC_Weekly_Final
where [STATUS] in('INI','ONLINE')
```

```
drop table serv.CSRC_Offline_OnlineOtherSite_Devices
select
```

\*

```
into serv.CSRC_Offline_OnlineOtherSite_Devices
from serv.CSRC_Weekly_Final
where
    [Comm Type] LIKE '%DCA%' and ([STATUS] = 'OFFLINE' or [STATUS] = 'INI')
order by Avg_Click_Colour_Per_Month desc
```

-- select \* from serv.CSRC\_Offline\_OnlineOtherSite\_Devices

-- -----Create offline PP Devices

```
drop table serv.CSRC_Offline_PPD_Devices
select
    *
into serv.CSRC_Offline_PPD_Devices
from serv.CSRC_Weekly_Final
where
    [Model Type] like '%PPD%' and ([STATUS] = 'OFFLINE' or [STATUS] = 'INI')
order by Avg_Click_Colour_Per_Month desc
```

-- -----Create items on CSRC but not VERT

```
drop table serv.CSRC_NOT_ON_VERT
select
    *
into serv.CSRC_NOT_ON_VERT
from serv.CSRC_Weekly_Final
where
    [Device Name] not in ( select distinct Equipment from base.RAW_ZDSVERT)
order by Avg_Click_Colour_Per_Month desc
```

-- -----Create last counter date

```
select
    [Device Name]
    ,Customer
    ,[Serial Number]
    ,[Model Type]
    ,[Comm Type]
    ,[STATUS]
    ,Avg_Click_Colour_Per_Month
    ,cast([Latest Counter Date] as datetime) as [Latest Counter Date]
into #CSRC_Last_Counter_Date_1
from serv.CSRC_Weekly_Final
order by Avg_Click_Colour_Per_Month desc
-- select * from serv.CSRC_Last_Counter_Date
```

```
drop table serv.CSRC_Last_Counter_Date
```

```

select
    [Device Name]
    ,Customer
    ,[Serial Number]
    ,[Model Type]
    ,[Comm Type]
    ,[STATUS]
    ,Avg_Click_Colour_Per_Month
    ,[Latest Counter Date]
    ,
    case
        when [Latest Counter Date] = '1900-01-01 00:00:00.000' then 'No Latest Counter Date Found'
        when getdate() - [Latest Counter Date] < 7 then 'Within Last Week'
        when getdate() - [Latest Counter Date] < 14 then 'Within Last Two Week'
        when getdate() - [Latest Counter Date] < 30 then 'Within Last Month'
        when getdate() - [Latest Counter Date] < 90 then 'Within Last 3 Months'
        when getdate() - [Latest Counter Date] < 180 then 'Within Last 6 Months'
        when getdate() - [Latest Counter Date] < 270 then 'Within Last 9 Months'
        when getdate() - [Latest Counter Date] < 360 then 'Within Last Year'
        when getdate() - [Latest Counter Date] < 720 then 'Within Last 2 Years'
        else '> 2 Years'
    end
as Last_Date_Banding

into serv.CSRC_Last_Counter_Date
from #CSRC_Last_Counter_Date_1
order by Avg_Click_Colour_Per_Month desc

-- select * from serv.CSRC_Last_Counter_Date

```

---

```

-- Generate CSRC historic data

```

```

declare @WeekDate2 as date
set @WeekDate2 = '2019-01-28'
declare @BWMonth2 as date
set @BWMonth2 = 'DEC 2018'

```

```

select

```

```

        @WeekDate2 as CurrentWeek
    ,[Equipment]
into #Historic_MIF_1
from base.DATABLOCK_SUMMARY
where Month_Year = @BWMonth2

```

-----Link to get whether the equipmnet is gma, ops or csrc

```

select
    CurrentWeek
    ,a.[Equipment]
    ,o.[Cust_Hierarchy] as OPS_Device
    ,c.[STATUS] as CSRC_Device
    ,g.[Cust_Hierarchy] as GMA_Device
into #Historic_MIF_2
from #Historic_MIF_1 as a
left join #OPS_Devices as o on a.Equipment = o.Equipment
left join serv.CSRC_Weekly_Final as c on a.Equipment = c.[Device Name]
left join #GMA_Devices as g on a.Equipment = g.Equipment
-- select * from #Historic_MIF_2
-- drop table #Historic_MIF_2

```

-----turn to 1's and 0's

```

select
    CurrentWeek
    ,a.[Equipment]
    ,iif(OPS_Device is not null, 1,0) as OPS_Device
    ,iif(CSRC_Device is not null, 1, 0) as CSRC_Device
    ,iif(GMA_Device is not null, 1, 0) as GMA_Device
into #Historic_MIF_3
from #Historic_MIF_2 as a
left join #OPS_Devices as o on a.Equipment = o.Equipment
left join serv.CSRC_Weekly_Final as c on a.Equipment = c.[Device Name]
left join #GMA_Devices as g on a.Equipment = g.Equipment
-- Drop table #Historic_MIF_3
-- select * from #Historic_MIF_3

```

-----Add in mif not on anything

```

select
    CurrentWeek

```

```

        ,[Equipment]
        ,OPS_Device
        ,CSRC_Device
        ,GMA_Device
        ,iif(OPS_Device = 0 and CSRC_Device = 0 and GMA_Device = 0, 1, 0) as Not_OnAnything
into #Historic_MIF_4
from #Historic_MIF_3 as a
-- select * from #Historic_MIF_4
-- drop table #Historic_MIF_4

```

-----Pivot up the status for all CSRC devices

```

select
    *
into #Status_Pivot
from
    (select * from
    (select
        [Device Name]
        ,[STATUS]
        ,cast(1 as int) as rowCounts
    from serv.CSRC_Weekly_Final as p) as BaseData
    pivot(
        sum(rowCounts)
        for [STATUS] in([ONLINE],[OFFLINE],[INI])
    ) as pvt) as bd
-- select * from #Status_Pivot
-- drop table #Status_Pivot

```

-----Pivot up the status for all Lisa's team devices

```

select
    *
into #Lisa_Team_Pivot
from
    (select * from
    (select
        [Device Name]
        ,AutoRestocking1
        ,1 as rowCounts
    from serv.CSRC_Weekly_Final as p) as BaseData
    pivot(

```



```

        sum(rowCounts)
        for AutoRestocking1 in([Requested to have no auto-restock],[Set up on auto-restock],[Set up - Not Actioned])
    ) as pvt) as bd
-- select * from #Lisa_Team_Pivot
-- drop table #Lisa_Team_Pivot

```

-----link two pivots back to historic dataset & add on work cetnres and service districts

```

select
    CurrentWeek
    ,b.[Final Service District] as Service_District
    ,a.[Equipment]
    ,iif(OPS_Device = 1 and CSRC_Device = 1,0,OPS_Device) as OPS_Device
    ,CSRC_Device
    ,IIF(GMA_Device = 1 and CSRC_Device = 1,0,GMA_Device) as GMA_Device
    ,Not_On_Anything
    ,IIF(S.INI is null, 0, 1) as [INI]
    ,IIF(S.[OFFLINE] is null, 0, 1) as [OFFLINE]
    ,IIF(S.[ONLINE] is null, 0, 1) as [ONLINE]
    ,iif(I.[Requested to have no auto-restock] is null,0,1) as [Requested to have no auto-restock]
    ,iif(I.[Set up - Not Actioned] is null,0,1) as [Set up - Not Actioned]
    ,iif(I.[Set up on auto-restock] is null, 0, 1) as [Set up on auto-restock]

```

into #Historic\_MIF\_5

from #Historic\_MIF\_4 as a

left join #Status\_Pivot as s on a.Equipment = s.[Device Name]

left join #Lisa\_Team\_Pivot as l on a.Equipment = l.[Device Name]

left join #CSRC\_PLacement\_Details as p on a.Equipment = p.Equipment

left join [serv].[CSRC\_FINAL\_AREAS] as b on p.Work\_Centre = b.Work\_Centre

-- select \* from #Historic\_MIF\_5

-- drop table #Historic\_MIF\_5

--select [Equipment] from #Historic\_MIF\_5 where Equipment not in(select distinct [Device Name] from #Status\_Pivot)

--select [Device Name] from #Status\_Pivot

--where

-- [Device Name] in(select distinct Equipment from #Historic\_MIF\_5)

--and

-- CSRC\_Device = 1

-----link two pivots back to historic dataset & add on work cetnres and service districts

select

```

CurrentWeek
,Service_District
,sum(OPS_Device) + sum(CSRC_Device) + sum(GMA_Device) + sum(Not_On_Anything) as TotalMIF
,sum(OPS_Device) + sum(GMA_Device) + sum(Not_On_Anything) as NotonCSRCMIF
,sum(OPS_Device) as OPS_Device
,sum(CSRC_Device) as CSRC_Device
,sum(GMA_Device) as GMA_Device
,sum(Not_On_Anything) as Not_On_Anything
,sum([INI]) as CSRC_INI
,sum([OFFLINE]) as CSRC_Offline
,sum([ONLINE]) as CSRC_Online
,sum([Requested to have no auto-restock]) as [Requested to have no auto-restock]
,sum([Set up - Not Actioned]) as [Set up - Not Actioned]
,sum([Set up on auto-restock]) as [Set up on auto-restock]
into #Historic_MIF_6
from #Historic_MIF_5 as a
where Service_District is not null or Service_District not like '%Dealer%'
group by
    CurrentWeek
    ,Service_District
-- select * from #Historic_MIF_6
-- drop table #Historic_MIF_6

```

-----create pre dataset for lookup to Lisa's team

```

select
    [Final Service District]
    ,[SupportedBy]
    ,[MFDPPD]
into #Lisa_Lookup_List
from [serv].[CSRC_FINAL_AREAS]
group by [Final Service District]
    ,[SupportedBy]
    ,[MFDPPD]

```

-----lookup for lookup to Lisa's team

```

select
    CurrentWeek
    ,Service_District
    ,I.[SupportedBy]
    ,I.[MFDPPD]

```

```

        ,Not_On_Anything
        ,NotonCSRCMIF
        ,TotalMIF
        ,CSRC_Device
        ,OPS_Device
        ,GMA_Device
        ,CSRC_INI
        ,CSRC_Offline
        ,CSRC_Online
        ,[Requested to have no auto-restock]
        ,[Set up - Not Actioned]
        ,[Set up on auto-restock]
into #Historic_MIF_Final
from #Historic_MIF_6 as a
left join #Lisa_Lookup_List as l on a.Service_District = l.[Final Service District]
-- select * from #Historic_MIF_Final
-- drop table #Historic_MIF_Final

select sum([ONLINE]) from #Status_Pivot
select sum([OFFLINE]) from #Status_Pivot
select sum([INI]) from #Status_Pivot
select * from #Historic_MIF_Final

```

-----Add the weeks data into the historic table

```

declare @WeeksData date
select @WeeksData = max(CurrentWeek) from #Historic_MIF_Final

declare @CurrentWeekCheck int
select @CurrentWeekCheck = count(*) from (select distinct CurrentWeek from #Historic_MIF_Final where Max(CurrentWeek) in(select distinct Date_Week from [serv].[CSRC_HISTORIC_DATA])) as a

if @CurrentWeekCheck > 0
begin
    print 'The week already exists in the historic table'
    goto SkipSection
end
else
begin
    insert into [serv].[CSRC_HISTORIC_DATA]
    select * from #Historic_MIF_Final

```

