Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere?

Import a repository. Required fields are marked with an asterisk (*). Owner * Repository name * JPallares-TalTECH ▼ / mi-pagina-web mi-pagina-web is available. Great repository names are short and memorable. Need inspiration? How about crispy-potato? **Description** (optional) Repositorio para el primer entregable de los temas 1 y 2 **Public** Anyone on the internet can see this repository. You choose who can commit. **Private** You choose who can see and commit to this repository Initialize this repository with: Add a README file This is where you can write a long description for your project. Learn more about READMEs. Add .gitignore .gitignore template: None 🔻 Choose which files not to track from a list of templates. Learn more about ignoring files. Choose a license License: None ▼ A license tells others what they can and can't do with your code. Learn more about licenses. (i) You are creating a public repository in your personal account.

Create repository

```
🥎 MINGW64:/g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local
                                                                                                                                                Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TAL ENTOTECH/NOV13 - S07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local $ git config --global user.name "JPallares-TalTECH"
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local
$ git config --global user.email "jonatan.pallares.ttc.216@unilibre.edu.co"
 Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local
5 git init
Initialized empty Git repository in G:/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S07
  - Git y GitHub - Clonar rep remoto/LabEntregable01-Local/.git/
 Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
.
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=main
user.name=JPallares-TalTECH
user.email=jonatan.pallares.ttc.216@unilibre.edu.co
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
```

git add .


```
🗞 MINGW64:/q/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local
                                                                                                                                                     Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S 07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
$ git commit -m "Commit Inicial: Se suben los archivos del proyecto desde la carpeta en el disco local al repositorio de GitHub"
[main (root-commit) b67687e] Commit Inicial: Se suben los archivos del proyecto desde la carpeta e
n el disco local al repositorio de GitHub
 8 files changed, 348 insertions(+)
create mode 100644 img/facebook-removebg-preview.png
create mode 100644 img/gmail-removebg-preview.png
create mode 100644 img/gmail-removebg-preview.png
create mode 100644 img/instagram-removebg-preview.png
 create mode 100644 img/linkedin-removebg-preview.png
 create mode 100644 img/youtube-removebg-preview.png
 create mode 100644 index.html create mode 100644 styles.css
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
D7 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
  git branch desarrollo
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
$ git checkout desarrollo
Switched to branch 'desarrollo'
 Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
D7 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (desarrollo)
$ git checkout main
Switched to branch 'main'
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S 07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main) $ git remote Add origin https://github.com/JPallares-TalTECH/mi-pagina-web.git error: unknown subcommand: `Add'
usage: git remote [-v | --verbose]
or: git remote add [-t <branch>] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>
   <name> <url>
    or: git remote rename [--[no-]progress] <old> <new>
    or: git remote remove <name>
    or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
    or: git remote [-v | --verbose] show [-n] <name>
    or: git remote set-url --add <name> <newurl>
    or: git remote set-url --delete <name> <url>
      -v, --[no-]verbose
                                         be verbose; must be placed before a subcommand
Jonatan Pallares@PC-JPallares MINGw64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
D7 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
$ git remote add origin https://github.com/JPallares-TalTECH/mi-pagina-web.git
```

```
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
$ git remote add origin https://github.com/JPallares-TalTECH/mi-pagina-web.git

Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
$ git push -u origin main
$ senumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 4 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (11/11), 587.16 KiB | 10.12 MiB/s, done.
Total 11 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/JPallares-TalTECH/mi-pagina-web.git

* [new branch] main -> main
branch 'main' set up to track 'origin/main'.

Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
$
```



```
🥎 MINGW64:/g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local
 Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
  7 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
git checkout desarrollo
             index.html
            styles.css
Switched to branch 'desarrollo'
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S 07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (desarrollo) $ git commit -m "Se agrega el formulario de contacto y se configuran los estilos para el formulario en el archivo styles.css"
On branch desarrollo
Changes not staged for commit:
   no changes added to commit (use "git add" and/or "git commit -a")
 Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (desarrollo)
$ git add .
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (desarrollo)
$ git commit -m "Se agrega el formulario de contacto y se configuran los estilos para el formulari
   en el archivo styles.css"
 [desarrollo 7b6feb3] Se agrega el formulario de contacto y se configuran los estilos para el formu
 lario en el archivo styles.css
2 files changed, 31 insertions(+), 19 deletions(-)
 Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (desarrollo) $ git checkout main Switched to branch 'main'
 Your branch is up to date with 'origin/main'.
Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
$ git merge desarrollo
Updating b67687e..7b6feb3
Fast-forward
  index.html |
                     25 +++++++++++++++++++++
  styles.css | 25 ++++++
    files changed, 31 insertions(+), 19 deletions(-)
 Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
07 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
  git push -u origin main
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 997 bytes | 199.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/JPallares-TalTECH/mi-pagina-web.git
b67687e..7b6feb3 main -> main
branch 'main' set up to track 'origin/main'.
 Jonatan Pallares@PC-JPallares MINGW64 /g/Mi unidad/FORMACION MinTIC/BOOTCAMP TALENTOTECH/NOV13 - S
D7 - Git y GitHub - Clonar rep remoto/LabEntregable01-Local (main)
```

