




WebClerk 3 — Master Commerce Flow
(wc3 model names)




WC3 — Sign-in / Register Flow
Roles: ADMIN, USER, REP, VENDOR, SALES, CUSTOMER




WC3 — Request Security Pipeline
JSON-by-default · WriteGate · Demo Read-Only
Three layers before any view executes




WC3 — Athena Integrity System
Sign · Verify · FAULT — Self-defense against tampering



WC3 — Contact Model
Central identity; references any record




WC3 — OrgBase Model
Organization identity: customer, vendor, manufacturer, employee, rep




See also:
- Contact (p.4)
- WC2 Customer-->OrgBase (p.41)
- Products Item Support (p.9)


WC3 – Products App: Item Supporting Structures
19 models - 13 service modules ~ 80 functions
Red borders = missing service functions




WC3 — Inventory Bucket Flow
available = on_hand - allocated




WC3 — Serial Number Tracking (wc2: ItemSerials → wc3: Serial + SerialLog)




WC3 — Serial config.actions[] and serial_trends Document
Self-contained history + item-level trend consolidation




WC3 — Customer-Centered Sales
The commerce flow from the customer's perspective



WC3 — Order to Invoice Flow
(with inventory bucket effects)



WC3 — PO→SO Cross-Instance Bundle




```

quantity.placed = input by user
quantity.canceled affects quantity_ordered
quantity.remaining = quantity_ordered - all child actions
u2022 orders from proposals
u2022 invoiced from orders
u2022 invoices not packed
u2022 purchases not received
quantity.parent = parent's remaining when child created


```


See also:

- Pending Records (p.16)
- Payment GL (p.13)
- Order to Invoice (p.10)
- Flight Sim Lifecycle (p.38)




WC3 — Payment, Ledger, and GL Flow







WC3 — Statement Sorter → Payment.expense



WC3 — Pending Records: Intent → Action → Archive → Insight
Every exchange of inventory and cash captured
Noise stays outside · Patterns stay forever




WC3 — Action Model
Universal task: Who, What, Why, When, Where, How




WC3 — Action Documents



Upload images, videos, and files to Action records




WC3 — Action Multi-Touch
Email, Phone, Visit, Meeting — no new FKs needed




WC3 — Project Model
Project connects transactions; Linkage connects data




WC3 — Project Views
Gantt · Kanban · List · Detail · Share




WC3 — Document Library Flow
(upload → local → secure cloud transfer)
Alice owns library management via Celery




WC3 — QA Entity
Quality inspection, surveys, customer feedback




WC3 — refs.links and LinkageEntry
Connecting Records Without Managing Individual FKs




WC3 Connection — Accounting Export Flow




WC3 Connection — Bank Feed Import Flow




WC3 — Calendar Sync Flow



WC3 — Email Communication Flow




WC3 Connection — Local Server Deployment




DATA SOVEREIGNTY

User owns hardware and data.
WC_HQ has no access.
No cloud dependency.
Works offline.


WC3 Connection — MyCarryOn Identity Flow




WC3 Connection — Internal Agent Communication




WC3 — Payment Processing Flow




WC3 — Shipping Carrier Flow




WC3 — Tax Calculation Flow




WC3 – Celery Task Pipeline
Redis broker - UTC - 30 min hard limit
Alice owns library, data quality, health, schema, commerce analytics




WC3 → Data Conversion Pipeline
External file → Alice/Claude → DynamicCatalogs → Athena → Bundle → Sync Receive
All transformation outside WC3. Bulk only via bundle.




WC3 — Query Builder
Search box (98%+) vs query builder for precision




WC3 – Flight Simulator: Transaction Lifecycle Training
12 steps: Proposal → GL → Return/Scrap/Refund → Orphan Cleanup




WC3 — Settings & PJPV Architecture
Pydantic JSON Path Value: one model, one engine, one path




WC3 — Alice AI Agent Architecture
observe → log → pattern → recommend → promote → Setting



WC2 Customer → WC3 OrgBase (org_type=customer)



WC2 Item → WC3 Item



WC2 Transaction → WC3 (Order/Invoice/Proposal/Purchase + Lines)

