Assignment3_Ji_Qi

April 10, 2022

1 *Student Name: Ji Qi , Session B1*

2 Calculating Risk Exposures at the Start of the Year 2022 for 100 Stocks

2.0.1 Import libraries and packages

[65]:
```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import statsmodels.api as sm
```

2.0.2 Upload WRDS CRSP Stock Return Data

- CSV file contains monthly stock returns for 100 stocks

[66]:
```
from google.colab import drive
drive.mount('/content/drive')
```

```
Drive already mounted at /content/drive; to attempt to forcibly remount, call
drive.mount("/content/drive", force_remount=True).
```

[67]:
```
stockret = pd.read_csv('/content/drive/MyDrive/BA_870/HW/3/100-Stocks-Returns.
↪csv')
```

Examine varaibles in dataframe

[68]:
```
stockret.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 6000 entries, 0 to 5999
Data columns (total 4 columns):
 #   Column  Non-Null Count  Dtype
---  ------  --------------  -----
 0   PERMNO  6000 non-null   int64
```

```
 1   date    6000 non-null   int64
 2   TICKER  6000 non-null   object
 3   RET     6000 non-null   float64
dtypes: float64(1), int64(2), object(1)
memory usage: 187.6+ KB
```

Print out header of dataframe

- Note that BWXT data appears first (60 monthly observations)

[69]:
```
stockret.head()
```

[69]:

	PERMNO	date	TICKER	RET
0	10220	20170131	BWXT	0.045088
1	10220	20170228	BWXT	0.119306
2	10220	20170331	BWXT	0.026916
3	10220	20170428	BWXT	0.032983
4	10220	20170531	BWXT	-0.009355

Print out "tail" (the last 5 obs) of dataframe

- Note that BLDR data is at the end (60 monthly observations)

[70]:
```
stockret.tail()
```

[70]:

	PERMNO	date	TICKER	RET
5995	90720	20210831	BLDR	0.197528
5996	90720	20210930	BLDR	-0.029086
5997	90720	20211029	BLDR	0.126208
5998	90720	20211130	BLDR	0.191694
5999	90720	20211231	BLDR	0.234303

2.0.3 Create 100 new dataframes for each stock: monthly data

[71]:
```
# A 100-stocks list
ticker = stockret.TICKER.unique().tolist()
```

[72]:
```
# Create 100 new stock dataframes and store into a dictionary
stockret_dict = {}
for i in ticker:
  stockret_dict[i] = stockret[stockret['TICKER'] == i]
```

[88]:
```
# All 100 stock tickers
stockret_dict.keys()
```

[88]:
```
dict_keys(['BWXT', 'BCPC', 'CAL', 'BC', 'BAH', 'BKU', 'BCOV', 'BLMN', 'BERY',
'BFAM', 'BCC', 'BLUE', 'BNFT', 'BRX', 'BURL', 'BRG', 'BLBD', 'BWFG', 'BCLI',
'BGSF', 'BOOT', 'CALA', 'BOX', 'BPMC', 'CABO', 'BLD', 'BATRA', 'BATRK', 'BL',
'BPOP', 'BOH', 'BCO', 'BRC', 'BMY', 'BA', 'CACI', 'CALM', 'CAMP', 'CAH', 'BAX',
'BOOM', 'BEN', 'BDX', 'B', 'BK', 'BMI', 'CAG', 'BRT', 'BLL', 'BAC', 'BKH',
'BXMT', 'BRO', 'BIG', 'BDN', 'C', 'BLFS', 'BHE', 'BIIB', 'BOKF', 'BKE', 'BSX',
'BBBY', 'CACC', 'CAKE', 'BLX', 'BANF', 'BBSI', 'BWA', 'BFS', 'BDC', 'BYD',
'BZH', 'BCRX', 'BANR', 'BJRI', 'BXP', 'BAM', 'BHB', 'CAC', 'BRKL', 'BBY',
'BMTC', 'BELFB', 'BUSE', 'BCOR', 'BSRR', 'BMRN', 'BLK', 'BMRC', 'BGCP', 'BHLB',
'BRKR', 'BG', 'BDSI', 'BANC', 'BLKB', 'BECN', 'BFIN', 'BLDR'])
```

[96]:
```
# Display the first 180 rows (3 DataFrames:'BWXT', 'BCPC', 'CAL')
list(stockret_dict.values())[:3]
```

[96]:

[

	PERMNO	date	TICKER	RET
0	10220	20170131	BWXT	0.045088
1	10220	20170228	BWXT	0.119306
2	10220	20170331	BWXT	0.026916
3	10220	20170428	BWXT	0.032983
4	10220	20170531	BWXT	-0.009355
5	10220	20170630	BWXT	0.003086
6	10220	20170731	BWXT	0.080615
7	10220	20170831	BWXT	0.040812
8	10220	20170929	BWXT	0.023757
9	10220	20171031	BWXT	0.069618
10	10220	20171130	BWXT	0.044059
11	10220	20171229	BWXT	-0.031385
12	10220	20180131	BWXT	0.048768
13	10220	20180228	BWXT	-0.007566
14	10220	20180329	BWXT	0.011595
15	10220	20180430	BWXT	0.067212
16	10220	20180531	BWXT	-0.013274
17	10220	20180629	BWXT	-0.066227
18	10220	20180731	BWXT	0.055199
19	10220	20180831	BWXT	-0.065085
20	10220	20180928	BWXT	0.019896
21	10220	20181031	BWXT	-0.065238
22	10220	20181130	BWXT	-0.223743
23	10220	20181231	BWXT	-0.154578
24	10220	20190131	BWXT	0.214230
25	10220	20190228	BWXT	0.127747
26	10220	20190329	BWXT	-0.049666
27	10220	20190430	BWXT	0.030657
28	10220	20190531	BWXT	-0.085910
29	10220	20190628	BWXT	0.119467
30	10220	20190731	BWXT	0.034741
31	10220	20190830	BWXT	0.101280

```
32   10220  20190930   BWXT -0.033615
33   10220  20191031   BWXT  0.015557
34   10220  20191129   BWXT  0.037866
35   10220  20191231   BWXT  0.032430
36   10220  20200131   BWXT  0.024323
37   10220  20200228   BWXT -0.137600
38   10220  20200331   BWXT -0.108315
39   10220  20200430   BWXT  0.089304
40   10220  20200529   BWXT  0.182812
41   10220  20200630   BWXT -0.094774
42   10220  20200731   BWXT -0.037429
43   10220  20200831   BWXT  0.023478
44   10220  20200930   BWXT  0.012588
45   10220  20201030   BWXT -0.023087
46   10220  20201130   BWXT  0.037448
47   10220  20201231   BWXT  0.059775
48   10220  20210129   BWXT -0.105508
49   10220  20210226   BWXT  0.075853
50   10220  20210331   BWXT  0.140321
51   10220  20210430   BWXT  0.014862
52   10220  20210528   BWXT -0.062313
53   10220  20210630   BWXT -0.070675
54   10220  20210730   BWXT -0.011872
55   10220  20210831   BWXT  0.003657
56   10220  20210930   BWXT -0.062163
57   10220  20211029   BWXT  0.053472
58   10220  20211130   BWXT -0.155622
59   10220  20211231   BWXT  0.003774,      PERMNO      date TICKER       RET
60    10318  20170131   BCPC  0.015729
61    10318  20170228   BCPC  0.022642
62    10318  20170331   BCPC -0.054491
63    10318  20170428   BCPC -0.015287
64    10318  20170531   BCPC -0.030064
65    10318  20170630   BCPC -0.012830
66    10318  20170731   BCPC -0.001416
67    10318  20170831   BCPC -0.034021
68    10318  20170929   BCPC  0.084445
69    10318  20171031   BCPC  0.036905
70    10318  20171130   BCPC  0.035354
71    10318  20171229   BCPC -0.071617
72    10318  20180131   BCPC -0.019851
73    10318  20180228   BCPC -0.047468
74    10318  20180329   BCPC  0.086379
75    10318  20180430   BCPC  0.079388
76    10318  20180531   BCPC  0.092815
77    10318  20180629   BCPC  0.017733
78    10318  20180731   BCPC  0.021907
```

```
79    10318  20180831   BCPC  0.105693
80    10318  20180928   BCPC  0.010822
81    10318  20181031   BCPC -0.164511
82    10318  20181130   BCPC -0.074213
83    10318  20181231   BCPC -0.090888
84    10318  20190131   BCPC  0.059604
85    10318  20190228   BCPC  0.068779
86    10318  20190329   BCPC  0.045869
87    10318  20190430   BCPC  0.093858
88    10318  20190531   BCPC -0.106590
89    10318  20190628   BCPC  0.102327
90    10318  20190731   BCPC  0.026708
91    10318  20190830   BCPC -0.134938
92    10318  20190930   BCPC  0.117130
93    10318  20191031   BCPC  0.020365
94    10318  20191129   BCPC -0.015611
95    10318  20191231   BCPC  0.025294
96    10318  20200131   BCPC  0.062875
97    10318  20200228   BCPC -0.125532
98    10318  20200331   BCPC  0.045098
99    10318  20200430   BCPC -0.096029
100   10318  20200529   BCPC  0.127858
101   10318  20200630   BCPC -0.057526
102   10318  20200731   BCPC  0.056926
103   10318  20200831   BCPC -0.025534
104   10318  20200930   BCPC -0.000716
105   10318  20201030   BCPC  0.023763
106   10318  20201130   BCPC  0.037419
107   10318  20201231   BCPC  0.116790
108   10318  20210129   BCPC -0.071081
109   10318  20210226   BCPC  0.115201
110   10318  20210331   BCPC  0.050687
111   10318  20210430   BCPC  0.014193
112   10318  20210528   BCPC  0.029955
113   10318  20210630   BCPC  0.001985
114   10318  20210730   BCPC  0.027655
115   10318  20210831   BCPC  0.040996
116   10318  20210930   BCPC  0.033115
117   10318  20211029   BCPC  0.055284
118   10318  20211130   BCPC  0.032073
119   10318  20211231   BCPC  0.071139,      PERMNO      date TICKER       RET
120   10866  20170131    CAL -0.063071
121   10866  20170228    CAL -0.028618
122   10866  20170331    CAL -0.113157
123   10866  20170428    CAL  0.090840
124   10866  20170531    CAL -0.051353
125   10866  20170630    CAL  0.018654
```

126	10866	20170731	CAL	-0.017999
127	10866	20170831	CAL	-0.010997
128	10866	20170929	CAL	0.133803
129	10866	20171031	CAL	-0.104522
130	10866	20171130	CAL	0.194292
131	10866	20171229	CAL	0.027880
132	10866	20180131	CAL	-0.114695
133	10866	20180228	CAL	-0.054993
134	10866	20180329	CAL	0.202071
135	10866	20180430	CAL	-0.025893
136	10866	20180531	CAL	0.083410
137	10866	20180629	CAL	-0.028201
138	10866	20180731	CAL	-0.026170
139	10866	20180831	CAL	0.208719
140	10866	20180928	CAL	-0.112401
141	10866	20181031	CAL	-0.046291
142	10866	20181130	CAL	-0.116082
143	10866	20181231	CAL	-0.077076
144	10866	20190131	CAL	0.072224
145	10866	20190228	CAL	0.042225
146	10866	20190329	CAL	-0.203859
147	10866	20190430	CAL	0.062373
148	10866	20190531	CAL	-0.280976
149	10866	20190628	CAL	0.059915
150	10866	20190731	CAL	-0.057229
151	10866	20190830	CAL	0.072950
152	10866	20190930	CAL	0.165261
153	10866	20191031	CAL	-0.080735
154	10866	20191129	CAL	0.017193
155	10866	20191231	CAL	0.088168
156	10866	20200131	CAL	-0.261053
157	10866	20200228	CAL	-0.343020
158	10866	20200331	CAL	-0.542931
159	10866	20200430	CAL	0.559615
160	10866	20200529	CAL	-0.115906
161	10866	20200630	CAL	0.172943
162	10866	20200731	CAL	-0.243405
163	10866	20200831	CAL	0.237718
164	10866	20200930	CAL	0.233035
165	10866	20201030	CAL	-0.196653
166	10866	20201130	CAL	0.532552
167	10866	20201231	CAL	0.335599
168	10866	20210129	CAL	-0.034505
169	10866	20210226	CAL	0.049636
170	10866	20210331	CAL	0.378941
171	10866	20210430	CAL	0.069266
172	10866	20210528	CAL	0.075933

```
 173   10866  20210630    CAL  0.090909
 174   10866  20210730    CAL -0.093441
 175   10866  20210831    CAL -0.006063
 176   10866  20210930    CAL -0.093534
 177   10866  20211029    CAL  0.037804
 178   10866  20211130    CAL  0.023851
 179   10866  20211231    CAL -0.036425]
```

2.0.4 Upload Fama-French monthly risk factor data

- Fama French Risk Factors for 2017-2021 from the file "FF-Factors-2017-2021.csv"

[73]:
```
ff_factors = pd.read_csv('/content/drive/MyDrive/BA_870/HW/3/
 ↪FF-Factors-2017-2021.csv')
```

List varaibles in FF dataframe

[74]:
```
ff_factors.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 60 entries, 0 to 59
Data columns (total 5 columns):
 #   Column  Non-Null Count  Dtype
---  ------  --------------  -----
 0   dateff  60 non-null     int64
 1   mktrf   60 non-null     float64
 2   smb     60 non-null     float64
 3   hml     60 non-null     float64
 4   rf      60 non-null     float64
dtypes: float64(4), int64(1)
memory usage: 2.5 KB
```

Look at head and tail of dataframe

[75]:
```
ff_factors.head()
```

[75]:

	dateff	mktrf	smb	hml	rf
0	20170131	0.0194	-0.0113	-0.0274	0.0004
1	20170228	0.0357	-0.0204	-0.0167	0.0004
2	20170331	0.0017	0.0113	-0.0333	0.0003
3	20170428	0.0109	0.0072	-0.0213	0.0005
4	20170531	0.0106	-0.0252	-0.0375	0.0006

[76]:
```
ff_factors.tail()
```

[76]:

	dateff	mktrf	smb	hml	rf
55	20210831	0.0290	-0.0048	-0.0013	0.0000

```
56  20210930 -0.0437  0.0080  0.0509  0.0000
57  20211029  0.0665 -0.0228 -0.0044  0.0000
58  20211130 -0.0155 -0.0135 -0.0053  0.0000
59  20211231  0.0310 -0.0157  0.0323  0.0001
```

Rename date column to "date" to match WRDS data "date" column for 100 stocks

[77]:
```
ff_factors.rename(columns={'dateff':'date'}, inplace=True)
ff_factors.head()
```

[77]:
```
       date   mktrf     smb     hml      rf
0  20170131  0.0194 -0.0113 -0.0274  0.0004
1  20170228  0.0357 -0.0204 -0.0167  0.0004
2  20170331  0.0017  0.0113 -0.0333  0.0003
3  20170428  0.0109  0.0072 -0.0213  0.0005
4  20170531  0.0106 -0.0252 -0.0375  0.0006
```

2.0.5 Merge the 100 stock return data and Fama-French market data based on "date"

- Then list head and tail of dataframe for BLDR

[78]:
```
stockret_ff = {}
for i in stockret_dict.keys():
  stockret_ff[i] = pd.merge(stockret_dict[i], ff_factors, on = 'date', how =␣
 ↪'outer')
```

[79]:
```
stockret_ff['BLDR'].head()
```

[79]:
```
   PERMNO      date TICKER       RET   mktrf     smb     hml      rf
0   90720  20170131   BLDR -0.019143  0.0194 -0.0113 -0.0274  0.0004
1   90720  20170228   BLDR  0.202602  0.0357 -0.0204 -0.0167  0.0004
2   90720  20170331   BLDR  0.151468  0.0017  0.0113 -0.0333  0.0003
3   90720  20170428   BLDR  0.074497  0.0109  0.0072 -0.0213  0.0005
4   90720  20170531   BLDR -0.146783  0.0106 -0.0252 -0.0375  0.0006
```

[80]:
```
stockret_ff['BLDR'].tail()
```

[80]:
```
    PERMNO      date TICKER       RET   mktrf     smb     hml      rf
55   90720  20210831   BLDR  0.197528  0.0290 -0.0048 -0.0013  0.0000
56   90720  20210930   BLDR -0.029086 -0.0437  0.0080  0.0509  0.0000
57   90720  20211029   BLDR  0.126208  0.0665 -0.0228 -0.0044  0.0000
58   90720  20211130   BLDR  0.191694 -0.0155 -0.0135 -0.0053  0.0000
59   90720  20211231   BLDR  0.234303  0.0310 -0.0157  0.0323  0.0001
```

2.1 Run OLS regression for 100 stocks (60 months) using FF 3-factor model:

- [Ret(stock)-Rf] = alpha + B1(RetMkt-Rf) + b2(SMB) + b3(HML) + e

[81]:
```
# Create a empty output dataframe
output = pd.DataFrame(columns = ['TICKER', 'R-squared', 'Adj. R-squared',␣
↪'const', 'mktrf', 'smb', 'hml'])
output
```

[81]:
```
Empty DataFrame
Columns: [TICKER, R-squared, Adj. R-squared, const, mktrf, smb, hml]
Index: []
```

[82]:
```
# Define a Linear Regression function for FF model
def ffmodel(data,i):
  y = data[i]["RET"] - data[i]["rf"]
  X = data[i][['mktrf' , 'smb' , 'hml']]
  # Use statsmodels
  X = sm.add_constant(X) # adding a constant
  model = sm.OLS(y, X).fit()

  #return regression output
  return (i, model.rsquared, model.rsquared_adj, model.params[0], model.
↪params[1],model.params[2],model.params[3])

for i in stockret_ff.keys():
  output.loc[len(output.index)] = ffmodel(stockret_ff, i)

# Display the output regression statistics
output
```

```
/usr/local/lib/python3.7/dist-packages/statsmodels/tsa/tsatools.py:117:
FutureWarning: In a future version of pandas all arguments of concat except for
the argument 'objs' will be keyword-only
  x = pd.concat(x[::order], 1)
```

[82]:

	TICKER	R-squared	Adj. R-squared	const	mktrf	smb	hml
0	BWXT	0.319518	0.283063	-0.008452	1.035051	-0.255460	-0.025344
1	BCPC	0.151024	0.105543	0.007626	0.477501	0.231980	0.122664
2	CAL	0.491911	0.464692	-0.008616	2.010956	1.691033	1.102032
3	BC	0.614279	0.593615	-0.001431	1.446841	0.968595	0.372144
4	BAH	0.333477	0.297770	0.002267	0.764677	-0.241293	-0.486009
..	…	…	…	…	…	…	…
95	BANC	0.646651	0.627721	-0.001240	1.230841	1.623205	0.772896
96	BLKB	0.367581	0.333701	-0.007162	0.931270	0.530980	-0.047068
97	BECN	0.635610	0.616089	-0.007835	1.774667	0.088601	0.971480
98	BFIN	0.329431	0.293508	-0.003914	0.436431	0.576216	0.514933

```
99   BLDR   0.552135        0.528142  0.016584  2.091193  0.249562  0.377770

[100 rows x 7 columns]
```

[83]:
```
# Store the output into a csv file
output_file = output.to_csv('Assign3-Output.csv', index = False)
```

[ ]:
```
!sudo apt-get install texlive-xetex texlive-fonts-recommended␣
↪texlive-plain-generic
```

[86]:
```
!jupyter nbconvert --to pdf '/content/drive/MyDrive/BA_870/HW/3/
↪Assignment3_Ji_Qi.ipynb'
```

```
[NbConvertApp] Converting notebook
/content/drive/MyDrive/BA_870/HW/3/Assignment3_Ji_Qi.ipynb to pdf
[NbConvertApp] Writing 69290 bytes to ./notebook.tex
[NbConvertApp] Building PDF
[NbConvertApp] Running xelatex 3 times: ['xelatex', './notebook.tex', '-quiet']
[NbConvertApp] Running bibtex 1 time: ['bibtex', './notebook']
[NbConvertApp] WARNING | bibtex had problems, most likely because there were no
citations
[NbConvertApp] PDF successfully created
[NbConvertApp] Writing 75892 bytes to
/content/drive/MyDrive/BA_870/HW/3/Assignment3_Ji_Qi.pdf
```