

AquaWise

UI Design Specification

Bootstrap 5.3 · Google Fonts (Manrope + Inter) · 7 screens × desktop and mobile × 4 states

Web Programming Laboratory — Semester 5, K J Somaiya

Team: Jaineel, [teammate name]

Version 1.0 · 22 September 2026

Contents

1. Design principles
 2. Colour palette and contrast
 3. Typography
 4. Spacing, grid and breakpoints
 5. Component styling rules
 6. Screens: Home · Calculator · Crisis Advisory · Conservation Tips · Report a Problem · Society Dashboard · Login / Signup
 7. Component inventory (React)
 8. Figma build steps
- Appendix A. Using aquawise.css
- Appendix B. Files delivered

How to read the wireframes: pink numbered markers match the numbered rows in each screen's annotation table. Markers are not part of the UI. Every wireframe is a real Bootstrap 5.3 page rendered in a browser at 1440 px and 390 px, so each layout is achievable with Bootstrap's grid and components. Names, phone numbers and complaint data are sample data.

1. Design principles

- **Calm, not alarming.** Deep blue and white carry the brand. Red appears only for danger and errors, so it keeps its meaning.
- **Numbers first.** Every screen leads with the figure that matters (litres per person, complaint counts) in a large tabular numeral.
- **Never colour alone.** Every band, status and severity pairs colour with a text label and an icon, so it reads without colour vision.
- **Bootstrap-native.** Only Bootstrap 5.3 grid, utilities and components, themed through CSS variables in one file (aquawise.css). No custom JS widgets.
- **Mobile is a first-class layout.** Every screen is designed at 390 px as well as 1440 px, with 44 px touch targets for inputs and 40 px for buttons.

2. Colour palette and contrast

A blue/teal “clean water” palette on white and a cool blue-grey surface. All ratios below were computed with the WCAG 2.1 relative-luminance formula, not estimated. Targets: 4.5:1 for normal text (AA), 3:1 for large text and UI boundaries (WCAG 1.4.11).

Group	Token	Hex	Role	AA check
Brand	primary	#0A5DA8	Primary buttons, links, focus ring, active nav	Text on white 6.68:1 ✓ · with #FFFFFF 6.68:1 ✓
Brand	primary-dark	#084A87	Hover/active, text on blue tints	Text on white 8.98:1 ✓ · with #FFFFFF 8.98:1 ✓
Brand	primary-subtle	#E7F1FB	Selected cards, info alerts, nav hover	Text #084A87 on it 7.85:1 ✓
Brand	secondary	#0E7C86	Teal: secondary buttons, advisory accents	Text on white 4.95:1 ✓ · with #FFFFFF 4.95:1 ✓
Brand	secondary-subtle	#E3F4F5	Tip and advisory icon tiles	Text #0B5F67 on it 6.51:1 ✓
Brand	accent	#1BB3CF	Aqua: decoration only (waves, ticks)	Decorative only (text on it: ink 6.94:1 ✓)
Brand	hero	#0B3B66	Hero band, footer, auth panel	Text #FFFFFF on it 11.46:1 ✓
Semantic	success	#1E7F4F	Within norm, resolved, saved	Text on white 5.00:1 ✓ · with #FFFFFF 5.00:1 ✓
Semantic	success-subtle	#E6F4EC	Resolved badge, savings badge	Text #155D38 on it 6.97:1 ✓
Semantic	warning	#F2B01E	Over-use / under-supply fills	Text #0F1B2A on it 9.09:1 ✓
Semantic	warning-subtle	#FFF4DB	Active badge, over-use alert	Text #7A4A00 on it 6.85:1 ✓
Semantic	danger	#C62828	Critical, errors, 112 actions	Text on white 5.62:1 ✓ · with #FFFFFF

				5.62:1 ✓
Semantic	danger-subtle	#FDECEC	Emergency strip, error alerts	Text #A11F1F on it 6.73:1 ✓
Neutral	ink	#0F1B2A	Headings, key numbers	Text on white 17.35:1 ✓ · with #FFFFFF 17.35:1 ✓
Neutral	body	#344456	Body text	Text on white 9.97:1 ✓ · with #FFFFFF 9.97:1 ✓
Neutral	muted	#5B6B7E	Help text, captions	Text on white 5.46:1 ✓ · with #FFFFFF 5.46:1 ✓
Neutral	input-border	#7B8A9C	Form control borders	UI border 3.52:1 ≥ 3 ✓
Neutral	border	#D5DEE8	Card and divider lines	Decorative dividers only
Neutral	surface	#F4F8FC	Page background	Text #0F1B2A on it 16.26:1 ✓
Neutral	white	#FFFFFF	Cards, navbar, inputs	Text #0F1B2A on it 17.35:1 ✓

Why these colours

- **Primary #0A5DA8:** A deep water blue that reads as trustworthy and civic rather than playful. 6.7:1 on white, so it works for both text links and filled buttons with white text.
- **Secondary #0E7C86:** A teal that sits next to the blue as “clean water”. It separates advisory and tips content from core actions. 4.9:1 with white text.
- **Accent #1BB3CF:** A bright aqua for decoration only: hero waves, check marks on dark backgrounds, chart ticks. At 2.5:1 on white it is never used for text or as the only indicator.
- **Hero #0B3B66:** Deep navy for the hero band, auth panel and footer. It anchors pages and gives white text 11.5:1 contrast.
- **Semantic colours:** Success green, warning amber and danger red each come in a solid and a subtle tint with a darker text colour. All subtle-tint pairs exceed 6.5:1.
- **Neutrals:** Blue-grey neutrals, not pure grey, so the whole UI feels cool and watery. Muted text is 5.5:1 on white. Input borders are 3.5:1 to meet the 3:1 non-text rule.

Colour rules

- Colour is never the only signal: every band, status and severity also has a word and an icon.
- Red (danger) is reserved for emergencies, critical severity, destructive actions and errors.
- Text on a tinted background always uses that family’s dark shade (e.g. #7A4A00 on #FFF4DB).
- Accent aqua (#1BB3CF) is never text and never the only indicator (2.5:1 on white).
- Page background is #F4F8FC; cards are white. Muted text on the page background is still 5.1:1.

Usage band colours (Calculator)

Band	lpcd	Colour token	Icon (Bootstrap Icons)	Presentation
Critical under-supply	< 20 lpcd	danger (solid)	exclamation-octagon-fill	Solid red badge, white text
Under-supply	20–54	warning-subtle	arrow-down-circle	Amber alert: “Below the 55 L JJM norm”
Basic	55–99	primary-subtle	info-circle	Blue badge: meets minimum, below WHO optimal
Within norm	100–N	success-subtle	check-circle-fill	Green badge
Over-use	N+1–200	warning-subtle	arrow-up-circle-fill	Amber alert with litres above the norm
Severe over-use	> 200	danger-subtle	exclamation-triangle-fill	Red alert: above the IS 1172 upper limit




Figure 1. Design foundations: palette with contrast, type scale, spacing, radius, buttons, inputs, badges, cards and navbar.

3. Typography

Pairing: Manrope for headings and key numbers, Inter for everything else. Both are free Google Fonts. Manrope's rounded, geometric shapes feel modern and a little "fluid" without being playful; Inter is built for screens and stays readable at 12–14 px in tables and forms. Both have tabular numerals.

Embed: `<link href="https://fonts.googleapis.com/css2?`

`family=Inter:wght@400;500;600&family=Manrope:wght@600;700;800&display=swap" rel="stylesheet">` — six weights, about 150 KB total.

Role	Size / line (px)	Font	Weight	Tracking	Use
Display	40 / 48	Manrope	800	-1%	Hero headline only (.display-5). 32/40 below 576 px.
H1	32 / 40	Manrope	700	-1%	One per page: page title. 26/34 on mobile.
H2	26 / 34	Manrope	700	-1%	Section titles. 22/30 on mobile.
H3	21 / 28	Manrope	700	-1%	Card titles, empty-state titles.
H4	18 / 26	Manrope	600	-1%	Sub-sections inside cards, form section titles.
Lead	18 / 28	Inter	400	0	Intro paragraph under a hero or page title.
Body	16 / 24	Inter	400	0	Default text. Never smaller for paragraphs.
Label	15 / 22	Inter	600	0	Form labels, button text.
Small	14 / 20	Inter	400	0	Table cells, secondary lines, help text (13 px).
Caption	12 / 16	Inter	400	+2%	Sources, timestamps, chart axes. Muted colour.
Overline	12 / 16	Inter	600, caps	+8%	Section eyebrows, category labels. Teal-dark colour.
Number	varies	Manrope	800, tabular	0	Key figures (169.6 L, counts). Tabular so digits align.

Rules: one H1 per page; never skip heading levels; body text never below 16 px; line length 60–75 characters (max-width ≈ 42rem for prose); sentence case everywhere except overlines.

4. Spacing, grid and breakpoints

Spacing uses Bootstrap's default spacer scale (base 1rem = 16 px). No custom spacers are needed.

Spacer	Value	Bootstrap classes	Use
0	0	.p-0 .m-0	Resets
1	4 px	.gap-1 .me-1	Icon-to-text gaps
2	8 px	.gap-2 .mb-2	Button groups, badge rows, label-to-input
3	16 px	.g-3 .mb-3	Form field gaps, list items, small cards (p-3)
4	24 px	.g-4 .p-4 .mb-4	Card padding, grid gutters, gaps between cards
5	48 px	.py-5 .mb-5	Vertical space between page sections

Breakpoint	Min width	Container	Layout behaviour
xs	< 576 px	100% – 24 px	Phones (design at 390). One column; tables become cards; navbar collapses.
sm	≥ 576 px	540 px	Large phones. Buttons sit side by side.
md	≥ 768 px	720 px	Tablets. 2–3 column card grids; complaints show as a table.
lg	≥ 992 px	960 px	Laptops. Navbar expands; forms and results sit side by side (7/5 or 8/4).
xl	≥ 1200 px	1140 px	Desktops. Dashboard detail panel joins the list (8/4).
xxl	≥ 1400 px	1320 px	Design width 1440. Max content width 1320.

Grid: Bootstrap 12-column grid, gutter 24 px (.g-4) between cards and 16 px (.g-3) between form fields. Radius: 6 px badges, 8 px buttons and inputs, 12 px cards and modals. Elevation: shadows only on toasts, the hero preview card and hovered clickable cards.

5. Component styling rules

All rules are implemented in aquawise.css (Appendix A) by overriding Bootstrap 5.3 CSS variables, so the standard Bootstrap classes pick up the theme.

Cards

Property	Rule
----------	------

Base	.card — white, 1 px #D5DEE8 border, radius 12 px, shadow 0 1px 2px rgba(15,27,42,.04)
Padding	24 px (card-body). Compact list cards use .p-3 (16 px).
Header	.card-header — white, Manrope 700 16 px, 16 × 24 px padding, bottom border
Clickable	Add .aw-card-link: hover gives border #9DBFE2 and shadow 0 6px 18px rgba(10,93,168,.12). The whole card is one link or button.
Selected	.aw-card-selected: 2 px primary border, primary-subtle background, check icon top right.
Do / don't	Do keep one primary action per card. Don't nest cards more than one level, and don't put shadows on static cards.

Buttons

Property	Rule
Sizes	Large 48 px (.btn-lg, 16 px text), default 40 px (15 px text), small 32 px (.btn-sm, 14 px). Radius 8 px. Font weight 600.
Primary	.btn-primary — #0A5DA8 fill, white text; hover #084A87; active #073C6E; disabled #8FB3D6. One per view region.
Secondary	.btn-outline-primary for secondary actions (Print, Save to history). .btn-secondary (teal) sparingly.
Danger	.btn-danger only for 112 calls and destructive actions. .btn-outline-danger for the secondary emergency link.
Tertiary	.btn-link for Reset, Cancel, Skip.
Focus	Visible 3 px ring rgba(10,93,168,.35) on :focus-visible. Never remove outlines.
Loading	Keep the label, prepend .spinner-border-sm, set disabled, change text to a verb in -ing ("Submitting...").
Icons	Bootstrap Icons, 16 px, 8 px before the label (.me-2 on lg, .me-1 otherwise).

Form inputs

Property	Rule
Height	44 px min (.form-control, .form-select). Border #7B8A9C (3.5:1). Radius 8 px.
Label	Always visible above the field (.form-label, Inter 600 15 px, ink). No placeholder-only labels.
Help text	.form-text below, 13 px muted. Show units and defaults with their source here.
Units	Use .input-group with .input-group-text on the right (L, m ² , min, +91 on the left).
Focus	Border #0A5DA8 + 3 px focus ring.
Invalid	.is-invalid: red border, Bootstrap icon, .invalid-feedback message in #A11F1F. On submit, an alert above the form summarises errors with links to fields.
Choice	≤ 4 options → segmented .btn-group of .btn-check radios. 5+ options → .form-select. Yes/no questions in Advisory → .form-check radios.
Validation timing	Validate on blur and on submit, never on every keystroke. The server re-validates (NFR-V1).

Badges

Property	Rule
Shape	.badge, 12 px Inter 600, radius 6 px. Status badges are .rounded-pill; severity badges are square-ish.
Status	Active = warning-subtle + filled dot; In progress = primary-subtle + arrow-repeat; Resolved = success-subtle + check. Classes .aw-badge-active/-progress/-resolved.
Severity	Low = neutral grey; Medium = blue tint; High = amber tint + triangle; Critical = solid red + octagon. Classes .aw-sev-*.
Rule	Every badge has an icon and a word. Tints use the dark text colour of their family (≥ 6.5:1).

Navbar

Property	Rule
Structure	.navbar.navbar-expand-lg.aw-navbar.sticky-top — white, 64 px min height, 1 px bottom border.
Brand	Logo mark (32 px gradient tile, droplet-half icon) + "AquaWise" in Manrope 700 with "Wise" in primary.
Links	Centred (.mx-auto). Inter 500 16 px. Hover: primary text on primary-subtle pill. Active: primary-dark, 600, subtle pill + aria-current="page".
Right side	Guest: "Log in" (outline) + "Sign up" (primary). Logged in: avatar button with name and role (role hidden below xl) opening a dropdown: Profile, My society, Log out.
Role logic	Dashboard link appears only when logged in. Society admin sees the same links; admin-only actions live on the dashboard.
Mobile	Collapses at < 992 px to a hamburger that opens .offcanvas-end with the same links stacked (48 px rows) and the auth buttons full width.

Alerts, toasts and emergency elements

Property	Rule
Inline alert	.alert with subtle tint + dark text + leading icon. Used for pre-fill notices, over-use results and form error summaries.
Toast	.toast bottom-right (desktop) or top (mobile), 6 px coloured left border, auto-hide after 5 s except errors.
Emergency strip	.aw-emergency: danger-subtle background, 6 px red left border, 112 as a tel: link. Shown on Home, Advisory, Report and in every critical result.
Skeletons	.aw-skeleton blocks at the size of the real content. Used for any load over 300 ms; spinners only inside buttons.

6. Screens

Each screen has: purpose and access, desktop layout (1440), mobile layout (390), the annotated desktop wireframe, the mobile wireframe, an annotation table, a states table and a states board. Clean versions without markers are in images/screens/ for rebuilding in Figma.

6.1 Home

Route	Access	Purpose
/	Everyone	Explain AquaWise in one screen and send people to one of the three tools. Guests are the main audience.

Desktop layout (1440). 12-column container (1320). Hero: 6 / 5 columns with a 1-column offset — copy on the left, product preview card on the right, wave divider below. Stats: three 4-column cards. Features: three 4-column cards. How it works: one full-width card with three 4-column steps. Emergency strip: full width. Tips: three 4-column cards. Footer: 4 / 2 / 2 / 4.

Mobile layout (390). Everything stacks in one column. The hero buttons go full width and stack. The preview card sits under the hero copy. Stat, feature and tip cards stack with 24 px gaps. Emergency strip buttons wrap. The footer's two link columns sit side by side (col-6).

Annotations

#	Element	Component	Behaviour and details
1	Navbar (guest)	AppNavbar	Home active. Log in / Sign up on the right. Collapses to hamburger < 992 px.
2	Hero band	HeroSection	Navy #0B3B66, overline "UN SDG 6", display headline, lead paragraph, SVG wave in surface colour.
3	Hero calls to action	Button	Primary: "Calculate my usage" (btn-light on navy). Secondary: "Water emergency? Get steps" (btn-outline-light) → Advisory.
4	Product preview	UsagePreviewCard	Static example result (169.6 L, Over-use, gauge, top 3 bars). Not interactive; labelled "Example household".
5	Stats row	StatCard ×3	Big number + one line + source caption. Numbers from the requirements doc (WHO/UNICEF 2025, NITI Aayog 2018, CPHEEO).
6	Feature cards	FeatureCard ×3	Icon tile, title, one sentence, text link. Whole card is clickable (.aw-card-link).
7	How it works	StepList	Three numbered steps: Measure, Understand, Act.
8	Emergency strip	EmergencyStrip	Red-tinted strip with "Open Crisis Advisory" and "Emergency 112" (tel:112).
9	Tips teaser	TipCard (compact) ×3	Top three tips with "Saves ..." badge; "All tips" link to Tips.
10	Footer	AppFooter	Brand, tool links, society links, emergency numbers (112, BMC 1916), sources link.

States

State	What the user sees
Default (guest)	As rendered. Log in / Sign up in navbar.
Logged in	Navbar shows Dashboard + avatar menu. If the user has no society, a blue info alert under the navbar: "Join with a code to report problems."
Loading	Static page: no loading state of its own. During route changes a 3 px primary progress bar runs along the top.
Error	Offline: amber banner under the navbar ("You are offline. The calculator and advisory still work...") with Retry. Page content stays.
Empty	Not applicable: all content is static.




Figure 2. Home — desktop, 1440 px (annotated).




Figure 3. Home — mobile, 390 px (annotated; the long page is split into columns, read left to right).




Figure 4. Home — states board.

6.2 Water Usage Calculator

Route	Access	Purpose
/calculator	Everyone (save and history need login)	Collect household details, compute daily litres by activity, classify per-capita use against the norm and suggest the biggest savings (FR-C1 to FR-C12).

Desktop layout (1440). Page header with breadcrumb, title and a right-aligned “Formula v1.0 · Sources & method” group. Body row: form card col-lg-7, results card col-lg-5 (sticky, top 80 px, so it stays visible while editing). History card full width below.

Mobile layout (390). Form first, then results, then history. Form sections stack; paired fields go 2-up (col-6) for Adults/Children, everything else full width. After Calculate the page scrolls smoothly to the result card. History hides the “Total / day” column.

Annotations

#	Element	Component	Behaviour and details
1	Formula version + sources	Badge, Button	Shows formulaVersion; opens a modal listing every constant and its source (Section 7 of the requirements).
2	Calculator form	CalculatorForm	One card, five sections split by <hr>. All defaults pre-filled (FR-C2).
3	Household section	FormSection, NumberField, SelectField	Adults (1-20), Children (0-20), City type (sets the norm: 150 / 135 / 70 L).
4	Bathing mode	SegmentedControl	Shower / Bucket / Both. Shows the shower fields, bucket fields, or both.
5	Default with source	FieldHelp	Help text names the default and its source, with an info icon tooltip.
6	Actions	Button	“Calculate” (primary, large) and “Reset to defaults” (link).
7	Result card	ResultPanel	Header shows household size and city type. Sticky on desktop.
8	Band alert	BandAlert	Band name + icon + one sentence with the gap to the norm. Colour from the band table.
9	Usage gauge	UsageGauge	0-200+ lpcd scale with zones at 20, 55, 100, N, 200 and a marker at the user's value. Built from a div with a gradient and an absolutely positioned marker.
10	Where it goes	ActivityBars	Eight activities sorted by litres, each a Bootstrap .progress bar scaled to the largest, with litres and %. No chart library needed.
11	Biggest savings	SavingTipList	Top three changes with litres saved per day, and one line on the combined effect.
12	Save	Button	Logged in: “Save to history” → disabled “Saved” after success. Guest: “Log in to save this result”.
13	History	HistoryTable	Last 10 runs: date, total, per person, band badge, View (reloads inputs).

States

State	What the user sees
Empty	Result card shows an empty state: “Your result appears here”. History shows “No saved results yet”.
Loading	Result card switches to skeleton blocks; the button shows a spinner and “Calculating...”. Guests compute on the client instantly, so this is only for the server call.
Error	Validation: red field borders + messages, plus a summary alert at the top of the form with links to fields. Save failure: red toast, result stays on screen.
Success	Result appears; after saving, a green toast “Saved to history” and the button changes to “Saved”. A new row is added to History.

[Home](#) / [Calculator](#)

Water usage calculator

Estimate your household's daily water use and compare it with WHO and CPHEEO norms.

1 Formula v1.0

[Sources & method](#)

2

3

Household

Adults

Children

City type

2

2

Metropolitan (150 L noi

Age 18+

Bathing

4

How does your household bathe?

Shower

Bucket

Both

Showers per person per day

Minutes per shower

Shower head

1

7.8 min

Standard (9.5 L/min)

5

Default: US average, WRF 2016

Toilet & laundry

Toilet type

Machine loads per week

Washing machine

Standard (6 L/flush)

5

Standard (76 L/load)

Garden & taps

Garden area watered

Tap left running

Tap type

Dripping taps

0 m²

2 min/person

Standard (8.3 l

1

Optional: litres your household actually receives

6

Calculate

Reset to defaults

7

Your result

4 people - Metropolitan

Household total

Per person

678 L/day

169.6 L/day

8

Over-use

19.6 L per person above the 150 L metropolitan norm (CPHEEO).

9

0 20 55 100 150 200+

10

Where it goes

Bathing

295 L · 44%

Toilet

121 L · 18%

Utensils & cleaning

80 L · 12%

Taps left running

67 L · 10%

Laundry

54 L · 8%

Leaks

31 L · 5%

Drinking & cooking

30 L · 4%

Garden

0 L · 0%

11

Biggest savings

Efficient shower head

Saves 59 L/day

Fix the dripping tap

Saves 31 L/day

Efficient dual-flush toilet

Saves 24 L/day

All three efficient fixtures together: 144.7 L per person, within the norm.

12

Save to history

13

Your history

Last 10 runs

Figure 5. Water Usage Calculator — desktop, 1440 px (annotated).




Figure 6. Water Usage Calculator — mobile, 390 px (annotated; the long page is split into columns, read left to right).




Figure 7. Water Usage Calculator — states board.

6.3 Crisis Advisory

Route	Access	Purpose
/advisory	Everyone (Report needs login + society)	Turn a water problem into ordered first steps and the right contacts in three quick steps (FR-A1 to FR-A9).

Desktop layout (1440). Page header. Thin emergency strip. Step 1: five problem cards in one row (row-cols-xl-5). Below: questions card col-lg-4 and result card col-lg-8. Inside the result: steps col-md-6 and contacts col-md-6.

Mobile layout (390). Problem cards 2-up (row-cols-2), the fifth on its own row. The questions card comes next, then the result. Steps and contacts stack; the action buttons go full width. The red “Call 112” button goes full width in the banner.

Annotations

#	Element	Component	Behaviour and details
1	Immediate-danger strip	EmergencyStrip (slim)	Always visible above the tool: call 112 first if anyone is in danger.
2	Step heading	StepHeading	“1 · What is the problem?” Steps are numbered in headings, not a separate stepper, to stay simple.
3	Problem type cards	ProblemTypeCard ×5	Radio-card group (role="radiogroup"). Selected: 2 px blue border, tint, check icon.
4	Questions	QuestionGroup	1-3 radio questions for the chosen type (from the rule table). “Get guidance” submits.
5	Result card	AdvisoryResult	Header shows the severity badge and rule ID.
6	Critical banner	EmergencyBanner	Only for critical rules: red banner with a large “Call 112” tel: button (FR-A5).
7	Ordered steps	StepList	Numbered circles, one step per row, in stored order (FR-A3).
8	Contacts	ContactCard ×n	Role, name, when to call, and a tel: button. Society contacts come from the user’s society; 112 is red.
9	Actions	Button	“Report this to my society” (primary, opens Report pre-filled), Print, Copy steps.
10	Disclaimer	Caption	General guidance, not professional help; rule-set version.

States

State	What the user sees
Empty	No problem selected: cards unselected, with an empty state under them: “Choose the problem you are facing”. Questions and result are hidden.
Loading	“Get guidance” shows a spinner (“Finding guidance...”); the result area shows skeleton steps.
Error	Rules failed to load: red alert “Advisory is temporarily unavailable” with Call 112 and Try again. The 112 strip is always visible.
Success	Result shown. Critical rules add the red banner. Guests see “Log in to report” instead of “Report this to my society”.

[Home](#) / Crisis Advisory

Crisis advisory

Pick your problem, answer up to 3 questions and get ordered steps with the right contacts.

1

In immediate danger? Call **112** now, then come back.

2

1 - What is the problem?

3

Leakage

Dripping, seeping or burst pipes

No supply

No water from taps

Unsafe drinking water

Odd taste, smell or colour

Low pressure

Weak flow from taps

Contamination

Sewage, sediment or chemicals

4

2 - Tell us more

5

3 - What to do now

6

Act now: burst pipe near electrics

If anyone is hurt or there is a shock risk, call 112 first.

Call 112

7

Steps, in order

8

Who to contact

9

Report this to my society

10

General first-response guidance, not a substitute for professional help. Rule set v1.0.

Where is the leak?

☐ Tap or flush inside my flat

☐ Pipe joint, wall seepage or tank overflow

☒ Burst pipe or water flooding the floor

Is water near switches, meters or the lift?

☒ Yes

☐ No

☐ Not sure

Get guidance →

1

Move everyone away from the water.

2

Switch off the flat's main breaker only if you can reach it without standing in water.

3

Close the main inlet valve. If it is a common line, ask security to close the building valve.

4

Call your society admin. Call 112 for an electrical hazard or injury.

5

If the burst is on the road main, report it to the municipal helpline.

6

File a complaint so your society can track the repair.

Society admin

Anita Desai

Call right away

98200 00001

Maintenance

Ramesh Patil

For valves and repair

98200 00002

Municipal water (BMC)

BMC helpline

If the road main burst

1916

Emergency

Police · Fire · Ambulance

Injury or shock risk

112

Figure 8. Crisis Advisory — desktop, 1440 px (annotated).




Figure 9. Crisis Advisory — mobile, 390 px (annotated; the long page is split into columns, read left to right).




Figure 10. Crisis Advisory — states board.

6.4 Conservation Tips

Route	Access	Purpose
/tips	Everyone	A browsable list of practical changes, each with the litres it saves and its source, linked back to the calculator.

Desktop layout (1440). Page header with tip count. Toolbar row: category chips col-lg-7, search col-lg-3, sort col-lg-2. Featured banner full width. Tip grid row-cols-xl-3 (row-cols-md-2). Calculator CTA card at the bottom.

Mobile layout (390). Chips wrap onto two lines. Search and sort stack full width. The featured banner stacks its icon, text and button. Tip cards are one per row.

Annotations

#	Element	Component	Behaviour and details
1	Search	SearchInput	Filters by title and text as you type (debounced 250 ms).
2	Category chips	FilterChips	Single-select pill buttons: All, Bathroom, Kitchen, Laundry, Garden, Leaks, Society.
3	Sort	SelectField	Most litres saved (default) or A-Z.
4	Tip card	TipCard	Icon tile, category overline, title, one-sentence explanation, "Saves ..." badge, source caption and a "Try in calculator" link.
5	Featured tip	FeaturedTipBanner	Navy banner for the biggest single saving (old toilet, 83 L per person per day).
6	Calculator CTA	CtaCard	Sends users to the calculator to rank tips for their own household.

States

State	What the user sees
Empty	No matches: "No tips match "..."" with a "Clear search and filters" button.
Loading	Skeleton tip cards (icon block, two text lines, badge block) in the same grid.
Error	Empty-state card with a cloud icon: "Tips could not load" + Retry.
Success	Filtered grid with a result line: "Showing 2 tips in Leaks, sorted by litres saved".

[Home](#) / [Tips](#)

Conservation tips

Practical changes ranked by litres saved, each with its source.

9 tips

2

All

Bathroom

Kitchen

Laundry

Garden

Leaks

Society

1

Search tips

3

Most litres saved

5

BIGGEST SINGLE WIN

Replace an old single-flush toilet

Up to 83 L per person per day — more than a whole shower.

See how it applies to you

4

BATHROOM

Fit an efficient shower head

A 7.6 L/min head uses 20% less water than a standard 9.5 L/min one for the same shower.

Saves 14.7 L per shower

Source: EPA WaterSense

Try in calculator

BATHROOM

Cut your shower by 2 minutes

Two minutes less under a standard shower head.

Saves 18.9 L per shower

Source: EPA WaterSense

Try in calculator

LEAKS

Fix every dripping tap

A tap dripping once a second wastes more than 3,000 gallons a year.

Saves 31 L per tap per day

Source: EPA Fix a Leak

Try in calculator

KITCHEN

Turn the tap off while brushing

Two minutes of a running standard tap, avoided every day.

Saves 16.7 L per person per day

Source: EPA WaterSense

Try in calculator

KITCHEN

Fit tap aerators

An aerated 5.7 L/min tap instead of 8.3 L/min, for 2 minutes a day.

Saves 5.3 L per person per day

Source: EPA WaterSense

Try in calculator

BATHROOM

Replace an old single-flush toilet

A 6 L flush instead of a 23 L one, 5 flushes a day.

Saves 83 L per person per day

Source: EPA; WRF 2016

Try in calculator

LAUNDRY

Choose an efficient washing machine

An efficient machine uses 53 L a load instead of 76 L.

Saves 22.7 L per load

Source: ENERGY STAR

Try in calculator

GARDEN

Water only what the garden needs

Lawns need about 1 inch a week including rain; skip days after rain.

Saves 3.6 L per m² on rain days

Source: EPA WaterSense

Try in calculator

SOCIETY

Report common-area leaks early

Leaks on shared lines waste water for every flat. Report them to your society.

Saves Tracked on dashboard

Source: AquaWise

Try in calculator

6

See your own numbers

The calculator ranks these tips by how many litres they save in your home.

Open calculator

AquaWise

Smart water conservation and awareness portal. Mapped to UN Sustainable Development Goal 6: Clean Water and Sanitation.

TOOLS

[Calculator](#)
[Crisis Advisory](#)
[Tips](#)

SOCIETY

[Report a Problem](#)
[Dashboard](#)
[Join a society](#)

EMERGENCY

Police, fire, ambulance: **112**
Mumbai water complaints (BMC): **1916**

© 2026 AquaWise · Web Programming Laboratory mini-project, K J Somaiya

[Data sources & methodology](#)

Figure 11. Conservation Tips — desktop, 1440 px (annotated).




Figure 12. Conservation Tips — mobile, 390 px (annotated; the long page is split into columns, read left to right).




Figure 13. Conservation Tips — states board.

6.5 Report a Problem

Route	Access	Purpose
/report	Logged-in society members	File a complaint that is automatically routed to the right handler (FR-S9 to FR-S12).

Desktop layout (1440). Page header with a society/flat badge. Optional pre-fill alert. Form card col-lg-8; right column col-lg-4 with the routing preview, a “What happens next” timeline and an emergency note.

Mobile layout (390). The pre-fill alert, then the form, then the routing preview, timeline and emergency note. The severity segmented control keeps four equal buttons (Critical shows its icon). Submit goes full width.

Annotations

#	Element	Component	Behaviour and details
1	Pre-fill notice	InlineAlert	Shown when coming from Advisory: names the rule (LK-2). Dismissible.
2	Complaint form	ComplaintForm	One card; fields in the order people think: what, how bad, where, then details.
3	Category	SelectField	Six categories. Changing it updates the routing preview live.
4	Severity	SegmentedControl	Low / Medium / High / Critical, with help text defining Critical.
5	Location	SelectField	Own flat, common area, overhead tank, underground tank, road main.
6	Title	TextField	5–80 characters with a hint.
7	Description	TextArea + CharCounter	10–1000 characters, live counter bottom right.
8	Actions	Button	“Submit complaint” (primary, large) and Cancel (link).
9	Routing preview	RoutingPreview	Shows who will receive it, based on society contacts; falls back to the society admin (FR-S12).
10	What happens next	StatusTimeline	Active → In progress → Resolved, including the 7-day reopen rule.
11	Emergency note	EmergencyStrip (compact)	A complaint is not an emergency call; 112 for danger.

States

State	What the user sees
Empty	Not in a society: empty state “Join your society to report problems” with a join-code input and a “create a new society” link. Not logged in: redirect to Login, then back.
Loading	Submit shows a spinner (“Submitting...”) and all fields are disabled.
Error	Red alert above the form: “Could not file your complaint. Your text is kept.” Invalid fields are marked.
Success	The form is replaced by a confirmation card: big complaint number (AQW-2026-0019), the assigned contact, and “View on dashboard” / “Report another problem”.

AquaWise

HomeCalculatorCrisis AdvisoryTipsReport a ProblemDashboard

JPJaineel P. Resident

Home / Report a Problem

Report a problem

Tell Green Meadows CHS what is wrong. It is routed to the right person automatically.

Green Meadows CHS · Flat B-304

1

Pre-filled from Crisis Advisory rule LK-2. Check the details and submit.

×

2

3

Problem category

Leakage

▼

5

Where is it?

Inside my flat

▼

4

How serious is it?

Low

Medium

High

① Critical

Pre-filled from the advisory. Critical means act now: safety risk or no water at all.

6

Title

Leak at kitchen pipe joint, wall getting damp

5-80 characters. Say what and where.

7

Description

Water is leaking from the joint under the kitchen sink since this morning. I have closed the inlet valve under the sink. The wall behind is getting damp.

10-1000 characters. Include when it started and what you have tried.152 / 1000

8

Submit complaint

Cancel

9

Where this goes

Routed to · handles leakage

Ramesh Patil

Maintenance in-charge · 98200 00002

Chosen from your society's contact list by category. If no one handles it, it goes to the society admin.

10

What happens next

● Active

Your complaint gets a number and reaches the handler.

● In progress

The handler updates it with a note when work starts.

● Resolved

You can reopen it within 7 days if the problem returns.

11

Emergency? A complaint is not an emergency call. For injury, fire or shock risk call 112.

AquaWise

Smart water conservation and awareness portal. Mapped to UN Sustainable Development Goal 6: Clean Water and Sanitation.

TOOLS

[Calculator](#)[Crisis Advisory](#)[Tips](#)

SOCIETY

[Report a Problem](#)[Dashboard](#)[Join a society](#)

EMERGENCY

Police, fire, ambulance: **112**
Mumbai water complaints (BMC): **1916**

© 2026 AquaWise · Web Programming Laboratory mini-project, K J Somaiya

[Data sources & methodology](#)

Figure 14. Report a Problem — desktop, 1440 px (annotated).

[Home](#) / [Report a Problem](#)

Report a problem

Tell Green Meadows CHS what is wrong. It is routed to the right person automatically.

Green Meadows CHS · Flat B-304

1
Pre-filled from Crisis Advisory rule LK-2. Check the details and submit.

2
3
Problem category
Leakage

5
Where is it?
Inside my flat

4
How serious is it?
Low Medium High Critical

6
Title
Leak at kitchen pipe joint, wall getting

7
Description
Water is leaking from the joint under the kitchen sink since this morning. I have closed the inlet valve under the sink. The wall behind is getting damp.
10-1000 characters. Include when it started 152 / and what you have tried. 1000
8
Submit complaint
Cancel

9
Where this goes
Routed to · handles leakage
Ramesh Patil
Maintenance in-charge · 98200 00002
Chosen from your society's contact list by category. If no one handles it, it goes to the society admin.
10
What happens next
Active
Your complaint gets a number and reaches the handler.
In progress
The handler updates it with a note when

work starts.
Resolved
You can reopen it within 7 days if the problem returns.
11
Emergency? A complaint is not an emergency call. For injury, fire or shock risk call 112.

AquaWise

Smart water conservation and awareness portal. Mapped to UN Sustainable Development Goal 6: Clean Water and Sanitation.

TOOLS
[Calculator](#)
[Crisis Advisory](#)
[Tips](#)

SOCIETY
[Report a Problem](#)
[Dashboard](#)
[Join a society](#)

EMERGENCY

Police, fire, ambulance: **112**

Mumbai water complaints (BMC): **1916**

© 2026 AquaWise · Web Programming Laboratory mini-project, K J Somaiya

[Data sources & methodology](#)

Figure 15. Report a Problem — mobile, 390 px (annotated; the long page is split into columns, read left to right).

Report a Problem — states

EMPTY · USER NOT IN A SOCIETY (NOT LOGGED IN ... REDIRECT TO LOGIN)

Join your society to report problems

Complaints go to your society's handlers, so you need to be a member first. Ask your society admin for the 6-character join code.

JOIN CODE, E.G. GMX7K2
Join

[Or create a new society](#)

LOADING · SUBMITTING (FORM LOCKED)

Problem category
Leakage
Where is it?
Inside my flat

How serious is it?
Low Medium High Critical

Title
Leak at kitchen pipe joint, wall getting damp

Description
Water is leaking from the joint under the kitchen sink since this morning. I have closed the inlet valve under the sink. The wall behind is getting damp.

ERROR · SERVER/VALIDATION ERROR, CONTENT KEPT

Could not file your complaint. Your text is kept. Please fix the title and try again.

Problem category
Leakage
Where is it?
Inside my flat

How serious is it?
Low Medium High Critical

Title
Pipe

Description
Water is leaking from the joint under the kitchen sink since this morning. I have closed the inlet valve under the sink. The wall behind is getting damp.

SUCCESS · CONFIRMATION WITH COMPLAINT NUMBER

Complaint filed

Your complaint number is

AQW-2026-0019

Assigned to

Ramesh Patil · Maintenance

98200 00002

View on dashboard
Report another problem

Figure 16. Report a Problem — states board.

6.6 Society Dashboard

Route	Access	Purpose
/dashboard	Logged-in society members (admin controls for the society admin)	See every complaint in the society by status, open one, and — for the admin — move it forward with a note (FR-S13 to FR-S17).

Desktop layout (1440). Page header: society name, area, member count; right: join code with copy/regenerate (admin) and “Report a problem”. Three stat cards (col-4 each). Main row: complaints card col-xl-8 (toolbar, table, pagination) and a right column col-xl-4 with the complaint detail panel and local contacts.

Mobile layout (390). Header items stack; stat cards stay 3-up but compact. The toolbar stacks: status pills scroll horizontally, then category and search. The table becomes a list of complaint cards (d-md-none). Tapping a card opens the detail panel as a bottom .offcanvas (the wireframe shows that panel stacked below the list so its content is visible). Contacts come last.

Annotations

#	Element	Component	Behaviour and details
1	Join code	JoinCodeChip	Monospace code with Copy (all members) and Regenerate (admin only, with a confirm dialog).
2	Report CTA	Button	Primary “Report a problem” → Report screen.
3	Stat cards	StatCard ×3 (filter)	Active / In progress / Resolved counts. Clicking one filters the list and shows it as selected.
4	Status pills	NavPills	All / Active / In progress / Resolved with counts. Scrolls horizontally on mobile.
5	Category + search	SelectField, SearchInput	Small (sm) controls to keep the toolbar compact.
6	Complaint list	ComplaintTable / ComplaintCardList	Desktop table: No., title + category/location, severity, status, assigned, filed. The selected row is highlighted. Mobile: cards.
7	Detail panel	ComplaintDetail	Number, title, badges, description, assignee. Desktop: side panel. Mobile: offcanvas.
8	History	StatusTimeline	Every status change with who, when and the note (FR-S14). Newest first.
9	Update status (admin)	StatusUpdateForm	Only allowed next statuses; note required; primary button. Hidden for residents; the filer instead sees “Reopen” within 7 days.
10	Local contacts	ContactsPanel	Society contacts with tel: links; “Manage” (admin) opens a modal to edit.
11	Pagination	Pagination	20 per page (NFR-P4), with a “Showing 1–20 of N” label.

States

State	What the user sees
Empty	Stats show 0 and the list shows “No complaints yet — your society is all clear” + “Report a problem”. Filtered empty: “No in-progress complaints” + “Show all”.
Loading	Skeleton stat cards and five skeleton table rows.
Error	List failed: empty-state card “Could not load complaints” + Retry. Invalid status change: red toast with the reason.
Success	Green toast “Status updated to Resolved”; the row’s badge and the counts update without reloading.

[Home](#) / [Dashboard](#)

Green Meadows CHS

📍 Andheri East, Mumbai · 48 members · You are the society admin

1

Join code **GMX7K2**

2

[+ Report a problem](#)

3

Active

4

Tap to filter

In progress

3

Tap to filter

Resolved

12

Tap to filter

6

All 19 Active 4 In progress 3 Resolved 12

All categories

Search

No.	Complaint	Severity	Status	Assigned	Filed
AQW-2026-0019	Leak at kitchen pipe joint, wall ... Leakage · B-304	Medium	Active	R. Patil	2 h ago
AQW-2026-0018	No water on 5th floor since mor... No supply · A-502	High	In progress	A. Desai	Yesterday
AQW-2026-0017	Brown water from overhead tan... Contamination · Common	High	In progress	A. Desai	20 Sep
AQW-2026-0016	Weak flow in bathroom taps Low pressure · C-101	Low	Active	R. Patil	19 Sep
AQW-2026-0015	Overflowing tank on terrace Leakage · Terrace	Medium	Resolved	R. Patil	15 Sep

Showing 1–5 of 19

11

<

1

2

>

7

AQW-2026-0018

✕

No water on 5th floor since morning

High In progress No supply

All flats on the 5th floor of A wing have no water since 7 am. Other floors are fine.

Assigned: Anita Desai (society admin)

HISTORY

- In progress · Anita Desai · Yesterday 6:40 pm
"Pump motor tripped. Electrician called."
- Active · Filed by Meera S. (A-502) · Yesterday 9:10 am
Routed to Anita Desai (society admin).

9

Update status

Resolved

Motor repaired, supply restored at 11 am.

Update status

10

Local contacts

Manage

Anita Desai Society admin · all categories	98200 00001
Ramesh Patil Maintenance · leakage, low pressure	98200 00002
BMC water Municipal helpline	1916

Figure 17. Society Dashboard — desktop, 1440 px (annotated).




Figure 18. Society Dashboard — mobile, 390 px (annotated; the long page is split into columns, read left to right).




Figure 19. Society Dashboard — states board.

6.7 Login / Signup

Route	Access	Purpose
/login, /signup	Guests	Log in or create an account with minimal friction and clear, safe error messages (FR-S1 to FR-S3, NFR-S4).

Desktop layout (1440). Full-height split: col-lg-6 navy brand panel (logo, headline, three benefits) and col-lg-6 surface panel with the auth card centred (max 440 px). No main navbar; “Back to home” link below the card.

Mobile layout (390). The brand panel shrinks to a navy header strip with the logo only. The auth card takes the full width with 16 px side padding. Buttons are full width.

Annotations

#	Element	Component	Behaviour and details
1	Brand panel	AuthBrandPanel	Navy panel with three benefits. Hidden text on mobile, logo only.
2	Auth card	AuthCard	Title and subtitle change with the tab.
3	Tabs	NavTabs	“Log in” / “Sign up”, each with its own route so links can go straight to sign up.
4	Password field	PasswordField	Show/hide toggle button inside an input group (aria-pressed).
5	Submit	Button	Full-width large primary button.
6	Switch link	TextLink	“New to AquaWise? Create an account” (and the reverse on sign up).

States

State	What the user sees
Empty	Login: empty email and password. Sign up: name, email, +91 mobile, password with a live rules checklist (8–64 characters, a letter, a number).
Loading	Button shows “Logging in...” with a spinner and is disabled.
Error	401: generic red alert “Invalid email or password” (does not say which). 429: amber alert “Too many attempts. Try again in 15 minutes.” Sign up: field error for an already-registered email with a Log in link.
Success	Login: redirect to Dashboard (or back to the page that asked). Sign up: green toast “Account created” and a “Join your society” step with a code input and Skip.




Figure 20. Login / Signup — desktop, 1440 px (annotated).

1 AquaWise

2 Welcome back
Log in to save results and manage your society.

3 Log in Sign up

4 Email
you@example.com

5 Password
Your password

☐ Keep me logged in on this device

6 Log in

New to AquaWise? [Create an account](#)

[← Back to home](#)

Figure 21. Login / Signup — mobile, 390 px (annotated; the long page is split into columns, read left to right).

Login / Signup — states

EMPTY - LOGIN (DEFAULT)	EMPTY - SIGN UP WITH LIVE PASSWORD RULES	LOADING - LOGGING IN (BUTTON LOCKED)
Welcome back Log in to save results and manage your society. Log in Sign up Email you@example.com Password Your password ☐ Keep me logged in on this device Log in New to AquaWise? Create an account	Create your account It takes a minute. You can join your society next. Log in Sign up Full name Jaiheel Patel Email jaiheel@example.com Mobile number +91 98200 00003 Password •••••••• ☒ 8-64 characters ☒ At least one letter ☒ At least one number Create account	Welcome back Log in to save results and manage your society. Log in Sign up Email jaiheel@example.com Password •••••••• ☐ Keep me logged in on this device Log in New to AquaWise? Create an account
ERROR - WRONG CREDENTIALS (401) — GENERIC MESSAGE Welcome back Log in to save results and manage your society. Log in Sign up Invalid email or password. Check both and try again. Email jaiheel@example.com Password •••••••• ☐ Keep me logged in on this device Log in New to AquaWise? Create an account	ERROR - RATE LIMITED (429) Welcome back Log in to save results and manage your society. Log in Sign up Too many attempts. Try again in 15 minutes. Email jaiheel@example.com Password ••••••~• ☐ Keep me logged in on this device Log in New to AquaWise? Create an account	ERROR - SIGN UP, EMAIL ALREADY REGISTERED Create your account It takes a minute. You can join your society next. Log in Sign up Full name Jaiheel Patel Email jaiheel@example.com An account with this email already exists. Sign in Mobile number +91 98200 00003 Password ••••••~• ☒ 8-64 characters ☒ At least one letter ☒ At least one number Create account
SUCCESS - ACCOUNT CREATED - JOIN SOCIETY Account created Welcome, Jaiheel. Next, join your society. Join your society Enter the 6-character code from your society admin. 0MX7K2 Join Skip for now		

Figure 22. Login / Signup — states board.

7. Component inventory (React)

54 reusable components. Each wraps Bootstrap classes (react-bootstrap is optional; plain className works).

Suggested folder: src/components/<group>/<Name>.jsx.

Group	Component	Key props	Used on	Bootstrap base
Layout	AppNavbar	active, user, role	All except auth	navbar, offcanvas, dropdown
Layout	AppFooter	—	All except auth	grid, list-unstyled
Layout	PageHeader	title, subtitle, breadcrumb, actions	Calculator, Advisory, Tips, Report, Dashboard	breadcrumb, flex utilities
Layout	ProtectedRoute	requireSociety, requireRole	Report, Dashboard	— (react-router)
Layout	AuthLayout / AuthBrandPanel	children	Login / Signup	grid, min-vh-100
Feedback	EmptyState	icon, title, text, action	All data screens	text-center, button
Feedback	Skeleton	width, height, variant (text/card/row)	All data screens	custom .aw-skeleton
Feedback	InlineAlert	variant, icon, children, dismissible	Report, Calculator, Auth	alert
Feedback	ToastHost / useToast	variant, title, text	Global	toast, toast-container
Feedback	EmergencyStrip	size (full/slim/compact)	Home, Advisory, Report	custom .aw-emergency
Feedback	OfflineBanner	onRetry	Global	alert
Forms	NumberField	label, value, unit, min, max, step, help, error	Calculator	form-control, input-group
Forms	SelectField	label, options, value, help, size	Calculator, Report, Tips, Dashboard	form-select
Forms	TextField / TextArea	label, value, maxLength, counter, error	Report, Auth	form-control
Forms	SegmentedControl	name, options, value, onChange	Calculator, Report	btn-group, btn-check
Forms	RadioGroup	legend, options, value	Advisory	form-check
Forms	PasswordField	value, showRules	Auth	input-group, button
Forms	SearchInput	value, onChange, debounceMs	Tips, Dashboard	input-group
Forms	FormSection	icon, title, children	Calculator	custom heading
Display	Button (wrapper)	variant, size, icon, loading	All	btn
Display	StatusBadge	status	Dashboard, Report	badge rounded-pill
Display	SeverityBadge	severity	Advisory, Report, Dashboard	badge
Display	BandBadge / BandAlert	band, lpcd, norm	Calculator, Home	badge, alert
Display	StatCard	label, value, icon, selected, onClick	Home, Dashboard	card
Display	FeatureCard	icon, title, text, to	Home	card, stretched-link
Display	IconTile	icon, tone (blue/teal/red)	Many	custom .aw-icon-tile
Display	StepList	steps[], numbered	Home, Advisory	list-group
Display	StatusTimeline	items[]	Report, Dashboard	custom .aw-timeline
Display	ContactCard / ContactsPanel	role, name, phone, when, tone	Advisory, Dashboard, Report	card, list-group
Calculator	CalculatorForm	values, onChange, onSubmit, errors	Calculator	card, grid
Calculator	ResultPanel	result, saved, loggedIn, onSave	Calculator	card, sticky
Calculator	UsageGauge	lpcd, norm	Calculator, Home	custom .aw-gauge
Calculator	ActivityBars	byActivity	Calculator, Home	progress
Calculator	SavingTipList	tips[]	Calculator	list-group
Calculator	HistoryTable	runs[]	Calculator	table
Advisory	ProblemTypeCard	icon, title, text, selected	Advisory	card (radio)
Advisory	QuestionGroup	questions[], answers, onSubmit, loading	Advisory	card, form-check
Advisory	AdvisoryResult	rule, contacts, canReport	Advisory	card
Advisory	EmergencyBanner	title, text	Advisory	custom .aw-emergency
Tips	TipCard	tip	Tips, Home (compact)	card
Tips	FilterChips	options, value	Tips	btn-sm rounded-pill
Tips	FeaturedTipBanner	tip	Tips	card (hero colour)
Society	ComplaintForm	initial, onSubmit, loading, errors	Report	card, grid
Society	RoutingPreview	category, contacts	Report	card
Society	ConfirmationCard	complaintNo, assignee	Report	card
Society	JoinSocietyPrompt	onJoin	Report, Auth success	input-group
Society	JoinCodeChip	code, canRegenerate	Dashboard	border, code
Society	ComplaintTable / ComplaintCardList	items, selectedId, onSelect	Dashboard	table / card
Society	ComplaintDetail	complaint, isAdmin, onUpdate	Dashboard	card / offcanvas
Society	StatusUpdateForm	allowed[], onSubmit	Dashboard	form-select, textarea
Society	ManageContactsModal	contacts, onSave	Dashboard	modal
Society	Pagination	page, total, pageSize	Dashboard	pagination
Auth	AuthCard	tab	Login / Signup	card, nav-tabs
Auth	LoginForm / SignupForm	onSubmit, error, loading	Login / Signup	form

8. Figma build steps

Follow these in order. Frame and component names are the ones to create.

Set up the file

1. Create a Figma design file "AquaWise UI". Add pages: 00 Cover, 01 Foundations, 02 Components, 03 Desktop screens, 04 Mobile screens, 05 States, 06 Prototype.
2. On 03 and 04, drag in the clean PNGs (images/screens/*_desktop.png and *_mobile.png) at 100% as reference layers. Name them "ref · ...", set opacity 40% and lock them. Rebuild on top, then hide the references.
3. Install fonts locally from Google Fonts: Inter (400/500/600) and Manrope (600/700/800). Install the Bootstrap Icons font or a Bootstrap Icons community plugin.

Foundations (page 01)

4. Create colour styles (or Variables → collection "color") for all 20 tokens using the exact names and hex codes from Section 2, e.g. color/primary = #0A5DA8.
5. Create text styles for the 12 roles in Section 3, e.g. "Heading/H1" = Manrope Bold 32/40, -1% letter spacing. Add mobile variants for Display, H1, H2.
6. Create number variables for spacing 4, 8, 16, 24, 48 and radius 6, 8, 12.
7. Create effect styles: "Card" = drop shadow 0/1/2, #0F1B2A 4%; "Card hover" = 0/6/18, #0A5DA8 12%; "Focus ring" = spread 3, #0A5DA8 35%.
8. Create layout grids: "Desktop 1440" = 12 columns, 1320 max width (margin 60), gutter 24. "Mobile 390" = 4 columns, margin 12, gutter 24 (Bootstrap still has 12 columns; 4 is only a drawing aid).
9. Place the foundations image (images/foundations.png) beside your styles to check against.

Components (page 02) — build with auto layout and variants

10. Button: variants Type (primary, outline, secondary, danger, outline-danger, link, light) × Size (lg 48, md 40, sm 32) × State (default, hover, focus, disabled, loading). Properties: icon (boolean + instance swap), label (text).
11. Input: Type (text, number+unit, select, textarea, password) × State (default, focus, invalid, disabled). Include label, help text and error text as optional layers.
12. SegmentedControl: 2–4 segments, one selected.
13. Badge: Status (active, in progress, resolved), Severity (low, medium, high, critical), Band (6 bands), Saving.
14. Card: base, clickable (hover), selected. Plus composed cards: StatCard, FeatureCard, TipCard, ContactCard, ProblemTypeCard.
15. Navbar: Desktop (guest, resident, admin) and Mobile (closed, open offcanvas). Footer: desktop and mobile.
16. Feedback: InlineAlert (info, warning, danger, success), Toast (success, danger), EmergencyStrip (full, slim), EmptyState, Skeleton (text line, block, card, table row), Spinner-in-button.
17. Data: UsageGauge (marker position as a property), ActivityBar row, StatusTimeline item, Complaint table row (default, hover, selected), Complaint card, Pagination.

Desktop screens (page 03) — frame 1440 wide, height hug

18. Frames: "D-01 Home", "D-02 Calculator", "D-03 Crisis Advisory", "D-04 Tips", "D-05 Report a Problem", "D-06 Society Dashboard", "D-07 Login". Add "D-07b Sign up".
19. Apply the Desktop 1440 grid. Build each section as an auto-layout frame inside a 1320 container, using the column splits listed under "Desktop layout" for each screen in Section 6.
20. Use only component instances. Any custom element (gauge, timeline) should be a component too.

Mobile screens (page 04) — frame 390 wide

21. Frames: "M-01 Home" ... "M-07 Login", plus "M-00 Menu open" (offcanvas navbar) and "M-06b Complaint detail" (offcanvas).

22. Apply the Mobile 390 grid. Follow the “Mobile layout” notes in Section 6: stacked cards, full-width buttons, complaint cards instead of the table.

States (page 05)

23. For each screen, duplicate the relevant region into four frames named “<Screen> / Empty”, “/ Loading”, “/ Error”, “/ Success”. Use the state boards (images/states/*.png) as references.
24. For Login / Signup add “/ Error 401”, “/ Error 429”, “/ Error duplicate email”.

Prototype (page 06)

25. Link: Home CTA → Calculator; “Water emergency?” → Advisory; problem card → questions → result; “Report this to my society” → Report (pre-filled) → Success → Dashboard.
26. Set desktop flows at 1440 and mobile flows at 390 as separate starting points. Use “Smart animate” only for the offcanvas and the result appearing.
27. Before sharing: run a contrast plugin on every frame (targets: 4.5:1 text, 3:1 UI) and check every interactive element is at least 40 × 40 px.

Appendix A. Using aquawise.css

- Install: `npm i bootstrap bootstrap-icons`. In `src/main.jsx` import `"bootstrap/dist/css/bootstrap.min.css"`, `"bootstrap-icons/font/bootstrap-icons.css"`, then `"./styles/aquawise.css"` (order matters).
- Add the Google Fonts <link> from Section 3 to `index.html`.
- Use standard Bootstrap classes (`btn btn-primary`, `card`, `form-control`, `badge`). The theme is applied through CSS variables; custom helpers start with `.aw-` (`aw-card-link`, `aw-emergency`, `aw-gauge`, `aw-skeleton`, `aw-timeline`, `aw-badge-*`, `aw-sev-*`).
- The wireframe HTML files in `source/pages/` use CDN links and the same stylesheet, so any block can be copied into a JSX component (change `class` to `className`).

Appendix B. Files delivered

Path	Contents
AquaWise_UI_Design_Spec.docx / .pdf	This document
images/foundations.png	Palette, type, spacing and component sheet
images/screens/NN_screen_desktop.png, _mobile.png	Clean wireframes for Figma (14 images)
images/annotated/NN_screen_desktop_annotated.png, _mobile_annotated.png	Annotated wireframes (14 images)
images/states/NN_screen_states.png	States boards (7 images)
source/aquawise.css	Bootstrap 5.3 theme: tokens and component rules
source/pages/*.html	The Bootstrap wireframe pages (open in a browser; resize to see responsive behaviour)