

Top downregulated GO terms more enriched in microarray or RNAseq				
GO term	Enriched In	Median difference (microarray - RNAseq)	Raw p-value	Adjusted p-value
proton motive force-driven mitochondrial ATP synthesis	Microarray	1.35	4.41×10^{-4}	4.66×10^{-2}
purine nucleoside triphosphate biosynthetic process	Microarray	1.31	3.40×10^{-4}	3.89×10^{-2}
purine ribonucleoside triphosphate biosynthetic process	Microarray	1.31	3.40×10^{-4}	3.89×10^{-2}
morphogenesis of a branching structure	Microarray	9.82×10^{-1}	3.24×10^{-4}	3.89×10^{-2}
chemokine-mediated signaling pathway	Microarray	8.37×10^{-1}	4.78×10^{-4}	4.66×10^{-2}
cellular response to lectin	Microarray	8.23×10^{-1}	1.59×10^{-4}	2.47×10^{-2}
response to lectin	Microarray	8.23×10^{-1}	1.59×10^{-4}	2.47×10^{-2}
stimulatory C-type lectin receptor signaling pathway	Microarray	8.23×10^{-1}	1.59×10^{-4}	2.47×10^{-2}
single fertilization	Microarray	7.90×10^{-1}	1.01×10^{-4}	2.41×10^{-2}
cellular response to dopamine	Microarray	7.68×10^{-1}	5.31×10^{-6}	5.59×10^{-3}