# Package 'alphavantager'

March 1, 2020
Title Lightweight R Interface to the Alpha Vantage API
Version 0.1.2
<b>Description</b> Alpha Vantage has free historical financial information.  All you need to do is get a free API key at <a href="https://www.alphavantage.co">https://www.alphavantage.co</a> .  Then you can use the R interface to retrieve free equity information.  Refer to the Alpha Vantage website for more information.
<pre>URL https://github.com/business-science/alphavantager</pre>
<pre>BugReports https://github.com/business-science/alphavantager/issues License GPL (&gt;= 3)</pre>
Encoding UTF-8
LazyData true
<b>Depends</b> R (>= 3.3.0)
<b>Imports</b> dplyr (>= 0.7.0), glue (>= 1.1.1), httr (>= 1.2.1), jsonlite (>= 1.5), purrr (>= 0.2.2.2), readr (>= 1.1.1), stringr (>= 1.2.0), tibble (>= 1.3.3), tidyr (>= 0.6.3), timetk (>= 0.1.1.1)
Suggests tidyquant, testthat, knitr
RoxygenNote 7.0.2
NeedsCompilation no
Author Matt Dancho [aut, cre], Davis Vaughan [aut]
Maintainer Matt Dancho <mdancho@business-science.io></mdancho@business-science.io>
Repository CRAN
<b>Date/Publication</b> 2020-03-01 05:20:02 UTC
R topics documented:
alphavantager       2         av_api_key       2         av_get       3
Index 5

2 av\_api\_key

alphavantager

alphavantager: A lightweight R interface to the Alpha Vantage API

## **Description**

alphavantager: A lightweight R interface to the Alpha Vantage API

#### **Details**

The alphavantager package provides a lightweight interface to the Alpha Vantage API. Alpha Vantage is a free source for financial data that in many cases is more accurate than Yahoo Finance and Google Finance. Get a free API KEY at https://www.alphavantage.co. Then use the R interface functions av\_api\_key("YOUR\_KEY") to set the API key and the av\_get() function to get financial data.

av\_api\_key

Set the Alpha Vantage API Key

### **Description**

Set the Alpha Vantage API Key

### Usage

```
av_api_key(api_key)
```

### **Arguments**

api\_key

A character string with your Alpha Vantage API Key.

#### **Details**

The Alpha Vantage API key must be set prior to using av\_get(). You can obtain an API key at the Alpha Vantage Website.

#### Value

Invisibly returns API key once set. Use print method to view.

#### See Also

```
av_get()
```

av\_get 3

## **Examples**

```
## Not run:
av_api_key("YOUR_API_KEY")
av_get(symbol = "MSFT", av_fun = "TIME_SERIES_INTRADAY", interval = "15min", outputsize = "full")
## End(Not run)
```

av\_get

Get financial data from the Alpha Vantage API

## Description

Get financial data from the Alpha Vantage API

## Usage

```
av_get(symbol, av_fun, ...)
```

## **Arguments**

symbol	A character string of an appropriate stock or fund. See parameter "symbol" in Alpha Vantage API documentation.
av_fun	A character string matching an appropriate Alpha Vantage "function". See parameter "function" in Alpha Vantage API documentation.
	Additional parameters passed to the Alpha Vantage API. For a list of parameters, visit the Alpha Vantage API documentation.

## Details

**Get more than one symbol.** The Alpha Vantage API is setup to return one symbol per API call. Use the tidyquant::tq\_get() API to get multiple symbols.

#### Value

Returns a tibble of financial data

#### See Also

```
av_api_key()
```

4 av\_get

#### **Examples**

```
## Not run:
# SETUP API KEY
av_api_key("YOUR_API_KEY")
# ---- 1.0 STOCK TIME SERIES ----
# 1.1 TIME SERIES INTRADAY
av_get("MSFT", av_fun = "TIME_SERIES_INTRADAY", interval = "5min")
# 1.2 TIME SERIES DAILY ADJUSTED
av_get("MSFT", av_fun = "TIME_SERIES_DAILY_ADJUSTED")
# 1.3 QUOTE ENDPOINTS
av_get("MSFT", av_fun = "GLOBAL_QUOTE")
# ---- 2.0 FOREX ----
# 2.1 CURRENCY EXCHANGE RATES
data <- av_get("EUR/USD", av_fun = "CURRENCY_EXCHANGE_RATE")</pre>
# 2.2 FX INTRADAY
av_get("EUR/USD", av_fun = "FX_INTRADAY", interval = "5min")
# 2.3. FX DAILY
av_get("EUR/USD", av_fun = "FX_DAILY")
# ---- 3.0 TECHNICAL INDICATORS ----
av_get("MSFT", av_fun = "SMA", interval = "weekly", time_period = 10, series_type = "open")
# ---- 4.0 SECTOR PERFORMANCE ----
# 4.1 Sector Performance
av_get(av_fun = "SECTOR")
## End(Not run)
```

## **Index**

```
alphavantager, 2
av_api_key, 2
av_api_key(), 3
av_get, 3
av_get(), 2
```