Joggers · copied from garment (≈ size 116)

Overview · A4 tiles · 10 pages to print + this overview

Print at 100 % / "Actual size". Do NOT use "Fit to page".

Measure the control square before cutting.


Original parametric draft. Sew a test garment the first time you use this pattern.


5 × 5 cm
control square
measure it!

1 inch

How to assemble:


1. Print all pages at 100 %. Measure the control square (5 × 5 cm).
2. On every page, trim the left and top margin along the dashed line.
3. Lay the pages onto the grey glue areas of their neighbours as in the plan below:
   diamonds and lines must match exactly. Then glue them down.
4. Cut the pieces out along the solid cutting line (seam allowance is included).





Back leg

Joggers · copied from garment (≈ size 116)
cut 2 (mirrored pair) (Main fabric)
seam allowance 1.0 cm included




A2

A1|A2

5 × 5 cm
control square
measure it!

1 inch

A2/B2


A1/B1
Seam allowance 1.0 cm included
Grainline
B1
B1|B2
5 × 5 cm
control square
measure it!
1 inch
B1/C1

A2/B2

B1|B2

5 × 5 cm
control square
measure it!

1 inch

B2

B2/C2


(16)

C1

C1|C2

5 × 5 cm
control square
measure it!

1 inch



B2/C2
Waistband (elastic)
Joggers · copied from garment (≈ size 116)
cut 1 on fold (main fabric)
Fold
Grainline
place this edge on the fold
seam allowance 1.0 cm included
Stretch direction: along the length
◄ PLACE ON FOLD ►
C2
C1|C2
5 × 5 cm
control square
measure it!
1 inch
C2/D2

5 × 5 cm
control square
measure it!

1 inch

Front leg

Joggers · copied from garment (≈ size 116)
cut 2 (mirrored pair) (Main fabric)
seam allowance 1.0 cm included



D1

D1|D2

C2/D2


D1|D2

D2

5 × 5 cm
control square
measure it!

1 inch

D2/E2


D1/E1
E1
E1|E2
5 × 5 cm
control square
measure it!
1 inch

D2/E2

Grainline

Fold line

Leg cuff

Joggers · copied from garment (≈ size 116)

cut 2 (Rib knit)

seam allowance 1.0 cm included

Stretch direction: along the length

E2

E1/E2

5 × 5 cm

control square

measure it!

1 inch