Introcution to JavaScript

Nils Twelker

March 2023

Discord

https://discord.gg/W3QJrBwD6Z



What learned we last Week?

- Variables let x = 1
- · Data Types number , string , boolean , null , undefined
- Conversion between data types Number(), String(), Boolean()
- Operators + , , * , / , %
- Debugging with console.log()
- Comments // and /* */
- Run using node file.js and test with npm run test file.

Tipp: Dont forget to commit and push your changes

Goals of this week

- Comparing values
- Conditional Statements
- Loops
- Logical Operators
- Prompts

Loose Comparison

```
1 == 1 // true
1 == 2 // false
1 != 1 // false
1 != 2 // true
1 < 2 // true</pre>
1 > 2 // false
const isEqual = 11 == 10 // isEqual = false
```

When comparing two values of different types, JavaScript will try to convert one type into the other type.

```
1 == "1" // true
0 == false // true

"false" != true // false
1 != true // false
```

Strict Comparison

```
1 === 1 // true
1 === 2 // false
1 !== 1 // false
1 !== 2 // true
1 < 2 // true
1 > 2 // false
const isEqual = 11 === 10 // isEqual = false
```

Tipp: Use strict comparison whenever possible

Conditional Statements

```
if (condition) {
    // do something
if (condition) {
    // do something
} else {
    // do something else
```

```
if (condition) {
    // do something
} else if (condition) {
    // do something else
} else {
    // do something else
}
```

Example

```
const x = 1
if (x === 1) {
    console.log("x is 1")
} else if (x === 2) {
    console.log("x is 2")
} else {
    console.log("x is not 1 or 2")
}
```

Logical Operators

```
&& // and || // or ! // not
const x = 1; const y = 2;
if (x === 1 \& \& y !== 2) {
   // do something
if (!(x === 1) || y === 2) {
    // do something
```

Loops

```
while (condition) {
    // do something
   // do something
} while (condition)
for (let i = 0; i < 10; i++) {
    // do something
```

```
while(true) {
    // do something
    if (condition) { break }
for(let i = 0; i < 10; i++) {
    if (condition) { continue }
    // do something
```

Example

```
let i = 0
while (i < 10) {
    console.log(i)
    i++
for (let i = 0; i < 10; i++) {
    console.log(i)
```

Prompt

Get user input from the console.

```
// Needed to access the prompt function
import { prompt } from "../prompt.js"

const name = prompt("What is your name?")
console.log("Your name is: " + name)
```

Tipp: The function is normally not available in Node.js.

Tipp: The function always returns a string.

Tasks and Points

Goal is to get 100 Points.

- basic-branching 20
- basic-logical-operators 20
- basic-comparisons 20
- basic-loops 20
- basic-prompt 20
- · calculator 30
- · fibonacci 30

- fizzbuzz 30
- pyramid 30
- · quiz 40
- rock-paper-scissors 40