#### **Tables from the provided CSV files**

target

3	
id	val
1	Α
2	Α
3	
5	Α
8	Α
9	
10	

source

id	val
1	
2	В
4	В
8	В
9	В
10	
11	

#### **Objective**

Using the two tables (target and source), write SQL code to achieve the result table in each question

#### **Comments**

Greyed cells are not null-valued; They are grey so that id's are aligned properly

Empty white cells are null-valued

#### **Question 1 - update**

target

id	value
1	Α
2	Α
3	
5	Α
8	А
9	
10	

source

id	value
1	
2	В
4	В
8	В
9	В
10	
11	

result

100411	
id	value
1	
2	В
3	
5	Α
8	В
9	В
10	

## **Question 2 - merge**

target

id	value
1	Α
3	Α
3	
5	A A
8	Α
9	
10	

source

id	value
1	
2	В
4	В
8	В
9	В
10	
11	

result

id	value
1	
2	В
3	
4	В
5	Α
8	В
9	В
10	
11	

### **Question 3 - append**

target

target	
id	value
1	Α
2	Α
3	
5	A A
8	А
9	
10	

SOURCE

source		
id	value	
1	·	
2	В	
4	В	
8	В	
9	В	
10		
11		

result

id	value
1	Α
1	
2	Α
2	В
3	
4	В
5	Α
8	Α
8	В
9	В
9	
10	
10	
11	

### **Question 4 - update null fill**

target

id	value
1	Α
2	Α
3	
5	Α
8	Α
9	
10	

source

Source	
id	value
1	
2	В
4	В
8	В
9	В
10	
11	

result

id	value
1	Α
2	Α
3	
5 8	Α
8	Α
9	В
10	

#### **Question 5 - merge null fill**

target

target	
id	value
1	Α
2	Α
3	
5	Α
8	Α
9	
10	

source

Source	
id	value
1	
2	В
4	В
8	В
9	В
10	
11	

result

id	value
1	Α
2	Α
3	
4	В
5	Α
8	Α
9	В
10	
11	

#### **Question 6 - update override**

target

id	value
1	Α
2	Α
3	
5	Α
8	Α
9	
10	

source

id	value
1	
2	В
4	В
8	В
9	В
10	
11	

result

id	value
1	Α
2	В
3	
5	Α
8	В
9	В
10	

# **Question 7 - merge override**

target

id	value
1	Α
2	Α
3	
5	A A
8	Α
9	·
10	

source

id	value
1	
2	В
4	В
8	В
9	В
10	
11	

result

id	value
1	Α
2	В
3	
4	В
5	Α
8	В
9	В
10	
11	