

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Component/ Subcomponent/ Executable	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
1 (high) =>dsdf.pl	->HK Level 0 ->MOC Dayfile Save and decode keywords data for asd dayfile and save keywords to asd HK by APID series(s do.lev0_ asd_0004 ) -> dsdf.pl cronjob on producti on@j0.	<b>Email messages with this subject. JSOC: (1)WARNIN G: Ingesting MOC dayfiles: status:No files loaded today</b>	JSOC: WARNING: Ingesting MOC dayfiles:  status:No files loaded today Warning Message: -->Received count of <0> hkt files and count of <0> xml files from directory </tmp21/jsoc/sdo /mocprods/lzp>. -->When executing script </home/productio n/cvs/JSOC/proj/ lev0/scripts/hk/ dsdf.pl> from cron job.	Dayfile were not retrieved by process that retrieves the Level 0 dayfiles from MOC Product server. This should be done by 9PM PDT. Then this process looks for dayfiles. If none are there, an email is sent out to jsoc_ops. This causes other processes to fail because they are looking for dayfiles at 11PM.	<u>(1)Confirm the process that</u> retrieves Dayfiles from MOC is working. Check with Art or Hao. <u>(2-option a)</u> Once this is working the process will pick up dayfiles for lost day(s) and the current day and save dayfiles at 10PM-PDT. <u>(2-option b)</u> If needed we can start save of dayfiles for lost day as soon as we get files retrieved by process that gets files from MOC Product Server. ->login to j0 as production. % cd /home/production/cvs/JSOC/proj/ lev0/scripts/hk % dsdf.pl moc -->View log file to confirm saved dayfiles and decode asd dayfile. % view log-df-moc  <u>(3)There are processes that missed</u> getting dayfiles and processing. These needed-scripts(temporary quickly done scripts not officially checked into cvs) processes run as cron jobs between 11-11:30PM PDT on <a href="#">production@j0</a> . (NOTE:This script will be changed to using dsdf.pl once complete TRAC ticket #280)  By checking log files(log- doAPID17, log-doAPID19, log- doAPID21, log-doAPID38, log- doAPID40) can see if runs were successful. (a) Keyword Data for APID 19 to hmi.temperature_summary series(For Sebastien and Jesper) ->Go to directory to update manually script. % cd /home/production/cvs/JSOC/proj/ lev0/scripts/hk ->Change start day and end day in script to day(s) did not have day files. For example change \$i start value and 6 end value shown below: #(1)hardcode end day for month #for october 2008 use 1-31 days \$i=5; while (\$i < 6) {

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Component/ Subcomponent/ Executable	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
					<p>--&gt; Go into file and change:  % vi getFilesFromDayfile_019v2.pl  --&gt;Run  % getFilesFromDayfile_019v2.pl  b)APID 17,21,38,40 are less critical since these series are used by Master Pointing series to gather data. This data is used to up hmi.leg_status, hmi/aia iss series data. Since the master pointing series does not change HK lookup times often, this should not have a problem until we update the master pointer series. To do these updates. Repeat steps about described in 3a. Edit these files and then run. Remember v2 version in name of perl file is for hand editing and v3 version should not be touched(used for cronjobs).</p>

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Component/ Subcomponent/ Executable	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
2 (low-high) =>dsdf.pl	->HK Level 0 ->MOC Dayfile Save and decode keywords data for asd dayfile and save keywords to asd HK by APID series(s do.lev0_ asd_0004 ) -> dsdf.pl cronjob on producti on@j0.	<b>Email with subject:</b>  <b>JSOC:WARN ING:Inges ting MOC dayfiles: status:Po ssible error ingesting dayfile.</b>	Warning Message: -->Received count of <3> hkt files and count of <3> xml files from directory </home3/car1/cvs /JSOC/proj/lev0/ scripts/hk/pup_d ir>. -->When executing script </home/productio n/cvs/JSOC/proj/ lev0/scripts/hk/ dsdf.pl> from cron job. -->Check if there is problem. The dayfiles to ingest into data series and delete from directory did not match the count of the dayfiles received. -->Possibly a problem ingesting dayfiles in series because of bad setting of SUMSERVER parameter or SUMS could be not available. -->Possibly not an issue which was caused by the dayfiles not being ingested on previous day(s) therefore the file count received today does not match files ingested.	(1)This usually occurs after getting email described in item #1. The next day there are previous days files on the dropoff directory . So the amount we pick up from Art's pickup directory (128) does not equal the amount on the dropoff directory (128+128) . (2)If could not write to SUM/DRMS because it was down.	Action Problem Described(1): Probably not Problem. Confirm all 256 files were ingested by viewing log file(log- df-moc) and view the dayfiles are there in the three dayfile series for that day. Where three series are aia.hk_dayfile, hmi.hk_dayfile, sdo.hk_dayfile.  Action for Problem Described(2): Confirm when SUMS/DRMS is working. Then follow similar procedure shown for item #1. The difference here is that, you will sse dayfiles(64 dayfiles + 64 xml files) on the dropoff directory. Since we had files but could not save, so kept files there for manual work around.

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Componen t/ Subcompo nent/ Executab le	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
3 (high) =>gdfirt.pl	->HK Level 0 ->Real time Decode and save of keywords to asd series using Minute of data in RTMON Dayfile ->On <a href="#">producti on@j0_</a> cron job to start script. Script at /home /product ion/cvs/ JSOC/pro j/lev0/s cripts/h k.  % gdfirt.p l apid=129 pkt_size =128  % nohup monitor _df_rtm on.pl apid=129 &	<b>(1) j0 server down or crashed email from admins</b>  <b>(2) Email with subject: JSOC:WARN ING:INGES TING REALTIME DAYFILE FOR APID 129:Dayfi le does not exist</b>  <b>(3)Email with subject: JSOC:WARN ING:INGES TING REALTIME DAYFILE FOR APID 129:Dayfi le is not getting new packets</b>	(1)j0 server down or crashed. (2)Email message in body :Error Message: -->Dayfile </hmisdp- mon/log/packets/ 0x0081/20100204. 0x0081> is not probably there. -->This monitor script will continue running and resend another email notice if the data file is there and data starts flowing and stops again. -->To restart monitor enter command: /home/ production/cvs/J SOC/proj/lev0/sc ripts/hk/monitor _df_rtmon.pl apid=129 -->To stop monitor run command(user=pro duction):/home/p roduction/cvs/JS OC/proj/lev0/scr ipts/hk/stop_mon itor_df_rmon.pl apid=129	Possible Problems: (1)J0 server goes down because of crash or runs out of memory. (2)The j0 server loses nfs connectio n to /hmisd p- mon/log/p ackets directory or Lockheed is not feeding updates to dayfiles (3)See item above(2). Or could be a short delay when moving to next day at 5pmPDT.	<u>Action Problem Described(1):</u> Solution is to restart gdfirt.pl process with new LOG file marked with time restarted process. Restart monitor_df_rtmon.pl process.  a)Login into j0 as production user on terminal window. Execute: % nohup gdfirt.pl apid=129 pkt_size=128 > LOG-RT- APID0x081-2010.05.11.09_10:00:00 &  This process decodes minute of dayfile and saves keywords to sdo.lev0_asd_0004 series.  b)Log on to j0 on another terminal window and execute: % nohup monitor_df_rtmon.pl apid=129 &  This script monitors if dayfile is getting updated every 5 minutes, if not sends email warning.  c) View if passing when processing. Note the is one issue shown in the log file as failed when processing more then 1 minute of data at beginning of run. This is really ok. % tail -f <LOG-RT-<whatever>  d)View in LookData tool that data records are getting added to sdo.lev0_asd_0004.  <u>Action Problem Described(2):</u> -Check j0 can see directory /hmisdp-mon/log/packets. -Contact Rock on why Lockheed not updating data to dayfiles.  <u>Action Problem Described(3):</u> -Check j0 can see directory /hmisdp-mon/log/packets. -Contact Rock on why Lockheed not updating data to dayfiles.

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Component/ Subcomponent/ Executable	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
4 (high) =>gdfirt.pl	->HK Level 0 ->Real time Decode and save of keywords to asd series using Minute of data in RTMON Dayfile ->On <a href="#">production@j0</a> cron job to start script. Script at /home /production/cvs/ JSOC/proj/lev0/s cripts/hk. The cronjob script executio n with argument s:  gdfirt.pl apid=129 pkt_size =128	<b>(1)Email with subject: JSOC:ERROR: R:HK Level 0 Real Time Processing failed to decode minute dayfiles.</b>	(1)ERROR Message: -->Failed to decode dayfiles into keywords and write keywords to hk data series for apid <129>. -->Cause could be that DRMS is down or the drms series does not exist. -->When DRMS comes back up, this script will start to process dayfile were last processed data successfully. -->Minute Day File not decoded is:</tmp22/carl/ lev0/hk_minute_d ayfiles/20100607 .0x0081-0- minute> -->Next Email Alert will be sent in 1 hour if problem persists. -->Here is log from decode_dayfile executable showing error messages:	(1)Possible problems: (a)drms data base is down for service (b)drms data series does not exist.	<u>Action Problem Described(1a):</u> Check with team if drms database is down for service. If down, then as soon as comes back up the script will begin processing where last successfully processed data. Confirm in log file (/home/production/cvs/JSOC/proj/lev0/scripts/hk/log-gdfirt-apid-129) that the processing is being done successfully. If not successfully processing review log for reason why failing.  Sidebar 1: If the drms is down for less than two days and this process continues to run. The script will auto process previous days dayfile before starting processing of current dayfile(0 UTC = 5pmPDT). If greater than two day's of drms down, auto processing will not occur for previous files 2-n days back.  <u>Action Problem Described(1b):</u> First check the dataseries in log file is existing in drms by doing show_info <name>. If does not exist, will need to create using jsd files auto created at /home/production/cvs/TBL_JSOC/ lev0/hk_jsd_file/prod using create_series. The script should write to series with no errors. Second check, since the gdfirt.pl calls decode_dayfile. decode_dayfile's series name setup could be incorrect in SOURCE_ENV_FOR_HK_DECODE_DAYFILE which is in directory /home/production/cvs/JSOC/ proj/lev0/apps. This name change could occur if the HK config files from Lockheed are updated.
5 (low) =>dsdf.pl	->HK	<b>Email message</b>	Warning Message: -->Received	The RT Dayfile	<u>(Step 1)Verify issue:</u> Check if RT dayfile in

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Component/ Subcomponent/ Executable	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
	Level 0 ->RTMON Dayfile Save of only ASD Dayfile -> >dsdf.pl cronjob on production@j0.	<b>with this subject: JSOC:WARNING:Ingesting RTMON dayfiles: status:Possible error ingesting dayfile.</b>	count of <1> hkt files and count of <1> xml files from directory </hmisdp- mon/log/packets> . -->When executing script </home/productio n/cvs/JSOC/proj/ lev0/scripts/hk/ dsdf.pl> from cron job. -->Check if there is problem. The dayfiles to ingest into data series and delete from directory did not match the count of the dayfiles received. -->Possibly a problem ingesting dayfiles in series because of bad setting of SUMSERVER parameter or SUMS could be not available. -->Possibly not an issue which was caused by the dayfiles not being ingested on previous day(s) therefore the file count received today does not match files ingested.	was not saved to dayfile series.  Possible problems: (1)SUMS/D RMS down so could not save files.  (2)Path setup to pickup or drop off dayfile was not correct.  (3)No dayfile on /hmisd p-mon server.  (4)J0 has no access to hmisdp- mon server.	sdo.hk_dayfile series where date is day of problem and source=rtmon. Check log file at log-df-rtmon for information on warning. Check for dayfile at drop directory defined in dsdf.pl and pickup directory in ingest_dayfile.pl  (Step 2)Manual save RT dayfile that failed last night. Execute the manual command to save asd rtmon dayfile to sdo.hk_dayfile. ssh or login to j0 as production user. Since we are save only asd files(apid in hex use 81) use command with apid=81. Set merged value to 0 which mean save dayfile only. Utilize src=rtmon because file is in rt filename format. The dsnlist is a map to tell script were save dayfile.  a)Save dayfile: % cd /home/production/cvs/JSOC/proj/ lev0/scripts/hk  % ingest_dayfile.pl apid=81 dsnlist=./df_apid_ds_list_for_rtmo n src=rtmon merged=0  b)Verify files save by checking LookData tool with sdo.hk_dayfile.  c)Clean files: % cd /tmp21/production/lev0/hk_rtmon _dayfile % rm <files saved> % vi DF_DELETE_FILE_LIST_RTMON (Remove files saved already)  (Step 3)Fix issue, if needed to, described in list issues in Problem Description column. Verify tomorrow no warning email is send. Verify log has no errors.

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Componen t/ Subcompo nent/ Executab le	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
6 (low) =>dsdf.pl	->HK Level 0 ->RTMON Dayfile Save of only ASD Dayfile - >dsdf.pl rtmon cronjob on producti on@j0.	Email message with this subject: <b>JSOC:WARN ING:Inges ting RTMON dayfiles: status:no file loaded today.</b>	Similar to item #1 except this is for RTMON or Real time day files. This RTMON refers to HK_SOURCE keyword setting in <aia hmi  sdo>.hk_dayfile series.	(1)Path setup to pickup or drop off dayfile was not correct. (2)No dayfile on /hmi- sdp server. (3)J0 has no access to hmi- sdp server therefore cannot reach dayfile.	<u>(Step 1) Check with j0 see</u> hmisdp- mon directory. Check if asd dayfile there(apid is 0x81).  <u>(Step 2) Follow similar step as</u> item #3

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Component/ Subcomponent/ Executable	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
7 (high) =>dsdf.pl	->HK Level 0 ->RTMON Dayfile Save of only ASD Dayfile -> >dsdf.pl rtmon cronjob on production@j0.	Email message with this subject: <b>Subject:</b> <b>JSOC:WARNING:M3SD Processing of six RTMOC dayfiles into housekeeping data series was NOT done.</b>	Warning Message: -->Did not process the expected <6> dayfiles using load_m3sd executable. -->Only processed <12> dayfile(s) -->Check if the dayfiles for apid 17, 19, 21, 38, 40 and 44 have been retrieved and ingested in < hmi   aia >.hk_dayfile series . -->If dayfiles exist, get dayfiles and rerun with load_m3sd executable.	(1)Path setup to pickup or drop off dayfile was not correct. (2)No dayfile on /hmi- sdp server. (3)J0 has no access to hmi- sdp server therefore cannot reach dayfile. (4)DRMS down so could not save decoded keywords to series and save dayfiles to series.	<u>(Debug Problem 1)</u> Check drop off directory there on j0. Check pick up directory there. Check paths in script dsdf.pl for rtmon processing. % ls /tmp22/production/lev0/hk_hsb_d ayfile  % ls /hmisdp- mon/log/packets/0x0011/  <u>(Debug Problem 2)</u> Check if j0 machine sees hmisdp- mon directory. Check if asd dayfile there(apid is 0x81), and decimal apid 17(0x11), 19(0x013,21(0x015),38,40 and 44 are there. % ls /hmisdp- mon/log/packets/0x0011/  <u>(3)Debug Problem 3)</u> Check if j0 machine sees hmisdp- mon directory. Do ls for files. %ls /hmisdp- mon/log/packets/0x0011/  <u>(4)Debug Problem 4)</u> Check if DRMS is down.  ACTION for (1)-(4) (a) Determine if need to run manually processing for 6 apids -Check series for missing records. Use log file to see usually count of records load per day for each series and check if records missing. (b)If have missing record will need to rerun load_m3sd executable as <a href="#">production@j0.</a> <u>(c)</u> If moc dayfile processing already ran and still have missing records per day. Then after running load_m3sd with rtmon dayfile then run load_m3sd with moc dayfile. (d)Save rtmon dayfile(17,19,21,etc) using ingest_dayfile.pl script using src=rtmon.



## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Component/ Subcomponent/ Executable	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
8. (low) =>getdf.pl	->HK Level 0 ->HSB Dayfile Save >getdf.pl hsb cronjob on production@j0.	Email message with subject: <b>JSOC:WARNING:Ingesting HSB dayfiles: status: Found Old HSB</b>	Warning Message: --> When checked the HSB Directory found one issue requiring action. --> ISSUE Found: (1)Old Dayfile(s) were found and need	(1)There was reprocessing of older telemetry data. The ingest_level v0 executable write	<u>Action for Problem Described(1):</u> Step(1)(a)Confirm with Jim and Hao that the dayfiles created were from production telemetry data. Now we begin a manual process to save hsb dayfiles. See steps 1b-1e. Step (1)(b) go to <a href="#">production@j0</a> % ssh -l production j0 % cd /home/production/cvs/JSOC/proj/lev

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Component/ Subcomponent/ Executable	Error or Warning	Total Message	Problem Described	Solution/ Actions Required
		<b>Dayfile Not Processed -&gt;Action Required</b>	to be loaded in dayfile series. --> ACTIONS To Do: (1)Run ingest_dayfile.p l with src=hsb_r to load these old dayfiles. Then confirm loaded in hk_dayfile series and then delete each dayfile(s). --> List of <18> Old Dayfile(s) are: hsb_0478_2010_09 _29_03_20_51_00. hkt hsb_0475_2010_09 _14_00_36_04_00. hkt hsb_0451_2010_09 _14_00_36_59_00. hkt . . .	HK packets to HSB dayfile. The regular process that save HSB dayfiles only saves current days dayfile. It does not save older dated dayfiles.	0/scripts/hk  Step(1)(c)Save files in dayfile series using script. For day 9/29 use this. Important to note to use hsb_r. Also do not save or delete current dayfiles being updated, let auto process do this(getdf.pl hsb). ==>Best Way %ingest_dayfile.pl apidlist=./df_apid_list_day_fil e_hsb_r start=2000929 end=2000929 dsnlist=./df_apid_ds_list_for_h sb_r src=hsb_r merged=0 ==>Slower Way % ingest_dayfile.pl apid=48 start=2000929 end=2000929 dsnlist=./df_apid_ds_list_for_h sb_r src=hsb_r merged=0 ..... (repeat command with different times and/or apid as needed) Step 1(d) Now, check got loaded using lookdata web tool for <aia   hmi>.hk_dayfile  Step 1(e) Clear list of old hsb dayfiles to delete from DF_DELETE_FILE_LIST located in /home/production/cvs/JSOC/pr oj/lev0/scripts/hk.  This step needs to be done because the auto script getdf.pl uses DF_DELETE_FILE_LIST file too.  Step 1(f) Remove files from tmp22 %rm /tmp22/production/lev0/hk_h sb_dayfile/*_09_29*

## HK Level Zero Code Debug Guide(version 12 on 1/12/2010)

Item # (priority) =>exec or script name	Module Componen t/ Subcompo nent/ Executab le	Error or Warning	Total Message	Problem Described	Solution/ Actions Required