
Contents

1. Colour.....	2
2. Typography.....	2
3. Spacing.....	4
4. Layout & Grid.....	4
5. Webflow Breakpoints.....	5
6. Class Naming Conventions.....	6
7. Motion & Transitions.....	7
8. Rules — Do / Do Not.....	7

1. Colour

Two navy values create depth between sections. One orange is the single accent — used for every interactive and brand-led element. All type hierarchy on dark backgrounds is white at varying opacity. Never introduce a second accent colour.

Token	Value	Usage
Navy Dark	#0A1628	Nav, footer, ticker strip
Navy Mid	#0F1F38	Hero bg, dark section backgrounds
Orange	#FF4E00	Buttons, logo accent, active states, icons
Orange Tint	rgba(255,78,0,0.12)	Badge fills, icon circle backgrounds
Orange Border	rgba(255,78,0,0.35)	Badge and pill borders
Light BG	#F5F4F1	Light section backgrounds
Text Dark	#1A1A2E	Body text on light sections
Text Muted	#6B6B7A	Subtext and captions on light sections
White 100%	#FFFFFF	H1, stat numbers, logo
White 62%	rgba(255,255,255,0.62)	Body copy on dark sections
White 42%	rgba(255,255,255,0.42)	Captions, labels on dark sections
White 28%	rgba(255,255,255,0.28)	Tertiary text, ticker strip labels
Divider Dark	rgba(255,255,255,0.09)	Lines and rules on dark sections
Divider Light	rgba(0,0,0,0.08)	Lines and rules on light sections

2. Typography

Font family: Outfit (Google Fonts). Import weights 400, 500, and 700 only. Use a single family throughout — no mixing. Outfit is set in Webflow under Site Settings → Fonts.

Type scale — Desktop base (992px and above)

Element	Size	Weight	Line Height	Letter Spacing	Colour token
H1 — Hero headline	52px	700	1.06	−1.5px	White 100%
H2 — Section head	38px	700	1.10	−1px	Context
H3 — Card title	22px	600	1.20	−0.3px	Context
Body large	17px	400	1.65	0	Context
Body regular	15px	400	1.60	0	Context
Nav links	14px	500	1.00	0	White 60%
Button text	15px	700	1.00	−0.2px	White
Pill / badge label	12px	700	1.00	+0.6px	Orange
Stat numbers	21px	700	1.00	−0.5px	White 100%
Stat labels	12px	400	1.00	0	White 42%
Reassurance / fine	13px	400	1.50	0	White 42%

Type scale — Tablet (768px – 991px)

Element	Size	Weight	Notes
H1	42px	700	Reduce letter spacing to −1px
H2	30px	700	Reduce letter spacing to −0.5px
H3	20px	600	No change
Body large	16px	400	No change
Body regular	15px	400	No change
Nav links	Hidden	—	Replace with hamburger menu
Button text	15px	700	No change
Pill / badge label	12px	700	No change

Stat numbers	20px	700	No change
--------------	------	-----	-----------

Type scale — Mobile Landscape (480px – 767px)

Element	Size	Weight	Notes
H1	36px	700	Letter spacing –0.8px
H2	26px	700	Letter spacing –0.3px
H3	19px	600	No change
Body large	16px	400	No change
Body regular	15px	400	No change
Button text	15px	700	Buttons go full width
Pill / badge label	11px	700	No change
Stat numbers	18px	700	No change

Type scale — Mobile Portrait (320px – 479px)

Element	Size	Weight	Notes
H1	30px	700	Letter spacing –0.5px
H2	24px	700	No additional change
H3	18px	600	No change
Body large	16px	400	Use as standard body here — no size distinction
Body regular	15px	400	No change
Button text	15px	700	Always full width at this breakpoint
Pill / badge label	11px	700	Padding reduces to 5px 10px
Stat numbers	18px	700	No change

Only override values that genuinely change. Styles cascade down in Webflow — if tablet and mobile share the same value, set it once at tablet and let it inherit.

3. Spacing

All spacing is based on an 8px unit. Every gap, margin, and padding value must be a multiple of 8. Never use arbitrary values such as 13px or 27px.

Token	Value	Usage
xs	8px	Internal gaps, icon-to-text spacing
sm	16px	Tight element spacing within a component
md	24px	Standard spacing between elements
lg	32px	Spacing between components within a section
xl	48px	Between major content blocks; tablet section padding
2xl	72px	Section vertical padding — desktop default
3xl	96px	Hero and CTA section vertical padding

Section padding by breakpoint

Breakpoint	Section top/bottom	Container horizontal
Desktop (992px+)	72px – 96px	40px each side
Tablet (768 – 991px)	56px	32px each side
Mobile Landscape (480–767px)	48px	24px each side
Mobile Portrait (320–479px)	40px	20px each side

4. Layout & Grid

Max content width: 1200px, centred. Set this as the container max-width in Webflow. All multi-column layouts collapse to a single column at Mobile Portrait. Never allow horizontal scroll at any breakpoint.

Breakpoint	Columns	Gutter	Container max-width
Desktop (992px+)	12	24px	1200px
Tablet (768–991px)	8	20px	100%
Mobile Landscape (480–767px)	4	16px	100%
Mobile Portrait (320–479px)	4	16px	100%

Feature grids: 3 columns desktop → 2 tablet → 1 mobile. Testimonial/pricing grids: 2–3 desktop → 2 tablet → 1 mobile.

5. Webflow Breakpoints

Webflow's cascade is bidirectional from the Desktop base. Styles set on Desktop cascade DOWN through Tablet → Mobile Landscape → Mobile Portrait. The optional larger breakpoints (1280px, 1440px, 1920px) cascade UP from Desktop. Design desktop first, then work downwards.

Breakpoint	Width	Direction	Inherits from	Status
1920px	1920px	Up	1440px → Desktop	Optional — permanent once added
1440px	1440px	Up	1280px → Desktop	Optional — permanent once added
1280px	1280px	Up	Desktop	Optional — permanent once added
Desktop	992px+	Base	—	Default — start here
Tablet	768 – 991px	Down	Desktop	Default
Mobile Landscape	480 – 767px	Down	Tablet	Default
Mobile Portrait	320 – 479px	Down	Mobile Landscape	Default

Cascade rules to remember

- › Style panel changes cascade up and down. Element Settings panel changes apply to all breakpoints regardless.
- › Once you override a property at a smaller breakpoint, it no longer inherits from above. You own it.
- › Tablet styles cascade into Mobile Landscape and Mobile Portrait automatically unless overridden.
- › Adding a larger breakpoint (1280px+) is permanent — it cannot be removed from the project.
- › Test between breakpoints by dragging the canvas edge, not just clicking the preset icons.
- › Only the 4 default breakpoints are needed for TradeReach — do not add larger ones unless required.

6. Class Naming Conventions

All classes use a `tr-` prefix to namespace TradeReach styles and prevent conflicts. Structure follows a loose BEM pattern: `block`, `block__element`, `block--modifier`. Keep names lowercase, hyphenated, and semantic — name by purpose, not appearance.

Prefix rules

Pattern	Example	Usage
<code>tr-[block]</code>	<code>tr-card</code>	Standalone component root
<code>tr-[block]__[element]</code>	<code>tr-card__title</code>	Child element of a component
<code>tr-[block]--[mod]</code>	<code>tr-card--featured</code>	Variant or state of a component
<code>tr-btn-[variant]</code>	<code>tr-btn-primary</code>	Button variants
<code>tr-section-[name]</code>	<code>tr-section-hero</code>	Page section wrappers
<code>tr-container</code>	<code>tr-container</code>	Max-width content wrapper (1200px)
<code>tr-grid-[cols]</code>	<code>tr-grid-3</code>	Grid layout helpers
<code>is-[state]</code>	<code>is-active</code> / <code>is-hidden</code>	JS-toggled state classes

Component naming reference

Component	Root class	Key child classes
Navigation bar	<code>tr-nav</code>	<code>tr-nav__logo</code> , <code>tr-nav__links</code> , <code>tr-nav__cta</code>
Hero section	<code>tr-section-hero</code>	<code>tr-hero__headline</code> , <code>tr-hero__sub</code> , <code>tr-hero__cta</code>
Section header	<code>tr-section-header</code>	<code>tr-section-header__pill</code> , <code>__heading</code> , <code>__sub</code>
Pill / badge	<code>tr-pill</code>	<code>tr-pill__label</code>
Feature card	<code>tr-feature-card</code>	<code>tr-feature-card__icon</code> , <code>__title</code> , <code>__body</code>
Testimonial card	<code>tr-testimonial-card</code>	<code>tr-testimonial-card__quote</code> , <code>__author</code>
Pricing card	<code>tr-pricing-card</code>	<code>tr-pricing-card--featured</code> , <code>__price</code> , <code>__features</code>
CTA section	<code>tr-section-cta</code>	Reuses <code>tr-section-header</code> + <code>tr-btn-primary</code>
Footer	<code>tr-footer</code>	<code>tr-footer__links</code> , <code>tr-footer__legal</code>
Ticker / trade strip	<code>tr-ticker</code>	<code>tr-ticker__item</code>

Combo classes

Use Webflow combo classes for breakpoint-specific and context-specific overrides. The base class holds default (desktop) styles. Combo classes layer overrides on top.

Combo class	Applied on	Purpose
tr-section-header--center	Section header	Centre-aligns heading and pill on dark sections
tr-btn-primary--full	Button	Full-width button on mobile breakpoints
tr-pricing-card--featured	Pricing card	Orange border + 'Most popular' badge visible
tr-grid-3--collapse	Grid wrapper	Forces single column on tablet and below

Never use Webflow's auto-generated class names (e.g. 'div-block-14') — always rename every element before styling it.

7. Motion & Transitions

All transitions use 200ms ease-in-out. This applies globally — set it once in Webflow's global transition settings where possible, and override per-element only when a different duration is genuinely needed. Keep animation purposeful and fast.

Element	Transition property	Duration / Easing
All interactive elements	Inherit global setting	200ms ease-in-out
Button hover	background-color	200ms ease-in-out
Nav link hover	color, opacity	200ms ease-in-out
Card hover	border-color	200ms ease-in-out
Scroll reveal	opacity + transform (Y +8px)	300ms ease-out — on scroll trigger
Ticker / marquee	transform (continuous)	30s linear infinite

*Disable scroll-reveal interactions at Mobile Portrait via Webflow interaction conditions.
Never use parallax.*

8. Rules — Do / Do Not

Do	Do not
✓ Use Outfit at weights 400, 500, and 700 only.	✗ Never introduce a second accent colour alongside orange.
✓ Use #FF4E00 as the sole accent colour across the entire site.	✗ Never use pure black (#000000) — use #1A1A2E on light backgrounds.
✓ Name every Webflow element with a tr- prefixed class before styling.	✗ Never leave any element with an auto-generated Webflow class name.
✓ Use 8px-multiple values for all spacing (gaps, padding, margins).	✗ Never use arbitrary spacing values (e.g. 13px, 27px, 50px).
✓ Set transitions to 200ms ease-in-out globally.	✗ Never set body text below 15px on light or 14px on dark backgrounds.
✓ Design desktop first, then cascade changes downward through breakpoints.	✗ Never add the optional larger breakpoints (1280px+) unless required.

✓ Use borders (not box-shadows) to separate components on dark sections.	✗ Never use box-shadows on dark-section components — use borders instead.
✓ Left-align all body paragraphs longer than two lines.	✗ Never centre body paragraphs longer than two lines.
✓ Collapse all multi-column grids to a single column at Mobile Portrait.	✗ Never use parallax scroll effects.
✓ Use Webflow combo classes for variant and breakpoint-specific overrides.	✗ Never mix filled and outline icon styles on the same page.