

i noticed that after I added the first project right the work tree created well but then the page still kept on showing the "Created flighttrack. Refreshing workspace grid..." banner and didn't go till I manually refreshed the page so idk it's either it didn't refresh the page as claimed or just refused to go

Similar thing happened when I opened the actual project and I hit Runtime start or whatever and then I can now see two botting pills at the top beside the name of the project lmao

T

TakomiDX

Workspaces

agent0

Mission Control / Workspaces / flighttrack

2025-11-29_FLIGHT-TRACKER / AGENT/FLIGHTTRACK

\$0.002mws_mgt6cl9eca

flighttrack

bootingbooting

Runtime: booting / http://flighttrack.takomi.localhost/ / host warming

Docker is up, but the app inside is still warming. First boot may download `corepack` and pnpm packages into shared Docker cache volumes, then install dependencies into this workspace before the local preview URL starts responding.

Takomi has the preview host registered, but the host path is not live yet. Keep using the workspace page while the runtime or proxy health settles.

Open Preview Route

OPERATOR CONTROLS

Start a run, boot a preview runtime, and trigger browser validation without leaving Mission Control.

Runtime needs Docker plus a reachable image pull on first boot. node:22-alpine

Start runtime accepted. Polling container health and live logs now.

START RUN

AGENT LABEL

tadan session

BUDGET USD

5

Start Run

This creates the observability run record only. It does not boot Docker or open the preview by itself.

BOOT RUNTIME

COMMAND

sh -lc "corepack enable && pnpm install && pnpm dev --hostname 0.0.0

CONTAINER IMAGE

node:22-alpine

CONTAINER PORT

3000

HEALTH CHECK PATH

/

Fresh worktrees need an install step. For Next.js use: sh -lc "corepack enable && pnpm install && pnpm dev --hostname 0.0.0.0 --port 3000". For Vite use: sh -lc "corepack enable && pnpm install && pnpm dev --host 0.0.0.0 --port 5173".

Runtime Booting

Run Validation

LIVE RUNTIME FEED

POLLING LIVE

I noticed that the terminal is updating at an ungoly rate lmao is that meant to be or is that the best way about this lol

```
next-server (v15.5.12) X + v
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 39ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 134ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 46ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 124ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 41ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 125ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 34ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 107ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 39ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 113ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 35ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 100ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 31ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 103ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 33ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 101ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 34ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 112ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 52ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 135ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 33ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 122ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 39ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 123ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 44ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 143ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 50ms
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 130ms
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 200 in 39ms
```

the pnpm store that's been used is the one from my actual pc right?

what does this mean

START RUN

AGENT LABEL

Operator session

BUDGET USD


5

Start Run


This creates the observability run record only. It does not boot Docker or open the preview by itself.

what does it mean by observability run record only what's that and how does that help us hehe


Anything I hit run validation before I hit start runtime I always get this error and I am not sure why and also it never goes after the error shows sigh



and pressing the restart agent doesn't do anything or maybe I am missing something hehe



And as you can see even after restarting the thing it's still like this sigh



just hta tone of the booting pills is now failed lmao and the restart agent button is there but it doesn't do anything to my understanding

ok so I suddenly got this error while trying to open the

["http://flighttrack.takomi.localhost/"](http://flighttrack.takomi.localhost/)

note it opened succesfully but when I wet back to the dashboard to look at he stuffs at

["http://localhost:3000/workspaces/ws_mgt6cl9eca"](http://localhost:3000/workspaces/ws_mgt6cl9eca)

it crashe and gave me

Error Type

Runtime TypeError

Error Message

fetch failed

Next.js version: 15.5.12 (Webpack)

@takomi/mission-control:dev: GET /workspaces/ws_mgt6cl9eca 200 in 479ms

```
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 200 in 246ms
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 200 in 251ms
@takomi/mission-control:dev: GET /workspaces/ws_mgt6cl9eca 200 in 383ms
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 200 in 141ms
@takomi/agentd:dev: node:events:486
@takomi/agentd:dev: throw er; // Unhandled 'error' event
@takomi/agentd:dev: ^
@takomi/agentd:dev:
@takomi/agentd:dev: Error: write ECONNABORTED
@takomi/agentd:dev: at afterWriteDispatched (node:internal/stream_base_commons:159:15)
@takomi/agentd:dev: at writeGeneric (node:internal/stream_base_commons:150:3)
@takomi/agentd:dev: at Socket._writeGeneric (node:net:966:11)
@takomi/agentd:dev: at Socket._write (node:net:978:8)
@takomi/agentd:dev: at writeOrBuffer (node:internal/streams/writable:570:12)
@takomi/agentd:dev: at _write (node:internal/streams/writable:499:10)
@takomi/agentd:dev: at Writable.write (node:internal/streams/writable:508:10)
@takomi/agentd:dev: at Socket.ondata (node:internal/streams/readable:1008:24)
@takomi/agentd:dev: at Socket.emit (node:events:508:28)
@takomi/agentd:dev: at addChunk (node:internal/streams/readable:559:12)
@takomi/agentd:dev: Emitted 'error' event on Socket instance at:
@takomi/agentd:dev: at Socket.onerror (node:internal/streams/readable:1031:14)
@takomi/agentd:dev: at Socket.emit (node:events:508:28)
@takomi/agentd:dev: at emitErrorNT (node:internal/streams/destroy:170:8)
@takomi/agentd:dev: at emitErrorCloseNT (node:internal/streams/destroy:129:3)
@takomi/agentd:dev: at process.processTicksAndRejections (node:internal/process/task_queues:90:21) {
@takomi/agentd:dev:   errno: -4079,
@takomi/agentd:dev:   code: 'ECONNABORTED',
@takomi/agentd:dev:   syscall: 'write'
@takomi/agentd:dev: }
@takomi/agentd:dev:
@takomi/agentd:dev: Node.js v24.11.0
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 |   const { workspaceId } = await context.params;
@takomi/mission-control:dev: 9 |   const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 |     /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 |   {
@takomi/mission-control:dev: 12 |     method: "POST", {
@takomi/mission-control:dev: [cause]: [Error: read ECONNRESET] {
@takomi/mission-control:dev:   errno: -4077,
@takomi/mission-control:dev:   code: 'ECONNRESET',
@takomi/mission-control:dev:   syscall: 'read'
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 500 in 958ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
```

```
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: [Error: read ECONNRESET] {
@takomi/mission-control:dev: errno: -4077,
@takomi/mission-control:dev: code: 'ECONNRESET',
@takomi/mission-control:dev: syscall: 'read'
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 762ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: [Error: read ECONNRESET] {
@takomi/mission-control:dev: errno: -4077,
@takomi/mission-control:dev: code: 'ECONNRESET',
@takomi/mission-control:dev: syscall: 'read'
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: POST /api/workspaces/ws_mgt6cl9eca/runtime/refresh-health 500 in 881ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: [Error: read ECONNRESET] {
@takomi/mission-control:dev: errno: -4077,
@takomi/mission-control:dev: code: 'ECONNRESET',
@takomi/mission-control:dev: syscall: 'read'
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 986ms
@takomi/mission-control:dev: x [TypeError: fetch failed] {
@takomi/mission-control:dev: digest: '4245000239',
@takomi/mission-control:dev: [cause]: Error: write ECONNRESET
@takomi/mission-control:dev: at new Promise () {
@takomi/mission-control:dev: errno: -4077,
@takomi/mission-control:dev: code: 'ECONNRESET',
@takomi/mission-control:dev: syscall: 'write'
```

```
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: x [TypeError: fetch failed] {
@takomi/mission-control:dev: digest: '4245000239',
@takomi/mission-control:dev: [cause]: Error: write ECONNRESET
@takomi/mission-control:dev: at new Promise () {
@takomi/mission-control:dev: errno: -4077,
@takomi/mission-control:dev: code: 'ECONNRESET',
@takomi/mission-control:dev: syscall: 'write'
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 132ms
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 245ms
@takomi/mission-control:dev: GET /workspaces/ws_mgt6cl9eca 200 in 1173ms
@takomi/mission-control:dev: TypeError: fetch failed
```

```
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 232ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 280ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
```

```
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 238ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 243ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 213ms
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
```

```
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 213ms
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 217ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 186ms
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
```

```
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 232ms
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 246ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
```

```
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 196ms
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 217ms
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 203ms
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
```

```
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 175ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 199ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 187ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
```

```
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 155ms
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: GET /api/workspaces/ws_mgt6cl9eca/runtime/logs?tail=120 500 in 171ms
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
```

```
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 151ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 500 in 130ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 208ms
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
```

```
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 500 in 94ms
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 213ms
@takomi/mission-control:dev: × [TypeError: fetch failed] {
@takomi/mission-control:dev: digest: '1732824737',
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: × [TypeError: fetch failed] {
@takomi/mission-control:dev: digest: '1732824737',
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
```

```
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 500 in 600ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 740ms
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
```

```
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 500 in 328ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80")) || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 292ms
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: GET /workspaces/ws_mgt6cl9eca 200 in 5654ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 500 in 90ms
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
```

```
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 210ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 500 in 87ms
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
```

```
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 176ms
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 500 in 95ms
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 169ms
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async POST (app\api\workspaces[workspaceId]\runtime\refresh-
health\route.ts:9:20)
@takomi/mission-control:dev: 7 | ) {
@takomi/mission-control:dev: 8 | const { workspaceId } = await context.params;
@takomi/mission-control:dev: > 9 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
```

```

@takomi/mission-control:dev: 10 | /api/v1/runtime/workspaces/${workspaceId}/refresh-health ,
@takomi/mission-control:dev: 11 | {
@takomi/mission-control:dev: 12 | method: "POST", {
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: POST /api/workspaces/ws_h3e6uia387/runtime/refresh-health 500 in 109ms
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }
@takomi/mission-control:dev: TypeError: fetch failed
@takomi/mission-control:dev: at async GET (app\api\workspaces[workspaceId]\runtime\logs\route.ts:11:20)
@takomi/mission-control:dev: 9 | const url = new URL(request.url);
@takomi/mission-control:dev: 10 | const tail = Math.max(20, Math.min(200, Number(url.searchParams.get("tail") ??
"80") || 80));
@takomi/mission-control:dev: > 11 | const response = await agentdFetch(
@takomi/mission-control:dev: | ^
@takomi/mission-control:dev: 12 | /api/v1/runtime/workspaces/${workspaceId}/logs?tail=${tail} ,
@takomi/mission-control:dev: 13 | );
@takomi/mission-control:dev: 14 | {
@takomi/mission-control:dev: GET /api/workspaces/ws_h3e6uia387/runtime/logs?tail=120 500 in 191ms
@takomi/mission-control:dev: [cause]: Error: connect ECONNREFUSED 127.0.0.1:4000
@takomi/mission-control:dev: at (Error: connect ECONNREFUSED 127.0.0.1:4000) {
@takomi/mission-control:dev: errno: -4078,
@takomi/mission-control:dev: code: 'ECONNREFUSED',
@takomi/mission-control:dev: syscall: 'connect',
@takomi/mission-control:dev: address: '127.0.0.1',
@takomi/mission-control:dev: port: 4000
@takomi/mission-control:dev: }
@takomi/mission-control:dev: }

```

then another error

Error Type

Runtime TypeError

Error Message

fetch failed

```

at fetchAgentdJson (src\features\workspaces\data\workspace-detail-data.ts:835:20)
at getWorkspaceDetail (src\features\workspaces\data\workspace-detail-data.ts:920:21)
at WorkspaceActivityPage (app\workspaces\[workspaceId]\activity\page.tsx:10:18)

```

Code Frame

```
833 | async function fetchAgentdJson(pathname: string): Promise {
```

```
834 | const env = resolveMissionControlEnv();
```

```
835 | const response = await fetch(
```

```
|
```

```
^
```

```
836 | ${env.public.NEXT_PUBLIC_TAKOMI_AGENTD_BASE_URL}${pathname} ,
837 | {
838 | cache: "no-store",
```

Next.js version: 15.5.12 (Webpack)

"


"asdadas"

ULTIMATELY I HAD TO RESTART THE APP

the docker container kept running which is good though

after the restart the two pills that were showing booting now changed to running because that docker image had actually finished booting since but it was glitching on the ui and not switching to running consistently it was like going back and forth so maybe there is a race condition or something

I noticed that even though the preview was read and actually working in another tab the stuff just didn't work in the app dashboard



I tried opening the diff view and it broke the app again lmao

Error Type

Runtime TypeError

Error Message

fetch failed

```
at fetchAgentdJson (src\features\workspaces\data\workspace-detail-data.ts:835:20)
at getWorkspaceDetail (src\features\workspaces\data\workspace-detail-data.ts:920:21)
at WorkspaceDiffPage (app\workspaces\[workspaceId]\diff\page.tsx:11:18)
```

Code Frame

```
833 | async function fetchAgentdJson(pathname: string): Promise {
834 | const env = resolveMissionControlEnv();
```

```
835 | const response = await fetch(
```

```
| ^
```


```
836 | ${env.public.NEXT_PUBLIC_TAKOMI_AGENTD_BASE_URL}${pathname} ,
```

```
837 | {
```

```
838 | cache: "no-store",
```

Next.js version: 15.5.12 (Webpack)

so after the container ran succesfully i ran the validation stuff again and now it validated successfully so I think we shouldn't let the run validation button work if you are gonna straight up give errors lmao let it depend on if the docker container is fully booted and what not



also as you can see in the image despite the validation working now the failed pill is still there and the restart agent button is still there

then also on one of them particularly the one with the hwheel failed validation problem on the summary page I can see this card

Review Bundle

failed

Validation failed with 0 failed checks, 0 console errors, and 1 network failures.

Inspect the diagnostics, fix the failing behavior, and re-run validation before the run can complete.

Preview URL

<http://vibeforge3.takomi.localhost/>

but then on the one that doesn't have any error I can't see the card despite everything running fine at the moment

I tried running the validation on the one that has been working all this while and I am getting this weird

"fetch failed"

"Latest probe:Failed to execute 'json' on 'Response': Unexpected end of JSON input"

so IDK

let's look at these issues first before we move on