1997 CDS Child Assessments File Codebook

Number of Variables

339

CHLDREL97 "CHILD FILE RELEASE NUMBER 97"

NUM(1.0)

Release Number

Release 3:

1. The following Woodcock Johnson assessment variables were added to the dataset (percentile ranks $\,$

and W scores): Q3LWPR, Q3LWW, Q3PCPR, Q3PCW, Q3BRPR, Q3BRW, Q3CALPR, Q3CALW, Q3APPR, Q3APW, Q3BMPR, Q3BMW.

2. The following Woodcock Johnson assessment variables were recalculated (standardized scores):
Q3LW_SS, Q3PC_SS, Q3BRE_SS, Q3CAL_SS, Q3AP_SS, Q3BMA_SS.

Release 4: The following Woodcock Johnson assessment variables were updated: Q3LW_SS, Q3PC SS, Q3BRE SS, Q3AP SS, Q3BMA SS.

Count	<u> </u>	Value/Range	Code Value/Range Text
-	-	1	Release number 1 - May 1999
_	-	2	Release number 2 - March 2006
_	-	3	Release number 3 - January 2014
2,223	100.00	4	Release number 4 - March 2019

CHLDID97 "1997 INTERVIEW NUMBER"

NUM(5.0)

1997 PSID Main Family Interview Number

The values for this variable represent the 1997 interview number of the family.

<u>Count</u>	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Value/Range	Code Value/Range Text
2,048	92.13	1 - 6,353	1997 Core family interview number
175	7.87	10,001 - 10,444	1997 Immigrant familly interview number

CHLDSN97 "SEQUENCE NUMBER

97"

NUM(2.0)

1997 PSID Sequence Number

The values for this variable represent the 1997 Sequence Number of this individual.

Count	8	Value/Range	Code Value/Range Text
2,223	100.00	1 - 20	Sequence Number of individual

Q3AGE "AGE OF CHILD 97"

NUM(2.0)

Child's age

Interviewer checkpoint - approximate age at Child Interview

Count	<u>%</u>	Value/Range	Code Value/Range Text
2,223	100.00	3 - 13	CHILD'S AGE

2,204 19 23A1	% – 99.15 .85		Code Value/Range Text	
19 23A1		^		
)3A1	85	U	NOT SPANISH ADMINISTRATION	
	.03	1	SPANISH ADMINISTRATION	
		OOL 97" nt-Child's sch	nool status	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,685	75.80	1	CHILD IS IN SCHOOL	
538	24.20	2	CHILD IS NOT IN SCHOOL	
-	-	8	DK	
_	-	9	NA/REFUSED	
3 3A1A nterview		ENGLISH 97" nt-Child's lan	nguage	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
538	24.20	1	CHILD SPEAKS ENGLISH	
-	-	2	CHILD DOES NOT SPEAK ENGLISH	
-	-	8	DK	
_	_	9	NA/REFUSED	
1,685	75.80	0	Inap.: Q3A1 NE 2	
)3A2 Interview		S/HEARING AIDS	5 97" need glasses or hearing aid?	NUM(1.0)
Count	왕	Value/Range	Code Value/Range Text	
333	14.98	1	CHILD NEEDS GLASSES OR HEARING	AIDS
1,851	83.27	2	CHILD DOES NOT NEED THESE AIDS	
-	-	8	DK	
39	1.75	9	NA/REFUSED	
)3A3 That grade		RADE IN SCHOOL	<u> </u>	NUM(2.0)
Count _			Code Value/Range Text	
200	9.00	1	FIRST GRADE	
225	10.12	2	2ND GRADE	
198	8.91	3	3RD GRADE	
218	9.81	4	4TH GRADE	
	10.03	_	5TH GRADE	

218	9.81	6	6TH GRADE
118	5.31	7	7TH GRADE
26	1.17	8	8TH GRADE
1	.04	98	DK
555	24.97	99	NA/REFUSED
241	10.84	0	KINDERGARTEN OR Inap.: Q3AGE LT 5
Q3LW1 Letter Wo		IST ITEM 1 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
65	2.92		WRONG
2,153	96.85	1	CORRECT
_	_	8	DK
5	.22	9	NA/REFUSED
Q3LW2 Letter Wo		ST ITEM 2 97"	NUM(1.0)
Count 60	<u>*</u> 2.70		Code Value/Range Text WRONG
	97.08		CORRECT
2,130	<i>J1</i> .00		DK
5	.22		
5	. 22	9	NA/REFUSED
Q3LW3 Letter Wo		ST ITEM 3 97"	NUM(1.0)
			Code Value/Dance Mout
<u>Count</u> 66	2.97		Code Value/Range Text WRONG
2,152	96.81		CORRECT
-	_		DK
5	.22	9	NA/REFUSED
Q3LW4 Letter Wo		ST ITEM 4 97"	NUM(1.0)
Count	%		Code Value/Range Text
59	2.65		WRONG
2,159	97.12	1	CORRECT
-	-	8	DK
5	.22	9	NA/REFUSED

Q3LW5 Letter Wo	"LW TEST ord Item 5	ITEM 5 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
310	13.95	0	WRONG	
1,908	85.83	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 6	ITEM 6 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
306	13.77	0	WRONG	
1,912	86.01	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
Q3LW7 Letter Wo	"LW TEST ord Item 7	ITEM 7 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
397	17.86	0	WRONG	
1,821	81.92	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
Q3LW8 Letter Wo	"LW TEST ord Item 8	ITEM 8 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
381	17.14	0	WRONG	
1,837	82.64	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
Q3LW9 Letter Wo	"LW TEST ord Item 9	ITEM 9 97"		NUM(1.0)
Count			Code Value/Range Text	
451	20.29	0	WRONG	
1,767	79.49	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	

Q3LW10 Letter Wo	"LW TEST ord Item 10	ITEM 10 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
411	18.49	0	WRONG	
1,807	81.29	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 11	ITEM 11 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
452	20.33	0	WRONG	
1,766	79.44	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
Q3LW12	"LW TEST ord Item 12	ITEM 12 97"		NUM(1.0)
			a 1 1 /	
<u>Count</u> 442		·	Code Value/Range Text WRONG	
	79.89		CORRECT	
-	_		DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 13	ITEM 13 97"		NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
638	28.70	0	WRONG	
1,580	71.08	1	CORRECT	
-	_	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 14	ITEM 14 97"		NUM(1.0)
Count	%		Code Value/Range Text	
710	31.94	0	WRONG	
1,508	67.84	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	

	"LW TEST ord Item 15	ITEM 15 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
739	33.24	0	WRONG	
1,479	66.53	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 16	ITEM 16 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
797	35.85	0	WRONG	
1,421	63.92	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
Q3LW17 Letter Wo	"LW TEST ord Item 17	ITEM 16 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
808	36.35	0	WRONG	
1,410	63.43	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
Q3LW18 Letter Wo	"LW TEST ord Item 18	ITEM 18 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
847	38.10	0	WRONG	
1,371	61.67	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 19	ITEM 19 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
829	37.29	0	WRONG	
1,389	62.48	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	

	"LW TEST ord Item 20	ITEM 20 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
860	38.69	0	WRONG
1,358	61.09	1	CORRECT
-	-	8	DK
5	.22	9	NA/REFUSED
	"LW TEST ord Item 21	ITEM 21 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
839	37.74	0	WRONG
1,379	62.03	1	CORRECT
_	_	8	DK
5	.22	9	NA/REFUSED
Q3LW22 Letter Wo	"LW TEST ord Item 22	ITEM 22 97"	NUM(1.0)
Count	<u></u>	Value/Range	Code Value/Range Text
871	39.18	0	WRONG
1,347	60.59	1	CORRECT
-	-	8	DK
5	.22	9	NA/REFUSED
Q3LW23 Letter Wo	"LW TEST ord Item 23	ITEM 23 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
914	41.12	0	WRONG
1,304	58.66	1	CORRECT
-	-	8	DK
5	.22	9	NA/REFUSED
	"LW TEST ord Item 24	ITEM 24 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
932	41.93	0	WRONG
1,286	57.85	1	CORRECT
_	-	8	DK
5	.22	9	NA/REFUSED

	"LW TEST ord Item 25	ITEM 25 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
978	43.99	0	WRONG	
1,240	55.78	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 26	ITEM 26 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,001	45.03	0	WRONG	
1,217	54.75	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
Q3LW27 Letter Wo	"LW TEST ord Item 27	ITEM 27 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,014	45.61	0	WRONG	
1,204	54.16	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 28	ITEM 28 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,044	46.96	0	WRONG	
1,174	52.81	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 29	ITEM 29 97"		NUM(1.0)
			Code Value/Range Text	
1,104	49.66	0	WRONG	
1,114	50.11	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	

	"LW TEST ord Item 30	ITEM 30 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,117	50.25	0	WRONG	
1,101	49.53	1	CORRECT	
_	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 31	ITEM 31 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,104	49.66	0	WRONG	
1,114	50.11	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 32	ITEM 32 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,424	64.06	0	WRONG	
794	35.72	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
~	"LW TEST ord Item 33	ITEM 33 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,275	57.35	0	WRONG	
943	42.42	1	CORRECT	
_	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 34	ITEM 34 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,270	57.13	0	WRONG	
948	42.65	1	CORRECT	
_	-	8	DK	
5	.22	9	NA/REFUSED	

	"LW TEST ord Item 35	ITEM 35 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,211	54.48	0	WRONG	
1,007	45.30	1	CORRECT	
_	_	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 36	ITEM 36 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,285	57.80	0	WRONG	
933	41.97	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 37	ITEM 37 97"		NUM(1.0)
		Value/Bange	Code Value/Pange Toyt	
Count 1,484	<u>*</u>		Code Value/Range Text WRONG	
734	33.02	1	CORRECT	
_	_		DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 38	ITEM 38 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,452	65.32	0	WRONG	
766	34.46	1	CORRECT	
-	_	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 39	ITEM 39 97"		NUM(1.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text	
1,428	64.24	0	WRONG	
790	35.54	1	CORRECT	
_	-	8	DK	
5	.22	9	NA/REFUSED	

	"LW TEST ord Item 40	ITEM 40 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,510	67.93	0	WRONG	
708	31.85	1	CORRECT	
_	_	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 41	ITEM 41 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,548	69.64	0	WRONG	
670	30.14	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
~	"LW TEST ord Item 42	ITEM 42 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,341	60.32	0	WRONG	
877	39.45	1	CORRECT	
_	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 43	ITEM 43 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,817	81.74	0	WRONG	
401	18.04	1	CORRECT	
-	_	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 44	ITEM 44 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,880	84.57	0	WRONG	
338	15.20	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	

	"LW TEST ord Item 45	ITEM 45 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,868	84.03	0	WRONG	
350	15.74	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 46	ITEM 46 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,994	89.70	0	WRONG	
224	10.08	1	CORRECT	
_	_	8	DK	
5	.22	9	NA/REFUSED	
~	"LW TEST ord Item 47	ITEM 47 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,777	79.94	0	WRONG	
441	19.84	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 48	ITEM 48 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,927	86.68	0	WRONG	
291	13.09	1	CORRECT	
_	_	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 49	ITEM 49 97"		NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
1,893	85.16	0	WRONG	
325	14.62	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	

	"LW TEST ord Item 50	ITEM 50 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,993	89.65	0	WRONG	
225	10.12	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 51	ITEM 51 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,052	92.31	0	WRONG	
166	7.47	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
Q3LW52 Letter Wo	"LW TEST ord Item 52	ITEM 52 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,041	91.81	0	WRONG	
177	7.96	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 53	ITEM 53 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,019	90.82	0	WRONG	
199	8.95	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST ord Item 54	ITEM 54 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,073	93.25	0	WRONG	
145	6.52	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	

Q3LW55 Letter Wo	"LW TEST ord Item 55	ITEM 55 97"		NUM(1.0)
<u>Count</u> 2,180	98.07		Code Value/Range Text WRONG	
38	1.71	1	CORRECT	
-	-	8	DK	
5	.22	9	NA/REFUSED	
	"LW TEST rd Item 56	ITEM 56 97"		NUM(1.0)
Count		Value/Range	Code Value/Range Text	
2,178	97.98		WRONG	
40	1.80	1	CORRECT	
_	-	8	DK	
5	.22	9	NA/REFUSED	
-	"LW TEST ord Item 57	ITEM 57 97"		NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
	98.61		WRONG	
26	1.17		CORRECT	
_	_		DK	
5	.22	9	NA/REFUSED	
-	"LW RAW ard Raw Sco			NUM(2.0)
Sum total	of all 57	items		
Count	%		Code Value/Range Text	
2,218	99.78	0 - 57	ACTUAL SCORE	
5	.22	99	NOT ASCERTAINED	
	"LW STND rd Standar	SCORE 97" dized Score		NUM(3.0)
Count	<u> </u>		Code Value/Range Text	
2,194	98.70	34 - 200	ACTUAL SCORE	
29	1.30	999	NOT ASCERTAINED	

Q3PC1 Passage (EST ITEM 1 97" nsion Item 1		NUM(1.0)
Count	%	<u>Value/Range</u>	Code Value/Range Text	
86	3.87	0	WRONG	
1,436	64.60	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC2 Passage		est ITEM 2 97" nsion Item 2		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
102	4.59	0	WRONG	
1,420	63.88	1	CORRECT	
_	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC3 Passage (EST ITEM 3 97" nsion Item 3		NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
107	4.81		WRONG	
1,415	63.65	1	CORRECT	
_	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC4 Passage (EST ITEM 4 97" nsion Item 4		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
130	5.85	0	WRONG	
1,392	62.62	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC5 Passage (EST ITEM 5 97" nsion Item 5		NUM(1.0)
Count	<u>%</u>		Code Value/Range Text	
120	5.40	0	WRONG	
1,402	63.07	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3PC6 Passage (ST ITEM 6 97" sion Item 6		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
179	8.05	0	WRONG	
1,343	60.41	1	CORRECT	
_	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC7 Passage (ST ITEM 7 97" sion Item 7		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
165	7.42	0	WRONG	
1,357	61.04	1	CORRECT	
_	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC8 Passage (ST ITEM 8 97" sion Item 8		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
168	7.56	0	WRONG	
1,354	60.91	1	CORRECT	
_	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
		ST ITEM 9 97" sion Item 9		NUM(1.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text	
214	9.63	0	WRONG	
1,308	58.84	1	CORRECT	
_	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC10 Passage (_	ST ITEM 10 97" sion Item 10		NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
228	10.26	0	WRONG	
1,294	58.21	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3PC11 Passage (EST ITEM 11 97" nsion Item 11		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
239	10.75	0	WRONG	
1,283	57.71	1	CORRECT	
_	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC12 Passage (EST ITEM 12 97" nsion Item 12		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
356	16.01	0	WRONG	
1,166	52.45	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC13 Passage (_	EST ITEM 13 97" nsion Item 13		NUM(1.0)
Count	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Value/Range	Code Value/Range Text	
308	13.86	0	WRONG	
1,214	54.61	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC14 Passage (EST ITEM 14 97" nsion Item 14		NUM(1.0)
Count	%		Code Value/Range Text	
312	14.04	0	WRONG	
1,210	54.43	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC15 Passage (EST ITEM 15 97" nsion Item 15		NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
337	15.16	0	WRONG	
1,185	53.31	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3PC16 Passage		EST ITEM 16 97" nsion Item 16		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
431	19.39	0	WRONG	
1,091	49.08	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC17 Passage		EST ITEM 17 97" nsion Item 17		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
406	18.26	0	WRONG	
1,116	50.20	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC18 Passage	_	EST ITEM 18 97" nsion Item 18		NUM(1.0)
Count	-	Value/Range	Code Value/Range Text	
720	32.39		WRONG	
802	36.08	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC19 Passage		EST ITEM 19 97" nsion Item 19		NUM(1.0)
Count	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Value/Range	Code Value/Range Text	
743	33.42	0	WRONG	
779	35.04	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC20 Passage		EST ITEM 20 97" nsion Item 20		NUM(1.0)
Count			Code Value/Range Text	
774	34.82	0	WRONG	
748	33.65	1	CORRECT	
_	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3PC21 Passage		EST ITEM 21 97" nsion Item 21		NUM(1.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text	
761	34.23	0	WRONG	
761	34.23	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC22 Passage (EST ITEM 22 97" nsion Item 22		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
789	35.49	0	WRONG	
733	32.97	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC23 Passage (_	EST ITEM 23 97" nsion Item 23		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
667	30.00	0	WRONG	
855	38.46	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC24 Passage (EST ITEM 24 97" nsion Item 24		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,076	48.40	0	WRONG	
446	20.06	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC25 Passage (EST ITEM 25 97" nsion Item 25		NUM(1.0)
Count	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		Code Value/Range Text	
790	35.54	0	WRONG	
732	32.93	1	CORRECT	
_	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3PC26 Passage		EST ITEM 26 97" nsion Item 26		NUM(1.0)
Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text	
761	34.23	0	WRONG	
761	34.23	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC27 Passage		EST ITEM 27 97" nsion Item 27		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,212	54.52	0	WRONG	
310	13.95	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC28 Passage		EST ITEM 28 97" nsion Item 28		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,226	55.15	0	WRONG	
296	13.32	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC29 Passage		EST ITEM 29 97" nsion Item 29		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,187	53.40	0	WRONG	
335	15.07	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC30 Passage		EST ITEM 30 97" nsion Item 30		NUM(1.0)
Count	%		Code Value/Range Text	
1,306	58.75	0	WRONG	
216	9.72	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3PC31 Passage		EST ITEM 31 97" nsion Item 31		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,329	59.78	0	WRONG	
193	8.68	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC32 Passage		EST ITEM 32 97" nsion Item 32		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,365	61.40	0	WRONG	
157	7.06	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC33 Passage		EST ITEM 33 97" nsion Item 33		NUM(1.0)
Count		Value/Range	Code Value/Range Text	
1,452	65.32	0	WRONG	
70	3.15	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC34 Passage		EST ITEM 34 97" nsion Item 34		NUM(1.0)
Count	જે		Code Value/Range Text	
1,449		0	WRONG	
73	3.28	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC35 Passage		EST ITEM 35 97" nsion Item 35		NUM(1.0)
Count			Code Value/Range Text	
1,422		0	WRONG	
100	4.50	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3PC36 Passage		EST ITEM 36 97" nsion Item 36		NUM(1.0)
Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text	
1,480	66.58	0	WRONG	
42	1.89	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC37 Passage		EST ITEM 37 97" nsion Item 37		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,502	67.57	0	WRONG	
20	.90	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC38 Passage		EST ITEM 38 97" nsion Item 38		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,484	66.76	0	WRONG	
38	1.71	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC39 Passage		EST ITEM 39 97" nsion Item 39		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,495	67.25	0	WRONG	
27	1.21	1	CORRECT	
-	-	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3PC40 Passage		EST ITEM 40 97" nsion Item 40		NUM(1.0)
Count		·	Code Value/Range Text	
1,517	68.24	0	WRONG	
5	.22	1	CORRECT	
-	_	8	DK	
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3PC41 Passage		EST ITEM 41 97" nsion Item 41	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
1,518	68.29	0	WRONG
4	.18	1	CORRECT
-	_	8	DK
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6
Q3PC42 Passage	_	EST ITEM 42 97" nsion Item 42	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
1,508	67.84	0	WRONG
14	.63	1	CORRECT
-	_	8	DK
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6
Q3PC43 Passage		EST ITEM 43 97" nsion Item 43	NUM(1.0)
Count 1,518	<u>%</u> 68.29		Code Value/Range Text WRONG
4	.18	1	CORRECT
-	_	8	DK
701	31.53	9	NA/REFUSED OR Inap.: Q3AGE LT 6
	Compreher	AW SCORE 97" nsion Raw Score	NUM(2.0)
Sum tota	l of all	43 items	
Count	%		Code Value/Range Text
1,522	68.47	0 - 41	ACTUAL SCORE
701	31.53	99	NOT ASCERTAINED OR Inap.: Q3AGE LT 6
Q3PC_SS Passage		rnd score 97" nsion Standardi:	NUM(3.0) zed Score
Count	%	Value/Range	Code Value/Range Text
1,509	67.88	21 - 166	ACTUAL SCORE
714	32.12	999	NOT ASCERTAINED OR Inap.: Q3AGE LT 6

Q3BRE_SS Broad Rea		READING SCORE	97"	NUM(3.0)
			ion and Letter Word scores	
Count	%	Value/Range	Code Value/Range Text	
1,509	67.88		ACTUAL SCORE	
714	32.12	999	NOT ASCERTAINED OR Inap.: Q3AGE	LT 6
Q3CAL1 Calculati		rest item 1 97"		NUM(1.0)
Count		Value/Range	Code Value/Range Text	
48	2.16	0	WRONG	
1,469	66.08	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL2 Calculati	_	TEST ITEM 2 97" 2		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
63	2.83	0	WRONG	
1,454	65.41	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL3 Calculati		TEST ITEM 3 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
100	4.50	0	WRONG	
1,417	63.74	1	CORRECT	
_	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL4 Calculati		rest item 4 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
85	3.82	0	WRONG	
1,432	64.42	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3CAL5 Calculati		TEST ITEM 5 97" 5		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
243	10.93	0	WRONG	
1,274	57.31	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL6 Calculati		TEST ITEM 6 97" 6		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
212	9.54	0	WRONG	
1,305	58.70	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL7 Calculati		TEST ITEM 7 97" 7		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
213	9.58	0	WRONG	
1,304	58.66	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL8 Calculati		TEST ITEM 8 97" 8		NUM(1.0)
Count	%	·	Code Value/Range Text	
196	8.82	0	WRONG	
1,321	59.42	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL9 Calculati		TEST ITEM 9 97" 9		NUM(1.0)
Count			Code Value/Range Text	
451	20.29	0	WRONG	
1,066	47.95	1	CORRECT	
-	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Calculati	"CAL T on Item	EST ITEM 10 97 '	•	NUM(1.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text	
474	21.32	0	WRONG	
1,043	46.92	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL11 Calculati		EST ITEM 11 97 '	•	NUM(1.0)
Count	<u></u> %	Value/Range	Code Value/Range Text	
558	25.10	0	WRONG	
959	43.14	1	CORRECT	
_	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL12 Calculati		EST ITEM 12 97' 12	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
468	21.05	0	WRONG	
1,049	47.19	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL13 Calculati		EST ITEM 13 97'	,	
carcaraci	.OII ICEIII			NUM(1.0)
Count	<u>%</u>	13	Code Value/Range Text	NUM(1.0)
		13 Value/Range		NUM(1.0)
Count	22.31	13 Value/Range 0	Code Value/Range Text	NUM(1.0)
Count 496	22.31	Value/Range 0	Code Value/Range Text WRONG	NUM(1.0)
Count 496	22.31	Value/Range 0 1 8	Code Value/Range Text WRONG CORRECT	NUM(1.0)
Count 496 1,021	% 22.31 45.93 - 31.76 "CAL T	13 Value/Range 0 1 8 9 PEST ITEM 14 97	Code Value/Range Text WRONG CORRECT DK NA/REFUSED OR Inap.: Q3AGE LT 6	NUM(1.0)
Count 496 1,021 - 706	% 22.31 45.93 - 31.76 "CAL T	Value/Range 0 1 8 9 EST ITEM 14 97	Code Value/Range Text WRONG CORRECT DK NA/REFUSED OR Inap.: Q3AGE LT 6	
Count 496 1,021 - 706 23CAL14 Calculati	% 22.31 45.93 - 31.76 "CAL T	13 Value/Range 0 1 8 9 PEST ITEM 14 97 14 Value/Range	Code Value/Range Text WRONG CORRECT DK NA/REFUSED OR Inap.: Q3AGE LT 6	
	* 22.31 45.93 - 31.76 **CAL T on Item	13 Value/Range 0 1 8 9 EST ITEM 14 97 14 Value/Range 0	Code Value/Range Text WRONG CORRECT DK NA/REFUSED OR Inap.: Q3AGE LT 6	
Count 496 1,021 - 706 23CAL14 Calculati Count 571	% 22.31 45.93 - 31.76 "CAL T on Item	13 Value/Range 0 1 8 9 VEST ITEM 14 97 14 Value/Range 0 1	Code Value/Range Text WRONG CORRECT DK NA/REFUSED OR Inap.: Q3AGE LT 6 Code Value/Range Text WRONG	

Count \$ Value/Range Code Value/Range Text	NUM(1.0)		TEST ITEM 15 97 " 15		Q3CAL15 Calculati
898 40.40		ode Value/Range Text	Value/Range	%	Count
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL16 "CAL TEST ITEM 16 97" NUM(1.0) Calculation Item 16 Count * Value/Range Code Value/Range Text 777 32.70 0 WRONG 790 35.54 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL17 "CAL TEST ITEM 17 97" NUM(1.0) Calculation Item 17 Count * Value/Range Code Value/Range Text 497 22.36 0 WRONG 1,020 45.88 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL18 "CAL TEST ITEM 18 97" NUM(1.0) Calculation Item 18 Count * Value/Range Code Value/Range Text Q3CAL18 "CAL TEST ITEM 18 97" NUM(1.0) Calculation Item 18 Count * Value/Range Code Value/Range Text A49 33.33 0 WRONG 776 34.91 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL19 "CAL TEST ITEM 19 97" NUM(1.0) Calculation Item 19 Count * Value/Range Code Value/Range Text NUM(1.0) Calculation Item 19 Count * Value/Range Code Value/Range Text NUM(1.0)		RONG	0	27.85	619
Q3CAL16		ORRECT	1	40.40	898
Calculation Item 16 16 16 16 17 17 17 17		X	8	-	_
Count		A/REFUSED OR Inap.: Q3AGE LT 6	9	31.76	706
727 32.70 0 WRONG 790 35.54 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL17 "CAL TEST ITEM 17 97" NUM(1.0) Calculation Item 17 Count * Value/Range Code Value/Range Text 497 22.36 0 WRONG 1,020 45.88 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL18 "CAL TEST ITEM 18 97" NUM(1.0) Calculation Item 18 Count * Value/Range Code Value/Range Text 741 33.33 0 WRONG 776 34.91 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL18 "CAL TEST ITEM 18 97" NUM(1.0) Calculation Item 18 Count * Value/Range Code Value/Range Text 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6	NUM(1.0)				
790 35.54 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL17 "CAL TEST ITEM 17 97" NUM(1.0) Calculation Item 17 Count	 	ode Value/Range Text	Value/Range	%	Count
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL17 "CAL TEST ITEM 17 97" NUM(1.0) Calculation Item 17 Count		RONG	0	32.70	727
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL17 "CAL TEST ITEM 17 97" NUM(1.0) Calculation Item 17 Count		DRRECT	1	35.54	790
Count % Value/Range Code Value/Range Text		X	8	-	_
Count		A/REFUSED OR Inap.: Q3AGE LT 6	9	31.76	706
497 22.36 0 WRONG 1,020 45.88 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL18 "CAL TEST ITEM 18 97" NUM(1.0) Calculation Item 18 Count	NUM(1.0)				~
1,020 45.88 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL18 "CAL TEST ITEM 18 97" NUM(1.0) Calculation Item 18 Count		ode Value/Range Text	Value/Range	%	Count
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL18 "CAL TEST ITEM 18 97" NUM(1.0) Calculation Item 18 Count		RONG	0	22.36	497
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL18 "CAL TEST ITEM 18 97" NUM(1.0) Calculation Item 18 Count		DRRECT	1	45.88	1,020
Count % Value/Range Code Value/Range Text		K	8	-	-
Count % Value/Range Code Value/Range Text 741 33.33 0 WRONG 776 34.91 1 CORRECT - - 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL19 "CAL TEST ITEM 19 97" NUM(1.0) Calculation Item 19 Value/Range Code Value/Range Text		A/REFUSED OR Inap.: Q3AGE LT 6	9	31.76	706
741 33.33 0 WRONG 776 34.91 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL19 "CAL TEST ITEM 19 97" NUM(1.0) Calculation Item 19 Count % Value/Range Code Value/Range Text	NUM(1.0)				
776 34.91 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL19 "CAL TEST ITEM 19 97" NUM(1.0) Calculation Item 19 Count % Value/Range Code Value/Range Text		ode Value/Range Text	Value/Range	<u> </u>	Count
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL19 "CAL TEST ITEM 19 97" NUM(1.0) Calculation Item 19 Count % Value/Range Code Value/Range Text		RONG	0	33.33	741
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL19 "CAL TEST ITEM 19 97" NUM(1.0) Calculation Item 19 Count % Value/Range Code Value/Range Text		DRRECT	1	34.91	776
Q3CAL19 "CAL TEST ITEM 19 97" NUM(1.0) Calculation Item 19 Count % Value/Range Code Value/Range Text		K	8	-	_
Calculation Item 19 Count %Value/Range Code Value/Range Text		A/REFUSED OR Inap.: Q3AGE LT 6	9	31.76	706
	NUM(1.0)				-
814 36.62 0 WRONG	 			%	Count
		RONG	0	36.62	814
703 31.62 1 CORRECT		DRRECT	1	31.62	703
8 DK		X	8	-	-
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6		A/REFUSED OR Inap.: Q3AGE LT 6	9	31.76	706

Q3CAL20 Calculati		TEST ITEM 20 97 20	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
994	44.71	0	WRONG	
523	23.53	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL21 Calculati		TEST ITEM 21 97 21	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
985	44.31	0	WRONG	
532	23.93	1	CORRECT	
-	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL22 Calculati		FEST ITEM 22 97 22	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
938	42.20	0	WRONG	
579	26.05	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL23 Calculati		TEST ITEM 23 97 23	•	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
977	43.95	0	WRONG	
540	24.29	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
3CAL24 Calculati		rest item 24 97 24	•	NUM(1.0)
Count	%	·	Code Value/Range Text	
1,147	51.60	0	WRONG	
370	16.64	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Count % Value/Range Code Value/Range Text 1,132 50.92 0 WRONG 385 17.32 1 CORRECT - - 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL26 "CAL TEST ITEM 26 97" NUM(1.0) Calculation Item 26 VALUE (AUXILIARY CONTRACTOR) NUM(1.0)	
1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6	
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL26 "CAL TEST ITEM 26 97" NUM(1.0)	
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL26 "CAL TEST ITEM 26 97" NUM(1.0)	
Q3CAL26 "CAL TEST ITEM 26 97" NUM(1.0)	
Carcaracton recin 20	ı
Count % Value/Range Code Value/Range Text	
1,152 51.82 0 WRONG	
365 16.42 1 CORRECT	
8 DK	
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL27 "CAL TEST ITEM 27 97" NUM(1.0) Calculation Item 27	ı
Count % Value/Range Code Value/Range Text	
1,136 51.10 0 WRONG	
381 17.14 1 CORRECT	
8 DK	
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL28 "CAL TEST ITEM 28 97" NUM(1.0) Calculation Item 28	ı
Count % Value/Range Code Value/Range Text	
1,215 54.66 0 WRONG	
1,215 54.00 0 WRONG	
302 13.59 1 CORRECT	
302 13.59 1 CORRECT	
302 13.59 1 CORRECT 8 DK	l
302 13.59 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL29 "CAL TEST ITEM 29 97" NUM(1.0)	l
302 13.59 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL29 "CAL TEST ITEM 29 97" NUM(1.0) Calculation Item 29	<u> </u>
302 13.59 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL29 "CAL TEST ITEM 29 97" NUM(1.0) Calculation Item 29 Count % Value/Range Code Value/Range Text)
302 13.59 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL29 "CAL TEST ITEM 29 97" NUM(1.0) Calculation Item 29 Count 8 Value/Range Code Value/Range Text 1,268 57.04 0 WRONG)

Q3CAL30 Calculati		TEST ITEM 30 97 30	1	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,303	58.61	0	WRONG	
214	9.63	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL31 Calculati		rest item 31 97'	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,388	62.44	0	WRONG	
129	5.80	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL32 Calculati		TEST ITEM 32 97 ' 33	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,416	63.70	0	WRONG	
101	4.54	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL33 Calculati		rest item 33 97 '	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,409	63.38	0	WRONG	
108	4.86	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL34 Calculati		rest item 34 97' 34	•	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,459	65.63	0	WRONG	
58	2.61	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3CAL35 Calculati		TEST ITEM 35 97 ' 35	п	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,424	64.06	0	WRONG	
93	4.18	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL36 Calculati		r est item 36 97 ' 36	,	NUM(1.0)
Count	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Value/Range	Code Value/Range Text	
1,441	64.82	0	WRONG	
76	3.42	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL37 Calculati		r est item 37 97 ' 37	n	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,442	64.87	0	WRONG	
75	3.37	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL38 Calculati		r est item 38 97 ' 38	n	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,450	65.23	0	WRONG	
67	3.01	1	CORRECT	
_	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL39 Calculati		r est item 39 97 ' 39	u	NUM(1.0)
Count	%		Code Value/Range Text	
1,492	67.12	0	WRONG	
25	1.12	1	CORRECT	
-	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3CAL40 Calculati		TEST ITEM 40 97	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,509	67.88	0	WRONG	
8	.36	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL41 Calculati		rest item 41 97'	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,495	67.25	0	WRONG	
22	.99	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL42 Calculati		TEST ITEM 42 97'	1	NUM(1.0)
Count	<u></u>	Value/Range	Code Value/Range Text	
1,513	68.06	0	WRONG	
4	.18	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL43 Calculati		TEST ITEM 43 97 '	•	NUM(1.0)
Count	~ %	Value/Range	Code Value/Range Text	
1,501	67.52	0	WRONG	
16	.72	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL44 Calculati		rest item 44 97'	•	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
1,500	67.48	0	WRONG	
17	.76	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

~	"CAL T ion Item	EST ITEM 45 97' 45	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,506	67.75		WRONG	
11	.49	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
	"CAL T ion Item	EST ITEM 46 97' 46	1	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,515	68.15	0	WRONG	
2	.09	1	CORRECT	
-	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
~	"CAL T ion Item	EST ITEM 47 97' 47	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,515	68.15	0	WRONG	
2	.09	1	CORRECT	
-	-	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
-	"CAL T ion Item	EST ITEM 48 97 '	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,514	68.11	0	WRONG	
3	.13	1	CORRECT	
_	_	8	DK	
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
Q3CAL49 Calculati	"CAL T ion Item	EST ITEM 49 97' 49	•	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
Count			LIDOMO	
1,517	68.24	0	WRONG	
	68.24		CORRECT	
1,517	68.24	1		

Count	Q3CAL50 Calculati		TEST ITEM 50 97 50	•	NUM(1.0)
3 .13 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL51 "CAL TEST ITEM 51 97" NUM(1.0) Calculation Item 51 Count	Count	%	Value/Range	Code Value/Range Text	
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL51 "CAL TEST ITEM 51 97" NUM(1.0) Calculation Item 51 \[\frac{Count}{1,516} & \frac{\frac{\chi}{2}}{68.20} & \frac{Value/Range}{0 \text{ MEXONS}} & \frac{Count}{NEXONS} & \frac{\chi}{2} & \frac{Value/Range}{NEXONS} & \frac{Count}{1} & \frac{\chi}{2} & \frac{Value/Range}{NEXONS} & \frac{Count}{NEXONS} & \frac{\chi}{2} & \frac{Value/Range}{NEXONS} & \frac{Count}{NEXONS} & \frac{\chi}{2} & \frac{Value/Range}{NEXONS} & \frac{Count}{NEXONS} & \frac{\chi}{2} & \frac	1,514	68.11	0	WRONG	
Q3CAL51	3	.13	1	CORRECT	
Calculation Tems TIEM 51 97" NUM(1.0)	_	_	8	DK	
Count % Value/Range Code Value/Range Text	706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
1,516 68.20 0 WRONG 1 .04 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL52 "CAL TEST ITEM 52 97" NUM(1.0) Calculation Item 52 Count			NUM(1.0)		
1 .04 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL52 "CAL TEST ITEM 52 97" NUM(1.0) Calculation Item 52 Count	Count	%	Value/Range	Code Value/Range Text	
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL52 "CAL TEST ITEM 52 97" NUM(1.0) Calculation Item 52 Count	1,516	68.20	0	WRONG	
Q3CAL52	1	.04	1	CORRECT	
Count	-	-	8	DK	
Count	706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
1,517 68.24 0 WRONG 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL53 "CAL TEST ITEM 53 97" NUM(1.0) Calculation Item 53 Count				•	NUM(1.0)
1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL53 "CAL TEST ITEM 53 97" NUM(1.0) Calculation Item 53 Count	Count	%	Value/Range	Code Value/Range Text	
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL53 "CAL TEST ITEM 53 97" NUM(1.0) Calculation Item 53 Count	1,517	68.24	0	WRONG	
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL53 "CAL TEST ITEM 53 97" NUM(1.0) Calculation Item 53 Count	-	-	1	CORRECT	
Calculation Test	-	-	8	DK	
Calculation Item 53	706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
1,517 68.24 0 WRONG 1 CORRECT 8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL54 "CAL TEST ITEM 54 97" NUM(1.0) Calculation Item 54 Count				•	NUM(1.0)
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL54 "CAL TEST ITEM 54 97" NUM(1.0) Calculation Item 54 Count % Value/Range Code Value/Range Text 1,517 68.24 0 WRONG 1 CORRECT - 8 DK					
8 DK 706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL54 "CAL TEST ITEM 54 97" NUM(1.0) Calculation Item 54 Count	1,517	68.24			
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6 Q3CAL54 "CAL TEST ITEM 54 97" NUM(1.0) Calculation Item 54	-	-	1	CORRECT	
Calculation Item 54 State Stat	_	-	8	DK	
Calculation Item 54 Count % Value/Range Code Value/Range Text 1,517 68.24 0 WRONG - - 1 CORRECT - - 8 DK	706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	
1,517 68.24 0 WRONG 1 CORRECT - 8 DK			NUM(1.0)		
1 CORRECT 8 DK	Count		Value/Range	Code Value/Range Text	
8 DK	1,517	68.24	0	WRONG	
	_	-	1	CORRECT	
706 31.76 9 NA/REFUSED OR Inap.: Q3AGE LT 6	_	-	8	DK	
	706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6	

Q3CAL55 Calculati		TEST ITEM 55 97 ' 55	п	NUM(1.0)		
Count	%	Value/Range	Code Value/Range Text			
1,517	68.24	0	WRONG			
-	-	1	CORRECT			
_	_	8	DK			
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6			
Q3CAL56 Calculati	_	П	NUM(1.0)			
Count	%	Value/Range	Code Value/Range Text			
1,517	68.24	0	WRONG			
-	-	1	CORRECT			
-	-	8	DK			
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6			
Q3CAL57 Calculati		TEST ITEM 57 97 ' 57	п	NUM(1.0)		
Count	%	Value/Range	Code Value/Range Text			
1,517	68.24	0	WRONG			
-	-	1	CORRECT			
-	-	8	DK			
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6			
Q3CAL58 Calculati	"CAL on Item	NUM(1.0)				
Count	%	Value/Range	Code Value/Range Text			
1,517	68.24	0	WRONG			
-	-	1	CORRECT			
_	_	8	DK			
706	31.76	9	NA/REFUSED OR Inap.: Q3AGE LT 6			
Q3CALRAW Calculati	"CAL on Raw	NUM(2.0)				
Sum total of all 58 items						
Count	8	Value/Range	Code Value/Range Text			
1,517	68.24		ACTUAL SCORE			
706	31.76	99	NOT ASCERTAINED OR Inap.: Q3AGE	LT 6		

Q3CAL_ss Calculati		STND SCORE 97" dardized Score	NUM(3.0)
Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
1,515	68.15	2 - 162	ACTUAL SCORE
708	31.85	999	NOT ASCERTAINED OR Inap.: Q3AGE LT 6
Q3AP1 Applied F		EST ITEM 1 97" Item 1	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
37	1.66	0	WRONG
2,172	97.71	1	CORRECT
-	-	8	DK
14	.63	9	NA/REFUSED
Q3AP2 Applied F		EST ITEM 2 97" Item 2	NUM(1.0)
Count	<u> </u>	•	Code Value/Range Text
110	4.95	0	WRONG
2,099	94.42	1	CORRECT
_	_	8	DK
14	.63	9	NA/REFUSED
Q3AP3 Applied F		EST ITEM 3 97" Item 3	NUM(1.0)
Count	ુ	Value/Range	Code Value/Range Text
113	5.08	0	WRONG
2,096	94.29	1	CORRECT
-	-	8	DK
14	.63	9	NA/REFUSED
Q3AP4 Applied F		EST ITEM 4 97" Item 4	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
105	4.72	0	WRONG
2,104	94.65	1	CORRECT
-	_	8	DK
14	.63	9	NA/REFUSED

Q3AP5 Applied I		EST ITEM 5 97" Item 5		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
155	6.97	0	WRONG	
2,054	92.40	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP6 Applied B		EST ITEM 6 97" Item 6		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
184	8.28	0	WRONG	
2,025	91.09	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP7 Applied I		EST ITEM 7 97" Item 7		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
195	8.77	0	WRONG	
2,014	90.60	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP8 Applied B		EST ITEM 8 97" Item 8		NUM(1.0)
Count	%		Code Value/Range Text	
185	8.32	0	WRONG	
2,024	91.05	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP9 Applied H		EST ITEM 9 97" Item 9		NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
316	14.22	0	WRONG	
1,893	85.16	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	

Q3AP10 Applied		EST ITEM 10 97" Item 10		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
268	12.06	0	WRONG	
1,941	87.31	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP11 Applied		EST ITEM 11 97" Item 11		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
443	19.93	0	WRONG	
1,766	79.44	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP12 Applied		EST ITEM 12 97" Item 12		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
481	21.64	0	WRONG	
1,728	77.73	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP13 Applied		EST ITEM 13 97" Item 13		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
491	22.09	0	WRONG	
1,718	77.28	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP14 Applied		EST ITEM 14 97" Item 14		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
519	23.35	0	WRONG	
1,690	76.02	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	

Q3AP15 Applied	"AP T Problems	EST ITEM 15 97" Item 15		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
601	27.04	0	WRONG	
1,608	72.33	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP16 Applied	"AP T Problems	EST ITEM 16 97" Item 16		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
561	25.24	0	WRONG	
1,648	74.13	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP17 Applied	"AP T Problems	EST ITEM 17 97" Item 17		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
779	35.04	0	WRONG	
1,430	64.33	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP18 Applied	"AP T Problems	EST ITEM 18 97" Item 18		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
757	34.05	0	WRONG	
1,452	65.32	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP19 Applied	"AP T Problems	EST ITEM 19 97" Item 19		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
786	35.36	0	WRONG	
1,423	64.01	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	

Q3AP20 Applied I		EST ITEM 20 97" Item 20		NUM(1.0)
Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text	
782	35.18	0	WRONG	
1,427	64.19	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP21 Applied H		EST ITEM 21 97" Item 21		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
659	29.64	0	WRONG	
1,550	69.73	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP22 Applied I		EST ITEM 22 97" Item 22		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
873	39.27	0	WRONG	
1,336	60.10	1	CORRECT	
_	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP23 Applied I		EST ITEM 23 97" Item 23		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
688	30.95	0	WRONG	
1,521	68.42	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP24 Applied I		EST ITEM 24 97" Item 24		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
964	43.36	0	WRONG	
1,245	56.01	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	

Q3AP25 Applied 1		EST ITEM 25 97" Item 25		NUM(1.0)
Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text	
1,005	45.21	0	WRONG	
1,204	54.16	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP26 Applied 1		EST ITEM 26 97" Item 26		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,145	51.51	0	WRONG	
1,064	47.86	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP27 Applied 1		EST ITEM 27 97" Item 27		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,084	48.76	0	WRONG	
1,125	50.61	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP28 Applied 1		EST ITEM 28 97" Item 28		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,281	57.62	0	WRONG	
928	41.75	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP29 Applied 1		EST ITEM 29 97" Item 29		NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
1,411	63.47	0	WRONG	
798	35.90	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	

Q3AP30 Applied	"AP T	EST ITEM 30 97" Item 30		NUM(1.0)
Count			Code Value/Range Text	
1,380		0	WRONG	
829	37.29	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP31 Applied	"AP T	EST ITEM 31 97" Item 31		NUM(1.0)
Count	~ %	Value/Range	Code Value/Range Text	
1,353	60.86	0	WRONG	
856	38.51	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP32 Applied	"AP T	EST ITEM 32 97" Item 32		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,566	70.45	0	WRONG	
643	28.92	1	CORRECT	
-		8	DK	
14	.63	9	NA/REFUSED	
Q3AP33 Applied	"AP T	EST ITEM 33 97" Item 33		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,594	71.70	0	WRONG	
615	27.67	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP34 Applied	"AP T	EST ITEM 34 97" Item 34		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,730	77.82	0	WRONG	
479	21.55	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	

Q3AP35 Applied I		EST ITEM 35 97" Item 35		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,648	74.13	0	WRONG	
561	25.24	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP36 Applied I		EST ITEM 36 97" Item 36		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,744	78.45	0	WRONG	
465	20.92	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP37 Applied I		EST ITEM 37 97" Item 37		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,685	75.80	0	WRONG	
524	23.57	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP38 Applied I		EST ITEM 38 97" Item 38		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,890	85.02	0	WRONG	
319	14.35	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP39 Applied I		EST ITEM 39 97" Item 39		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1,950	87.72	0	WRONG	
259	11.65	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	

Q3AP40 Applied I		EST ITEM 40 97" Item 40		NUM(1.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text	
1,962	88.26	0	WRONG	
247	11.11	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP41 Applied H		EST ITEM 41 97" Item 41		NUM(1.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text	
2,024	91.05	0	WRONG	
185	8.32	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP42 Applied B		EST ITEM 42 97" Item 42		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,020	90.87	0	WRONG	
189	8.50	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP43 Applied B		EST ITEM 43 97" Item 43		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,054	92.40	0	WRONG	
155	6.97	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP44 Applied I		EST ITEM 44 97" Item 44		NUM(1.0)
Count	%		Code Value/Range Text	
2,119	95.32	0	WRONG	
90	4.05	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	

Q3AP45 Applied H		EST ITEM 45 97" Item 45		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,157	97.03	0	WRONG	
52	2.34	1	CORRECT	
_	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP46 Applied I		EST ITEM 46 97" Item 46		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,182	98.16	0	WRONG	
27	1.21	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP47 Applied I		EST ITEM 47 97" Item 47		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,178	97.98	0	WRONG	
31	1.39	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP48 Applied I		EST ITEM 48 97" Item 48		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,133	95.95	0	WRONG	
76	3.42	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP49 Applied B		EST ITEM 49 97" Item 49		NUM(1.0)
Count	%		Code Value/Range Text	
2,191	98.56	0	WRONG	
18	.81	1	CORRECT	
_	-	8	DK	
14	.63	9	NA/REFUSED	

Q3AP50 Applied B		EST ITEM 50 97" Item 50		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,193	98.65	0	WRONG	
16	.72	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP51 Applied B		EST ITEM 51 97" Item 51		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,164	97.35	0	WRONG	
45	2.02	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP52 Applied B		EST ITEM 52 97" Item 52		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,207	99.28	0	WRONG	
2	.09	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP53 Applied I		EST ITEM 53 97" Item 53		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,198	98.88	0	WRONG	
11	.49	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP54 Applied I		EST ITEM 54 97" Item 54		NUM(1.0)
Count	%		Code Value/Range Text	
2,195	98.74	0	WRONG	
14	.63	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	

Q3AP55 Applied 1		EST ITEM 55 97" Item 55		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,204	99.15	0	WRONG	
5	.22	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP56 Applied D		EST ITEM 56 97" Item 56		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,205	99.19	0	WRONG	
4	.18	1	CORRECT	
_	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP57 Applied I		EST ITEM 57 97" Item 57		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,205	99.19	0	WRONG	
4	.18	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
Q3AP58 Applied 1		EST ITEM 58 97" Item 58		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
2,205	99.19	0	WRONG	
4	.18	1	CORRECT	
-	_	8	DK	
14	.63	9	NA/REFUSED	
Q3AP59 Applied I		EST ITEM 59 97" Item 59		NUM(1.0)
Count	<u>%</u>		Code Value/Range Text	
2,207	99.28	0	WRONG	
2	.09	1	CORRECT	
-	-	8	DK	
14	.63	9	NA/REFUSED	

NUM(1.0)

Q3AP60 "AP TEST ITEM 60 97"

Applied 1		Item 60		NOM(1:0)
			oplied problems involved 59 items	•
Count	%	Value/Range	Code Value/Range Text	
2,190	98.52	0	WRONG	
_	_	1	CORRECT	
_	_	8	DK	
33	1.48	9	NA/REFUSED OR Inap.: Q3SPAN=1	
	Problems	IED PROB RAW SCO Raw Score		NUM(2.0)
Sum tota.	l of all	60 items (59 I	tems for Spanish Version)	
Count	<u> </u>	Value/Range	Code Value/Range Text	
2,209	99.37	0 - 53	ACTUAL SCORE	
14	.63	99	NOT ASCERTAINED	
Q3AP_SS Applied 1		IED PROB STND S Standardized So		NUM(3.0)
Count	<u>%</u>		Code Value/Range Text	
2,187	98.38	28 - 183	ACTUAL SCORE	
36	1.62	999	NOT ASCERTAINED	
Q3BMA_SS Broad Mat		D MATH SCORE 97	n	NUM(3.0)
Created 1	from Cal	culation and App	plied Problems scores	
Count	%	Value/Range	Code Value/Range Text	
2,187	98.38	13 - 184	ACTUAL SCORE	
36	1.62	999	NOT ASCERTAINED	
Q3B1A 2-9	"DIGI	T FOR 1A 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
77	3.46	0	WRONG	
2,123	95.50	1	CORRECT	
_	_	8	DK	
23	1.03	9	NA/REFUSED	

Q3B1B 4-6	"DIGIT	FOR 1B 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
77	3.46	0	WRONG
2,123	95.50	1	CORRECT
_	_	8	DK
23	1.03	9	NA/REFUSED
Q3B2A 3-8-6	"DIGIT	FOR 2A 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
98	4.41	0	WRONG
2,046	92.04	1	CORRECT
-	-	8	DK
79	3.55	9	NA/REFUSED OR Inap.: Q3B1A NE 1 & Q3B1B NE 1
Q3B2B 6-1-2	"DIGIT	FOR 2B 97"	NUM(1.0)
Count	<u></u>	Value/Range	Code Value/Range Text
90	4.05	0	WRONG
2,054	92.40	1	CORRECT
-	_	8	DK
79	3.55	9	NA/REFUSED OR Inap.: Q3B1A NE 1 & Q3B1B NE 1
Q3B3A 3-4-1-7	"DIGIT	FOR 3A 97"	NUM(1.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text
374	16.82	0	WRONG
1,721	77.42	1	CORRECT
_	_	8	DK
128	5.76	9	NA/REFUSED OR Inap.: Q3B2A NE 1 & Q3B2B NE 1
Q3B3B 6-1-5-8	"DIGIT	FOR 3B 97"	NUM(1.0)
Count	<u> </u>		Code Value/Range Text
334	15.02	0	WRONG
1,761	79.22	1	CORRECT
_	_	8	DK
128	5.76	9	NA/REFUSED OR Inap.: Q3B2A NE 1 & Q3B2B NE 1

Q3B4A 8-4-2-3-9	"DIGIT	FOR 4A 97"	NUM(1.0)
Count	왕	Value/Range	Code Value/Range Text
789	35.49	0	WRONG
1,096	49.30	1	CORRECT
-	-	8	DK
338	15.20	9	NA/REFUSED OR Inap.: Q3B3A NE 1 & Q3B3B NE 1
Q3B4B 5-2-1-8-6	"DIGIT	FOR 4B 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
752	33.83	0	WRONG
1,133	50.97	1	CORRECT
-	-	8	DK
338	15.20	9	NA/REFUSED OR Inap.: Q3B3A NE 1 & Q3B3B NE 1
Q3B5A 3-8-9-1-7-		FOR 5A 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
433	19.48	0	WRONG
919	41.34	1	CORRECT
_	_	8	DK
871	39.18	9	NA/REFUSED OR Inap.: Q3B4A NE 1 & Q3B4B NE 1
Q3B5B 7-9-6-4-8-		FOR 5B 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
691	31.08	0	WRONG
661	29.73	1	CORRECT
_	-	8	DK
871	39.18	9	NA/REFUSED OR Inap.: Q3B4A NE 1 & Q3B4B NE 1
Q3B6A 5-1-7-4-2-		FOR 6A 97"	NUM(1.0)
Count			Code Value/Range Text
649	29.19	0	WRONG
365	16.42	1	CORRECT
-	-	8	DK
1,209	54.39	9	NA/REFUSED OR Inap.: Q3B5A NE 1 & Q3B5B NE 1

Q3B6B 9-8-5-2-1		FOR 6B 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
667	30.00	0	WRONG
347	15.61	1	CORRECT
-	-	8	DK
1,209	54.39	9	NA/REFUSED OR Inap.: Q3B5A NE 1 & Q3B5B NE 1
Q3B7A 1-6-4-5-9		FOR 7A 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
437	19.66	0	WRONG
82	3.69	1	CORRECT
_	-	8	DK
1,704	76.65	9	NA/REFUSED OR Inap.: Q3B6A NE 1 & Q3B6B NE 1
Q3B7B 2-9-7-6-3		FOR 7B 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
437	19.66	0	WRONG
82	3.69	1	CORRECT
_	-	8	DK
1,704	76.65	9	NA/REFUSED OR Inap.: Q3B6A NE 1 & Q3B6B NE 1
Q3B8A 5-3-8-7-1		FOR 8A 97"	NUM(1.0)
Count	<u> </u>		Code Value/Range Text
102	4.59		WRONG
31	1.39	1	CORRECT
_	-	8	DK
2,090	94.02	9	NA/REFUSED OR Inap.: Q3B7A NE 1 & Q3B7B NE 1
Q3B8B 4-2-6-9-1		FOR 8B 97"	NUM(1.0)
Count	<u> </u>		Code Value/Range Text
102	4.59	0	WRONG
31	1.39	1	CORRECT
-	-	8	DK
2,090	94.02	9	NA/REFUSED OR Inap.: Q3B7A NE 1 & Q3B7B NE 1

Q3DSFOR Sum of Di	"DIGIT İgit Span	SPAN FORWARD I forward	RAW SCORE 97" NUM(2.0)
Count	<u></u>	Value/Range	Code Value/Range Text
2,200	98.97	0 - 16	ACTUAL SCORE
23	1.03	99	NOT ASCERTAINED
Q3B9A 2-5	"DIGIT	BACK 9A 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
591	26.59	0	WRONG
1,592	71.61	1	CORRECT
-	-	8	DK
40	1.80	9	NA/REFUSED
Q3B9B 6-3	"DIGIT	BACK 9B 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
596	26.81	0	WRONG
1,587	71.39	1	CORRECT
-	-	8	DK
40	1.80	9	NA/REFUSED
Q3B10A 5-4-7	"DIGIT	BACK 10A 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
523	23.53	0	WRONG
1,109	49.89	1	CORRECT
_	-	8	DK
591	26.59	9	NA/REFUSED OR Inap.: Q3B9A NE 1 & Q3B9B NE 1
Q3B10B 2-5-9	"DIGIT	BACK 10B 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
591	26.59	0	WRONG
1,041	46.83	1	CORRECT
-	-	8	DK
591	26.59	9	NA/REFUSED OR Inap.: Q3B9A NE 1 & Q3B9B NE 1

Q3B11A 7-2-9-6	"DIGIT	BACK 11A 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
772	34.73	0	WRONG
544	24.47	1	CORRECT
_	-	8	DK
907	40.80	9	NA/REFUSED OR Inap.: Q3B10A NE 1 & Q3B10B NE 1
Q3B11B 8-4-9-3	"DIGIT	BACK 11B 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
782	35.18	0	WRONG
534	24.02	1	CORRECT
_	_	8	DK
907	40.80	9	NA/REFUSED OR Inap.: Q3B10A NE 1 & Q3B10B NE 1
Q3B12A 4-1-3-5-7		BACK 12A 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
557	25.06	0	WRONG
170	7.65	1	CORRECT
-	-	8	DK
1,496	67.30	9	NA/REFUSED OR Inap.: Q3B11A NE 1 & Q3B11B NE 1
Q3B12B 9-7-8-5-2		BACK 12B 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
543	24.43	0	WRONG
184	8.28	1	CORRECT
_	-	8	DK
1,496	67.30	9	NA/REFUSED OR Inap.: Q3B11A NE 1 & Q3B11B NE 1
Q3B13A 1-6-5-2-9		BACK 13A 97"	NUM(1.0)
Count	<u> </u>		Code Value/Range Text
205	9.22	0	WRONG
68	3.06	1	CORRECT
-	-	8	DK
1,950	87.72	9	NA/REFUSED OR Inap.: Q3B12A NE 1 & Q3B12B NE 1

Q3B13B 3-6-7-1-9		BACK 13B 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
176	7.92	0	WRONG
97	4.36	1	CORRECT
-	-	8	DK
1,950	87.72	9	NA/REFUSED OR Inap.: Q3B12A NE 1 & Q3B12B NE 1
Q3B14A 8-5-9-2-3		BACK 14A 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
99	4.45	0	WRONG
19	.85	1	CORRECT
_	-	8	DK
2,105	94.69	9	NA/REFUSED OR Inap.: Q3B13A NE 1 & Q3B13B NE 1
Q3B14B 4-5-7-9-2		BACK 14B 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
97	4.36	0	WRONG
21	.94	1	CORRECT
-	-	8	DK
2,105	94.69	9	NA/REFUSED OR Inap.: Q3B13A NE 1 & Q3B13B NE 1
Q3B15A 6-9-1-6-3		BACK 15A 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
31	1.39	0	WRONG
4	.18	1	CORRECT
_	-	8	DK
2,188	98.43	9	NA/REFUSED OR Inap.: Q3B14A NE 1 & Q3B14B NE 1
Q3B15B 3-1-7-9-5		BACK 15B 97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
33	1.48	0	WRONG
2	.09	1	CORRECT
-	_	8	DK
2,188	98.43	9	NA/REFUSED OR Inap.: Q3B14A NE 1 & Q3B14B NE 1

		SPAN BACKWARD backward	RAW SCORE 97" NUM(2.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text
2,183	98.20	0 - 14	ACTUAL SCORE
40	1.80	99	NOT ASCERTAINED
Q3DSTOT Digit Spa	_	SPAN TOTAL RAV	W SCORE 97" NUM(2.0)
Sum of Di	igit Span	forward and ba	ackward
Count	%	Value/Range	Code Value/Range Text
2,183	98.20	0 - 29	ACTUAL SCORE
40	1.80	99	NOT ASCERTAINED
Q3C0 Interview		8 OR OLDER 97' int-Child's age	
Count	<u> </u>		Code Value/Range Text
1,087	48.90	1	YES
1,136	51.10	5	NO
-	-	8	DK
_	-	9	NA/REFUSED
0.201			
Q3C1 How good		SKILL GEN RATE are you?	97 97" NUM(1.0)
		are you?	97 97" NUM(1.0) Code Value/Range Text
How good	at math	are you? Value/Range	. ,
How good Count	at math	are you? Value/Range 1	Code Value/Range Text
How good Count 51	at math $\frac{\$}{2.29}$	are you? Value/Range 1 2	Code Value/Range Text NOT AT ALL GOOD
How good Count 51 14	at math	are you? Value/Range 1 2 3	Code Value/Range Text NOT AT ALL GOOD No code text
How good Count 51 14 51	at math 6 2.29 .63 2.29	are you? Value/Range 1 2 3 4	Code Value/Range Text NOT AT ALL GOOD No code text No code text
Count 51 14 51 382	at math 4 2.29 .63 2.29 17.18	are you? Value/Range 1 2 3 4 5	Code Value/Range Text NOT AT ALL GOOD No code text No code text O.K.
Flow good Count 51 14 51 382 132	at math 6	are you? Value/Range 1 2 3 4 5 6	Code Value/Range Text NOT AT ALL GOOD No code text No code text O.K. No code text No code text
How good Count 51 14 51 382 132 172	* 2.29 .63 2.29 17.18 5.94 7.74	are you? Value/Range 1 2 3 4 5 6	Code Value/Range Text NOT AT ALL GOOD No code text No code text O.K. No code text No code text
How good Count 51 14 51 382 132 172 275	at math (2.29 .63 2.29 17.18 5.94 7.74 12.37	Value/Range 1 2 3 4 5 6 7	Code Value/Range Text NOT AT ALL GOOD No code text No code text O.K. No code text No code text VERY GOOD DK
How good Count 51 14 51 382 132 172 275 - 10	at math (2.29 .63 2.29 17.18 5.94 7.74 12.3745	are you? Value/Range 1 2 3 4 5 6 7	Code Value/Range Text NOT AT ALL GOOD No code text No code text O.K. No code text VERY GOOD DK NA/REFUSED
How good Count 51 14 51 382 132 172 275 - 10 1,136 Q3C2 If you we	at math (2.29 .63 2.29 17.18 5.94 7.74 12.3745 51.10 "MATH (erre to li	are you? Value/Range 1 2 3 4 5 6 7 8 9 0 SKILL IN CONTEX	Code Value/Range Text NOT AT ALL GOOD No code text No code text O.K. No code text No code text VERY GOOD DK NA/REFUSED Inap.: Q3C0 NE 1
Thow good Count 51 14 51 382 132 172 275 - 10 1,136 Q3C2 If you we	at math (2.29 .63 2.29 17.18 5.94 7.74 12.3745 51.10 "MATH (erre to li	Value/Range 1 2 3 4 5 6 7 8 9 0 SKILL IN CONTEX st all the study	Code Value/Range Text NOT AT ALL GOOD No code text No code text O.K. No code text No code text VERY GOOD DK NA/REFUSED Inap.: Q3C0 NE 1 XT PEERS 97" NUM(1.0)

15	.67	2 No code text
62	2.79	3 No code text
413	18.58	4 IN THE MIDDLE
186	8.37	5 No code text
175	7.87	6 No code text
183	8.23	7 THE BEST
_	_	8 DK
17	.76	9 NA/REFUSED
1,136	51.10	0 Inap.: Q3C0 NE 1

Q3C3 "MATH COMPARED TO OTH SKILLS 97"

NUM(1.0)

Compared to most of your other school subjects, how good are you at math?

<u>Count</u>	<u></u>	<u>Value/Range</u>	Code Value/Range Text
84	3.78	1	A LOT WORSE IN MATH THAN OTHER SUBJECTS
32	1.44	2	No code text
93	4.18	3	No code text
405	18.22	4	ABOUT THE SAME
113	5.08	5	No code text
81	3.64	6	No code text
265	11.92	7	A LOT BETTER IN MATH THAN OTHER SUBJECTS
_	_	8	DK
14	.63	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C4 "ACHIEVE IN MATH THIS YR 97"

NUM(1.0)

How well do you expect to do in math this year?

Count 20	8		Code Value/Range Text NOT AT ALL WELL
3	.13	2	No code text
17	.76	3	No code text
215	9.67	4	O.K.
128	5.76	5	No code text
168	7.56	6	No code text
524	23.57	7	VERY WELL
_	-	8	DK
12	.54	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

NUM(1.0)

Q3C5 "LEARNING SOMETHING NEW IN MATH 97"

Yow good		ou be at learning	ng something new in math?	NOM(1.0)	
Count	<u> </u>	Value/Range	Code Value/Range Text		
53	2.38	1	NOT AT ALL GOOD		
15	.67	2	No code text		
54	2.43	3	No code text		
381	17.14	4	O.K.		
165	7.42	5	No code text		
161	7.24	6	No code text		
245	11.02	7	VERY GOOD		
-	-	8	DK		
13	.58	9	NA/REFUSED		
1,136	51.10	0	Inap.: Q3C0 NE 1		
3C6 ow hard		HARD IS MATH 97	,	NUM(1.0)	
Count	%	Value/Range	Code Value/Range Text		
1	.04	1	NOT AT ALL HARD		
-	-	2	No code text		
-	-	3	No code text		
336	15.11	4	SOMEWHAT HARD		
218	9.81	5	No code text		
196	8.82	6	No code text		
325	14.62	7	VERY HARD		
_	-	8	DK		
11	.49	9	NA/REFUSED		
1,136	51.10	0	Inap.: Q3C0 NE 1		
3C7 n genera	_	USEFUL IS MATH Suseful is what	97" You learn in math?	NUM(1.0)	
Count	%		Code Value/Range Text		
44	1.98	1	NOT AT ALL USEFUL		
18	.81	2	No code text		
44	1.98	3	No code text		
211	9.49	4	SOMEWHAT USEFUL		
120	5.40	5	No code text		
128	5.76	6	No code text		

508	22.85	7	VERY USEFUL	
-	-	8	DK	
14	.63	9	NA/REFUSED	
1,136	51.10	0	Inap.: Q3C0 NE 1	
				(1 0)
Q3C8 For you,		ORTANCE OF MATH 9 good in math is:	97"	NUM(1.0)
Count	<u>%</u>	Value/Range	Code Value/Range Text	
27	1.21	1	NOT IMPORTANT	
7	.31	2	No code text	
15	.67	3	No code text	
106	4.77	4	SOMEWHAT IMPORTANT	
106	4.77	5	No code text	
145	6.52	6	No code text	
667	30.00	7	VERY IMPORTANT	
-	-	8	DK	
14	.63	9	NA/REFUSED	
1,136	51.10	0	Inap.: Q3C0 NE 1	
U3G8	יי דאידיני	יסקפי דא אמיני מיזי	1	NIIM(1 0)
Q3C9 Do you fi		EREST IN MATH 97'		NUM(1.0)
~	ind work	sing on math ass:		NUM(1.0)
Do you f	ind work	ring on math ass: Value/Range 1	ignments: Code Value/Range Text VERY BORING	NUM(1.0)
Do you for Count	ind work	ring on math ass: Value/Range 1	ignments: Code Value/Range Text	NUM(1.0)
Do you for Count 121	ind work	ring on math ass: Value/Range 1 2	ignments: Code Value/Range Text VERY BORING	NUM(1.0)
Do you f:	ind work	ring on math ass: Value/Range 1 2 3	ignments: Code Value/Range Text VERY BORING No code text	NUM(1.0)
Do you f: Count 121 46 89	ind work	Value/Range 1 2 3	ignments: Code Value/Range Text VERY BORING No code text No code text	NUM(1.0)
Do you for Count 121 46 89 250	ind work	Value/Range 1 2 3 4	ignments: Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN)	NUM(1.0)
Do you for Count 121 46 89 250 116	ind work	Value/Range 1 2 3 4 5	ignments: Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN) No code text	NUM(1.0)
Do you for Count 121 46 89 250 116 107	ind work	Value/Range 1 2 3 4 5 6	ignments: Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN) No code text No code text	NUM(1.0)
Do you for Count 121 46 89 250 116 107 340	ind work	Value/Range 1 2 3 4 5 6 7	Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN) No code text No code text VERY INTERESTING (FUN)	NUM(1.0)
Do you for Count 121 46 89 250 116 107 340	ind work	Value/Range 1 2 3 4 5 6 7 8	ignments: Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN) No code text No code text VERY INTERESTING (FUN) DK	NUM(1.0)
Do you f: Count 121 46 89 250 116 107 340 - 18 1,136	ind work	Value/Range 1 2 3 4 5 6 7 8 9	Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN) No code text No code text VERY INTERESTING (FUN) DK NA/REFUSED Inap.: Q3C0 NE 1	
Do you for Count 121 46 89 250 116 107 340 - 18 1,136	ind work	Value/Range 1 2 3 4 5 6 7 8	Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN) No code text No code text VERY INTERESTING (FUN) DK NA/REFUSED Inap.: Q3C0 NE 1	NUM(1.0)
Do you for Count 121 46 89 250 116 107 340 - 18 1,136	ind work	Value/Range 1 2 3 4 5 6 7 8 9 0 MUCH LIKE MATH S like doing math	Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN) No code text No code text VERY INTERESTING (FUN) DK NA/REFUSED Inap.: Q3C0 NE 1	
Do you for Count 121 46 89 250 116 107 340 - 18 1,136 Q3C10 How much	ind work	Value/Range 1 2 3 4 5 6 7 8 9 0 MUCH LIKE MATH 1 like doing math	Code Value/Range Text VERY BORING No code text No code text SOMEWHAT INTERESTING (FUN) No code text VERY INTERESTING (FUN) DK NA/REFUSED Inap.: Q3C0 NE 1	

67	3.01	3	No code text
208	9.36	4	SOMEWHAT
114	5.13	5	No code text
139	6.25	6	No code text
407	18.31	7	VERY MUCH
_	_	8	DK
14	.63	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C11 "READING SKILL GEN RATE 97"

NUM(1.0)

How good at reading are you?

Count	%	<u>Value/Range</u>	Code Value/Range Text
36	1.62	1	NOT AT ALL GOOD
12	.54	2	No code text
27	1.21	3	No code text
289	13.00	4	O.K.
133	5.98	5	No code text
160	7.20	6	No code text
415	18.67	7	VERY GOOD
-	-	8	DK
15	.67	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C12 "READING SKILL IN CONTEXT PEERS 97"

NUM(1.0)

If you were to list all the students in your class from the worst to the best in reading, where would you put yourself?

Count	<u></u> %	Value/Range	Code Value/Range Text
31	1.39	1	ONE OF THE WORST
16	.72	2	No code text
54	2.43	3	No code text
319	14.35	4	IN THE MIDDLE
180	8.10	5	No code text
215	9.67	6	No code text
252	11.34	7	THE BEST
_	_	8	DK
20	.90	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C13 "READING COMPARED TO OTH SKILLS 97" NUM(1.0)
Compared to most of your other school subjects, how good are you at reading?

Count	%	<u>Value/Range</u>	Code Value/Range Text
45	2.02	1	A LOT WORSE IN READING THAN OTHERS
17	.76	2	No code text
74	3.33	3	No code text
374	16.82	4	ABOUT THE SAME
141	6.34	5	No code text
136	6.12	6	No code text
284	12.78	7	A LOT BETTER IN READING THAN OTHERS
-	-	8	DK
16	.72	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C14 "ACHIEVE IN READING THIS YR 97"

NUM(1.0)

How well do you expect to do in reading this year?

Count	<u></u>	Value/Range	Code Value/Range Text
7	.31	1	NOT AT ALL WELL
3	.13	2	No code text
12	.54	3	No code text
179	8.05	4	O.K.
125	5.62	5	No code text
158	7.11	6	No code text
588	26.45	7	VERY WELL
_	_	8	DK
15	.67	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C15 "LEARNING SOMETHING NEW IN READING 97"

NUM(1.0)

How good would you be at learning something new in reading?

Count	%	Value/Range	Code Value/Range Text
19	.85	1	NOT AT ALL GOOD
6	.27	2	No code text
26	1.17	3	No code text
263	11.83	4	O.K.
154	6.93	5	No code text
203	9.13	6	No code text
	19 6 26 263 154	19 .85 6 .27 26 1.17 263 11.83 154 6.93	19 .85 1 6 .27 2 26 1.17 3 263 11.83 4 154 6.93 5

401	18.04	7	VERY GOOD		
_	_	8	DK		
15	.67	9	NA/REFUSED		
1,136	51.10		Inap.: Q3C0 NE 1		
Q3C16 How hard		HARD IS READING ing for you?	97"	NUM(1.0)	
Count	%		Code Value/Range Text		
3	.13	1	NOT AT ALL HARD		
_	-	2	No code text		
-	-	3	No code text		
210	9.45	4	SOMEWHAT HARD		
183	8.23	5	No code text		
197	8.86	6	No code text		
479	21.55	7	VERY HARD		
-	-	8	DK		
15	.67	9	NA/REFUSED		
1,136	51.10	0	Inap.: Q3C0 NE 1		
Q3C17 How usefu		USEFUL IS READIN at you learn in		NUM(1.0)	
~		at you learn in		NUM(1.0)	
How usefu	ul is wh	at you learn in Value/Range	reading?	NUM(1.0)	
How usefu	ul is wh	at you learn in Value/Range 1	reading? Code Value/Range Text	NUM(1.0)	
How usefu Count 36	ul is who	at you learn in Value/Range 1 2	reading? <u>Code Value/Range Text</u> NOT AT ALL USEFUL	NUM(1.0)	
How usefu Count 36	ul is who \$ 1.62	at you learn in Value/Range 1 2 3	reading? Code Value/Range Text NOT AT ALL USEFUL No code text	NUM(1.0)	
How usefu Count 36 10 25	ul is who % 1.62 .45 1.12	Value/Range 1 2 3	reading? Code Value/Range Text NOT AT ALL USEFUL No code text No code text	NUM(1.0)	
Count 36 10 25	1.62 .45 1.12 7.15	Value/Range 1 2 3 4 5	reading? Code Value/Range Text NOT AT ALL USEFUL No code text No code text SOMEWHAT USEFUL	NUM(1.0)	
Count 36 10 25 159	1.62 .45 1.12 7.15 4.68	Value/Range 1 2 3 4 5	reading? Code Value/Range Text NOT AT ALL USEFUL No code text No code text SOMEWHAT USEFUL No code text	NUM(1.0)	
Count 36 10 25 159 104 138	1.62 .45 1.12 7.15 4.68 6.21	Value/Range 1 2 3 4 5 6 7	Code Value/Range Text NOT AT ALL USEFUL No code text No code text SOMEWHAT USEFUL No code text No code text	NUM(1.0)	
Count 36 10 25 159 104 138 600	1.62 .45 1.12 7.15 4.68 6.21 26.99	Value/Range 1 2 3 4 5 6 7	Code Value/Range Text NOT AT ALL USEFUL No code text No code text SOMEWHAT USEFUL No code text VERY USEFUL	NUM(1.0)	
Count 36 10 25 159 104 138 600	1.62 .45 1.12 7.15 4.68 6.21 26.99	at you learn in Value/Range 1 2 3 4 5 6 7 8 9	Code Value/Range Text NOT AT ALL USEFUL No code text No code text SOMEWHAT USEFUL No code text No code text VERY USEFUL DK	NUM(1.0)	
Count 36 10 25 159 104 138 600 - 15 1,136	1.62 .45 1.12 7.15 4.68 6.21 26.99 - .67 51.10	at you learn in Value/Range 1 2 3 4 5 6 7 8 9	Code Value/Range Text NOT AT ALL USEFUL No code text No code text SOMEWHAT USEFUL No code text VERY USEFUL DK NA/REFUSED Inap.: Q3C0 NE 1	NUM(1.0)	
Count 36 10 25 159 104 138 600 - 15 1,136	1.62 .45 1.12 7.15 4.68 6.21 26.99 - .67 51.10	Value/Range 1 2 3 4 5 6 7 8 9 0 RTANCE OF READINGOOD in reading in	Code Value/Range Text NOT AT ALL USEFUL No code text No code text SOMEWHAT USEFUL No code text VERY USEFUL DK NA/REFUSED Inap.: Q3C0 NE 1		
Count 36 10 25 159 104 138 600 - 15 1,136 Q3C18 For you,	1.62 .45 1.12 7.15 4.68 6.21 26.99 - .67 51.10	Value/Range 1 2 3 4 5 6 7 8 9 0 RTANCE OF READINGOOD in reading in Value/Range	Code Value/Range Text NOT AT ALL USEFUL No code text No code text SOMEWHAT USEFUL No code text No code text VERY USEFUL DK NA/REFUSED Inap.: Q3C0 NE 1		

17	.76	3 No code text
128	5.76	4 SOMEWHAT IMPORTANT
97	4.36	5 No code text
136	6.12	6 No code text
675	30.36	7 VERY IMPORTANT
_	_	8 DK
17	.76	9 NA/REFUSED
1,136	51.10	0 Inap.: Q3C0 NE 1

Q3C19 "INTEREST IN READING 97"

NUM(1.0)

Do you find working on reading assignments:

Count	%	<u>Value/Range</u>	Code Value/Range Text
85	3.82	1	VERY BORING
35	1.57	2	No code text
78	3.51	3	No code text
245	11.02	4	SOMEWHAT INTERESTING (FUN)
119	5.35	5	No code text
121	5.44	6	No code text
385	17.32	7	VERY INTERESTING (FUN)
_	_	8	DK
19	.85	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C20 "HOW MUCH LIKE READING 97"

NUM(1.0)

How much do you like doing reading?

Count	<u> </u>	Value/Range	Code Value/Range Text
69	3.10	1	NOT AT ALL
29	1.30	2	No code text
44	1.98	3	No code text
190	8.55	4	SOMEWHAT
116	5.22	5	No code text
168	7.56	6	No code text
455	20.47	7	VERY MUCH
-	-	8	DK
16	.72	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C21 "DO IMPORTANT THINGS 97"

NUM(1.0)

Now I am going to read some statements. For each, think about whether the statement never applies to you, sometimes applies to you, always applies to you, or is somewhere in between. ...I do lots of important things

_	Count	<u> </u>	Value/Range	Code Value/Range Text
	8	.36	1	NEVER
	9	.40	2	No code text
	36	1.62	3	No code text
	386	17.36	4	SOMETIMES
	197	8.86	5	No code text
	157	7.06	6	No code text
	280	12.60	7	ALWAYS
	_	_	8	DK
	14	.63	9	NA/REFUSED
	1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C22 "LIKE BEING MYSELFE 97"

NUM(1.0)

...I like being the way I am

Count	<u>%</u>	Value/Range	Code Value/Range Text
25	1.12	1	NEVER
11	.49	2	No code text
20	.90	3	No code text
116	5.22	4	SOMETIMES
66	2.97	5	No code text
154	6.93	6	No code text
682	30.68	7	ALWAYS
-	_	8	DK
13	.58	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C23 "PROUD 97"

NUM(1.0)

...Overall, I have a lot to be proud of

_	Count	<u></u>	Value/Range	Code Value/Range Text
	18	.81	1	NEVER
	6	.27	2	No code text
	14	.63	3	No code text
	147	6.61	4	SOMETIMES
	90	4.05	5	No code text

Q3C25 A lot		THINGS ABOUT ME s about me are		NUM(1.0)	
				NUM(1.0)	
				NUM(1.0)	
0200				NTT (1 0)	
,			- ~		
1,136	51.10	0	Inap.: Q3C0 NE 1		
13	.58	9	NA/REFUSED		
	-				
_	_		DK		
342	15.38	7	ALWAYS		
239	10.75	6	No code text		
116	5.22	5	No code text		
310	13.95	4	SOMETIMES		
27	1.21	3	No code text		
11	.49	2	No code text		
29	1.30		NEVER		
Count	%	Value/Range	Code Value/Range Text		
Q3C24 I can		I NGS AS WELL AS s as well as mo		NUM(1.0)	
03034	#D0 mii		LOWINDS 071	NTP((1, 0)	
1,136	51.10	0	Inap.: Q3C0 NE 1		
13	.58	9	NA/REFUSED		
_	_	8	DK		
623	28.03	7	ALWAYS		
	7.92	6	No code text		

17	.76	2	No code text
30	1.35	3	No code text
287	12.91	4	SOMETIMES
108	4.86	5	No code text
212	9.54	6	No code text
384	17.27	7	ALWAYS
_	-	8	DK
13	.58	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C27 "OTHERS THINK I AM GOOD 97"

NUM(1.0)

...Other people think I am a good person

Count	%	<u>Value/Range</u>	Code Value/Range Text
35	1.57	1	NEVER
12	.54	2	No code text
25	1.12	3	No code text
245	11.02	4	SOMETIMES
120	5.40	5	No code text
264	11.88	6	No code text
372	16.73	7	ALWAYS
-	_	8	DK
14	.63	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3C28 "DO THINGS WELL 97"

NUM(1.0)

...When I do something, I do it well

Count	.63		Code Value/Range Text NEVER
9	.40	2	No code text
25	1.12	3	No code text
313	14.08	4	SOMETIMES
161	7.24	5	No code text
250	11.25	6	No code text
302	13.59	7	ALWAYS
-	-	8	DK
13	.58	9	NA/REFUSED
1,136	51.10	0	Inap.: Q3C0 NE 1

Q3D1 "ONE OR DIFFERENT CLASS/TEACHER 97"

NUM(1.0)

Do you have one main teacher and classroom, or do you have different classrooms and teachers for each period during the day in school?

The response to this item was used to determine if the school time diary needed to be completed by the child during the interview

Count	<u></u>	Value/Range	Code Value/Range Text
1,246	56.05	1	ONE CLASSROOM
438	19.70	2	DIFFERENT CLASSROOMS AND TEACHERS
533	23.98	5	CHILD NOT IN SCHOOL
1	.04	8	DK
5	.22	9	NA/REFUSED

Q3D2 "IN SCHOOL ON DIARY DAY 97"

NUM(1.0)

Now I want to ask you a few questions about your day at school. Were you in school on (WEEKDAY DIARY DAY ON LABEL)?

Weekday Diary Day on label refers to day represented in Q3D3

Count	~ %	Value/Range	Code Value/Range Text
364	16.37	1	YES
53	2.38	5	NO
_	_	8	DK
21	.94	9	NA/REFUSED
1,785	80.30	0	Inap.: Q3D1 NE 1

Q3D3 "ACTUAL DIARY DAY 97"

NUM(1.0)

Please think about (DAY/DATE FOR MIDDLE SCHOOL DIARY) in school. I am going to ask you to walk through that school day with me. I will ask you what subjects you had each period, and what you did that day in each class.

	-	-	
Count	%	Value/Range	Code Value/Range Text
85	3.82	1	MONDAY
85	3.82	2	TUESDAY
83	3.73	3	WEDNESDAY
91	4.09	4	THURSDAY
71	3.19	5	FRIDAY
-	-	8	DK
23	1.03	9	NA/REFUSED
1,785	80.30	0	Inap.: Q3D1 NE 1

Q3E1 "OTH PRESENT 97"

NUM(1.0)

Was anyone else present in the room at any time during the administration of the assessments?

Count	<u></u> %	Value/Range	Code Value/Range Text
1,586	71.35	1	YES

582	26.18	5	NO
-	-	8	DK
55	2.47	9	NA/REFUSED

Q3E1A "OTH DISTRACT 97"

NUM(1.0)

How much did the presence of this person distract the child or interfere with the assessments?

Count	%	Value/Range	Code Value/Range Text
86	3.87	1	A GREAT DEAL
500	22.49	2	SOMEWHAT
995	44.76	3	NOT AT ALL
-	-	8	DK
5	.22	9	NA/REFUSED
637	28.65	0	Inap.: Q3E1 NE 1

Q3E2 "COMPLETE WJR 97"

NUM(1.0)

Were all the appropriate Woodcock-Johnson assessments completed? Question wording has been changed slightly from original administration

Coun	<u>t</u> %	Value/Range	Code Value/Range Text
2,19	0 98.52	1	YES
3	3 1.48	5	NO
		8	DK
		9	NA/REFUSED

Q3E2A "CAREGIVER TERMINATED WJR 97"

NUM(1.0

What were the reasons for not completing them? [CHECK ALL THAT APPLY] ... Primary caregiver terminated/refused

<u>Count</u>	<u>%</u>	Value/Range	Code Value/Range Text
4	.18	1	YES
57	2.56	5	NO
-	_	8	DK
5	.22	9	NA/REFUSED
2,157	97.03	0	Inap.: Q3E2 NE 5

Q3E2B "CHILD DID NOT RESPOND WJR 97"

NUM(1.0)

...Child would not respond

Count	<u></u>	<u>Value/Range</u>	Code Value/Range Text
27	1.21	1	YES
34	1.53	5	NO
-	_	8	DK
5	.22	9	NA/REFUSED

2,157	97.03	0	Inap.: Q3E2 NE 5	
Q3E2C Major		INTERRUPTION V		NUM(1.0)
Count	<u></u>	Value/Range	Code Value/Range Text	
1	.04	1	YES	
60	2.70	5	NO	
-	-	8	DK	
5	.22	9	NA/REFUSED	
2,157	97.03	0	Inap.: Q3E2 NE 5	
Q3E2D Child		DID NOT UNDERS t understand ta		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
20	.90	1	YES	
41	1.84	5	NO	
-	-	8	DK	
5	.22	9	NA/REFUSED	
2,157	97.03	0	Inap.: Q3E2 NE 5	
Q3E2E Child		PROB WJR 97" uage problem		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
1	.04	1	YES	
60	2.70	5	NO	
_	-	8	DK	
5	.22	9	NA/REFUSED	
2,157	97.03	0	Inap.: Q3E2 NE 5	
Q3E2F Child		CONDITION WJR 9	97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
6	.27	1	YES	
55	2.47	5	NO	
-	_	8	DK	
5	.22	9	NA/REFUSED	
2,157	97.03	0	Inap.: Q3E2 NE 5	

Q3E2G Child		CONDITION WJR 9	97"	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
_	-	1	YES	
61	2.74	5	NO	
-	-	8	DK	
5	.22	9	NA/REFUSED	
2,157	97.03	0	Inap.: Q3E2 NE 5	
Q3E2H Child	"TIRED tired	WJR 97"		NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text	
5	.22	1	YES	
56	2.52	5	NO	
-	-	8	DK	
5	.22	9	NA/REFUSED	
2,157	97.03	0	Inap.: Q3E2 NE 5	
Q3E2I Other	"OTHER	. WJR 97"		NUM(1.0)
Count	%	Value/Range	Code Value/Range Text	
27	1.21	1	YES	
34	1.53	5	NO	
34	1.53			
		8	NO	
-	_	8	NO DK	
- 5 2,157 Q3E3	22 97.03	8	NO DK NA/REFUSED Inap.: Q3E2 NE 5	NUM(1.0)
2,157 Q3E3 Was the I	- .22 97.03 "COMPL Digit Spa	8 9 0 ETE WISC 97" n assessment co	NO DK NA/REFUSED Inap.: Q3E2 NE 5	
2,157 Q3E3 Was the I	- .22 97.03 "COMPL Digit Spa	8 9 0 ETE WISC 97" n assessment co has been change	NO DK NA/REFUSED Inap.: Q3E2 NE 5 ompleted?	
2,157 Q3E3 Was the I	- .22 97.03 "COMPL Digit Spa wording	8 9 0 ETE WISC 97" n assessment co has been change	NO DK NA/REFUSED Inap.: Q3E2 NE 5 ompleted? ed slighty from original admir	
2,157 Q3E3 Was the I Question Count	.22 97.03 "COMPL Digit Spa wording	8 9 0 ETE WISC 97" n assessment co has been change Value/Range	NO DK NA/REFUSED Inap.: Q3E2 NE 5 ompleted? ed slighty from original admir	

9 NA/REFUSED

	the rea	IVER TERMINATEI sons for not co ted/refused		<pre>NUM(1.0) THAT APPLY] Parent/primary</pre>
Count	<u> </u>	Value/Range	Code Value/Range Text	
2	.09	1	YES	
93	4.18	5	NO	
-	-	8	DK	
_	-	9	NA/REFUSED	
2,128	95.73	0	Inap.: Q3E3 NE 5	
Q3E3B Child		DID NOT RESPON t respond	ND WISC 97"	NUM(1.0)
Count	<u> </u>		Code Value/Range Text	
28	1.26	1	YES	
67	3.01	5	NO	
_	_	8	DK	
_	-	9	NA/REFUSED	
2,128	95.73	0	Inap.: Q3E3 NE 5	
Q3E3C Major		INTERRUPTION V		NUM(1.0)
~		tion caused ter		NUM(1.0)
Major	interrup	tion caused ter Value/Range	rmination	NUM(1.0)
Major Count	interrup %	tion caused ter Value/Range 1	rmination Code Value/Range Text	NUM(1.0)
Major <u>Count</u> 1	* .04	tion caused ter Value/Range 1	rmination <u>Code Value/Range Text</u> YES	NUM(1.0)
Major <u>Count</u> 1	* .04	tion caused ter Value/Range 1 5	cmination Code Value/Range Text YES NO	NUM(1.0)
Major <u>Count</u> 1	* .04	tion caused ter Value/Range 1 5 8	cmination Code Value/Range Text YES NO DK	NUM(1.0)
Count 1 94 - 2,128	* .04 4.23 95.73	tion caused ter Value/Range 1 5 8	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5	NUM(1.0)
Count 1 94 - 2,128	* .04 4.23 95.73	Value/Range 1 5 8 9 0 DID NOT UNDERS	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5	
Count 1 94 - 2,128 Q3E3DChild	* .04 4.2395.73 **CHILD could no	Value/Range 1 5 8 9 0 DID NOT UNDERS	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5	
Major	* .04 4.2395.73 "CHILD could no	Value/Range 1 5 8 9 0 DID NOT UNDERS t understand ta	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5 STAND WISC 97" ask Code Value/Range Text	
Major	* .04 4.2395.73 **CHILD could no:	Value/Range Value/Range 1 5 8 9 0 DID NOT UNDERS t understand to Value/Range 1	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5 STAND WISC 97" ask Code Value/Range Text YES	
Major	* .04 4.2395.73 **CHILD could no:	Value/Range 1 5 8 9 0 DID NOT UNDERS t understand to Value/Range 1 5	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5 STAND WISC 97" ask Code Value/Range Text YES NO	

Q3E3E Child		PROB WISC 97" guage problem		NUM(1.0)	
<u>Count</u>	<u>%</u>		Code Value/Range Text YES		
95	4.27	5	NO		
_	_	8	DK		
_	_	9	NA/REFUSED		
2,128	95.73	0	Inap.: Q3E3 NE 5		
Q3E3F Child		CONDITION WISC onal condition	97"	NUM(1.0)	
Count	%		Code Value/Range Text		
5	.22	1			
90	4.05		NO		
-	_		DK		
-	_	9	NA/REFUSED		
2,128	95.73	0	Inap.: Q3E3 NE 5		
Q3E3G Child		CONDITION WISC cal condition	97"	NUM(1.0)	
		cal condition	97" Code Value/Range Text	NUM(1.0)	
Child	's physi	cal condition	Code Value/Range Text	NUM(1.0)	
Child	's physi	cal condition Value/Range 1	Code Value/Range Text	NUM(1.0)	
Child	's physi	cal condition Value/Range 1	Code Value/Range Text YES	NUM(1.0)	
Child	% - 4.27	cal condition Value/Range 1 5	Code Value/Range Text YES NO	NUM(1.0)	
Child	% - 4.27	cal condition Value/Range 1 5	Code Value/Range Text YES NO DK	NUM(1.0)	
Count 95	* physical * * * * * * * * * * * * * * * * * * *	value/Range 1 5 8	Code Value/Range Text YES NO DK NA/REFUSED	NUM(1.0)	
Count 95 2,128 Q3E3H Child Count	% - 4.27 - 95.73 "TIRE tired	Value/Range 1 5 8 9 0 D WISC 97"	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5		
Count 95 2,128 Q3E3HChild Count 6	% - 4.27 - 95.73 "TIRE tired % .27	Value/Range 1 5 8 9 0 D WISC 97"	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5 Code Value/Range Text YES		
Count 95 2,128 Q3E3H Child Count	% - 4.27 - 95.73 "TIRE tired	Value/Range 1 5 8 9 0 D WISC 97" Value/Range	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5		
Count 95 2,128 Q3E3HChild Count 6	% - 4.27 - 95.73 "TIRE tired % .27	Value/Range 1 5 8 9 0 D WISC 97" Value/Range 1	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5 Code Value/Range Text YES		
Count 95 2,128 Q3E3HChild Count 6 89	% - 4.27 - 95.73 "TIRE tired % .27	Value/Range 1 5 8 9 0 D WISC 97" Value/Range 1 5	Code Value/Range Text YES NO DK NA/REFUSED Inap.: Q3E3 NE 5 Code Value/Range Text YES NO		

Q3E3I Other	"OTHER	WISC 97"	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
19	.85	1	YES
76	3.42	5	NO
_	_	8	DK
_	_	9	NA/REFUSED
2,128	95.73	0	Inap.: Q3E3 NE 5

MATH97 "ABILITY SELF CONCEPTS MATH 97"

NUM(4.2)

Ability Self Concepts in Math

Mean of items Q3C1-Q3C10. CDS-I User Guide Supplement provides more details on the construction and psychometric properties of the measure.

<u>Count</u>	~	<u>Value/Range</u>	Code Value/Range Text
1,073	48.27	1.30 - 6.70	ABILITY SELF CONCEPTS IN MATH SCORE
14	.63	9.00	NOT ASCERTAINED
1,136	51.10	.00	Inap.: Q3AGE LT 8

READ97 "ABILITY SELF CONCEPTS READ 97"

NUM(4.2)

Ability Self Concepts in Reading

Mean of items Q3C11-Q3C20. CDS-I User Guide Supplement provides more details on the construction and psychometric properties of the measure.

	48.22		Code Value/Range Text ABILITY SELF CONCEPTS IN READING SCORE
15	.67	9.00	NOT ASCERTAINED
1,136	51.10	.00	Inap.: Q3AGE LT 8

GLBCN97 "GLOBAL SELF CONCEPT 97"

NUM(4.2)

Global Self-Concept Scale

Mean score of Q3C21 -- Q3C28. CDS-I User Guide Supplement provides more details on the construction and psychometric properties of the measure.

Count	<u>%</u>	<u>Value/Range</u>	Code Value/Range Text
1,074	48.31	1.00 - 7.00	GLOBAL SELF-CONCEPT SCALE
13	.58	9.00	NOT ASCERTAINED
1,136	51.10	.00	Inap.: Q3AGE LT 8

Q3LWPR "LW PERCENTILE RANK 97"

NUM(3.0)

Letter Word Percentile Rank

<u>Count</u>	<u></u>	<u>Value/Range</u>	Code Value/Range Text
2,218	99.78	0 - 99	Percentile Rank
5	.22	999	NA; Letter Word not administered

Q3LWW Letter Wo		SCORE 97"	NUM(3.0)
Count	%	Value/Range	Code Value/Range Text
2,218	99.78	300 - 600	
5	.22	999	NA; Letter Word not administered
Q3PCPR Passage (_	ERCENTILE RANK S	
Count	%	Value/Range	Code Value/Range Text
1,520	68.38	0 - 99	Percentile Rank
703	31.62	999	NA; Passage Comprehension not administered
Q3PCW "PC W SCORE 97" Passage Comprehension W Score			NUM(3.0)
Count	%	Value/Range	Code Value/Range Text
1,522	68.47	300 - 600	W Score
701	31.53	999	NA; Passage Comprehension not administered
Q3BRPR Broad Rea	_	D READING PERCEN	()
Count	<u></u>	Value/Range	Code Value/Range Text
1,520	68.38	0 - 99	Percentile Rank
703	31.62	999	NA; Letter Word or Passage Comprehension not administered
Q3BRW "BROAD READING W SCO! Broad Reading Summation W Score			
Count	%	Value/Range	Code Value/Range Text
1,522	68.47	300 - 600	W Score
701	31.53	999	NA; Letter Word or Passage Comprehension not administered
Q3CALPR Calculati		PERCENTILE RANK entile Rank	97" NUM(3.0)
Count	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Value/Range	Code Value/Range Text
1,515	68.15	0 - 99	Percentile Rank
708	31.85	999	NA; Calculation not administered
Q3CALW "CAL W SCORE 97" Calculation W Score			NUM(3.0)
Count	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Value/Range	Code Value/Range Text
1,517	68.24	300 - 600	W Score
706	31.76	999	NA; Calculation not administered

Q3APPR "APPLIED PROB PERCENTILE RANK 97" NUM(3.0) Applied Problems Percentile Rank					
Count	<u></u>	Value/Range	Code Value/Range Text		
2,209	99.37	0 - 99	Percentile Rank		
14	.63	999	NA; Applied Problems not administered		
Q3APW Applied B		IED PROB W SCORI W Score	E 97" NUM(3.0)		
Count	<u> </u>	Value/Range	Code Value/Range Text		
2,209	99.37	300 - 600	W Score		
14	.63	999	NA; Applied Problems not administered		
Q3BMPR "BROAD MATH PERCENTILE RANK 97" NUM(3.0) Broad Math Summation Percentile Rank					
Count	~ %	Value/Range	Code Value/Range Text		
1,513	68.06	0 - 99	Percentile Rank		
710	31.94	999	NA; Calculation or Applied Problems not administered		
Q3BMW "BROAD MATH W SCORE 97" NUM(3.0) Broad Math Summation W Score					
	JI Sullilla	JOH W SCOLE			
Count			Code Value/Range Text		
<u>Count</u> 1,515					