2007 CDS Child Assessments Codebook

Number of Variables

255

ASMREL07 "ASSESSMENT FILE RELEASE NUMBER 07"

NUM(1.0)

Release number for the CDS III Assessment Data File

Release number 2 (November, 2010): Fixes for incomplete records -- recoded AP values to missing for 6 records; recoded LW values to missing for 1 record; corrected value of Q34D2 for 8 records.

Count	<u> </u>	Value/Range	Code Value/Range Text	
-	-	1	Release number 1 - October, 2009	
1,506	100.00	2	Release number 2 - November, 2010	

ASMID07 "2007 INTERVIEW NUMBER"

NUM(5.0)

2007 PSID Main Family Identifier

The values for this variable represent the 2007 interview number of the family in which this individual was included in 2007.

Count	%	Value/Range	Code Value/Range Text
1,506	100.00	1 - 8,332	Interview number

ASMSN07 "CYPSN 2007"

NUM(2.0)

2007 PSID Sequence Number

This sequence number variable provides a means of identifying an individual's status with regard to the family unit at the time of the PSID main family 2007 interview.

Count	<u> </u>	Value/Range	Code Value/Range Text	
1,506	100.00	1 - 20	Sequence number of individuals in the PSID family at the	
			time of the 2007 main family interview	

Q34MONTH "MONTH ASSESSMT 07"

NUM(2.0)

Month of the assessment

Count	%		Code Value/Range Text
244	16.20	1	January
163	10.82	2	February
122	8.10	3	March
24	1.59	4	April
_	-	5	May
_	-	6	June
_	-	7	July
_	-	8	August
_	-	9	September
350	23.24	10	October
395	26.23	11	November
208	13.81	12	December

Q34DAY Day of the		ASSESSMT 07"	NUM(2.0)
			Code Value/Range Text
			Day of the month
Q34YEAR Year of		ASSESSMT 07" ssment	NUM(4.0)
Count	%	Value/Range	Code Value/Range Text
1,506	100.00	2,007 - 2,008	Year
~		FORM 07" Test Form	NUM(1.0)
Count	ુ	Value/Range	Code Value/Range Text
1,506	100.00	1	Form B
-	-	2	Form A
-		OF ADMIN 07" h interview adm.	NUM(1.0) inistered
Count	<u></u>	Value/Range	Code Value/Range Text
1,506	100.00	1	English
-	-	2	Spanish
A1. Now your sho	I need to		NUM(4.1) you are and how much you weigh. First you need to take D/YOUTH REMOVES HIS/HER SHOES: Let's see how tall you are. wall/door)?
Count	<u> </u>	Walue/Range	Code Value/Range Text
		1.0 - 80.0	
4		98.0	
59	3.92	99.0	
	let's s		NUM(5.1) weigh. Please stand in the center of the scale. s where scale failed to register a reading.
Count	%	Value/Range	Code Value/Range Text
1,483	98.47	1.0 - 400.0	
5	.33	998.0	DK
18	1.20		NA; refused
10	1.20	222.0	

~		EIGHT LAST DOC height at you	VISIT 07" NUM(4.1) ur last doctor visit?
Count			Code Value/Range Text
3	.20	1.0 - 80.0	
3	.20	98.0	DK
57	3.78	99.0	NA; refused
1,443	95.82	.0	Inap.: height obtained at Q34A1
Q34A3B A3b. How	_	r -WHEN LAST DO was your visit	OC VISIT 07" NUM(1.0) t to the doctor?
Count	%	Value/Range	Code Value/Range Text
2	.13	1	Within the last month
1	.07	2	1-5 months ago
-	_	3	6 months to a year ago
-	_	4	More than 1 year ago
-		8	DK
_	_	9	NA; refused
		0	<pre>Inap.: height obtained at Q34A1; NA, DK, or RF height a last doctor visit appointment (Q343A=98,99)</pre>
		JRRENT HEIGHT (me your best o	NUM(4.1) estimate of your height?
	you give	me your best e	
A3c. Can	you give	me your best e	estimate of your height? Code Value/Range Text
A3c. Can Count	you give	me your best o	estimate of your height? <u>Code Value/Range Text</u> Inches
A3c. Can Count 2	you give	me your best e Value/Range 1.0 - 80.0 98.0	estimate of your height? <u>Code Value/Range Text</u> Inches
A3c. Can Count 2 1 57	you give	me your best e Value/Range 1.0 - 80.0 98.0 99.0	estimate of your height? Code Value/Range Text Inches DK
A3c. Can Count 2 1 57 1,446	% .13 .07 3.78 96.02	Walue/Range 1.0 - 80.0 98.0 99.0 .0	Code Value/Range Text Inches DK NA; refused Inap.: height obtained at Q34A1 or Q34A3A
A3c. Can Count 2 1 57 1,446 Q34A4A A4a. What	you give	Value/Range 1.0 - 80.0 98.0 99.0 .0 EIGHT LAST DOC weight at the	Code Value/Range Text Inches DK NA; refused Inap.: height obtained at Q34Al or Q34A3A VISIT 07" e last doctor visit? Code Value/Range Text
A3c. Can Count 2 1 57 1,446 Q34A4A A4a. What	% .13 .07 3.78 96.02 "EST WE was your	Value/Range 1.0 - 80.0 98.0 99.0 .0 EIGHT LAST DOC weight at the	Code Value/Range Text Inches DK NA; refused Inap.: height obtained at Q34Al or Q34A3A VISIT 07" e last doctor visit? Code Value/Range Text
A3c. Can Count 2 1 57 1,446 Q34A4A A4a. What	you give	Value/Range 1.0 - 80.0 98.0 99.0 .0 EIGHT LAST DOC weight at the	Code Value/Range Text Inches DK NA; refused Inap.: height obtained at Q34A1 or Q34A3A VISIT 07" Plast doctor visit? Code Value/Range Text Pounds
A3c. Can Count 2 1 57 1,446 Q34A4A A4a. What Count 6	you give	Value/Range 1.0 - 80.0 98.0 99.0 .0 EIGHT LAST DOC weight at the Value/Range 1.0 - 400.0 998.0	Code Value/Range Text Inches DK NA; refused Inap.: height obtained at Q34A1 or Q34A3A VISIT 07" Plast doctor visit? Code Value/Range Text Pounds
A3c. Can Count 2 1 57 1,446 Q34A4A A4a. What Count 6 4	% .13 .07 3.78 96.02 "EST WE was your .40 .27	Value/Range 1.0 - 80.0 98.0 99.0 .0 EIGHT LAST DOC weight at the Value/Range 1.0 - 400.0 998.0 999.0	Code Value/Range Text Inches DK NA; refused Inap.: height obtained at Q34A1 or Q34A3A VISIT 07" e last doctor visit? Code Value/Range Text Pounds DK
A3c. Can Count 2 1 57 1,446 Q34A4A A4a. What Count 6 4 13 1,483 Q34A4B	% .13 .07 3.78 96.02 "EST WE was your .40 .27 .86 98.47 "WEIGHT	Value/Range 1.0 - 80.0 98.0 99.0 .0 EIGHT LAST DOC weight at the Value/Range 1.0 - 400.0 998.0 999.0 .0	Code Value/Range Text Inches DK NA; refused Inap.: height obtained at Q34A1 or Q34A3A VISIT 07" e last doctor visit? Code Value/Range Text Pounds DK NA; refused Inap.: weight obtained at Q34A2
A3c. Can Count 2 1 57 1,446 Q34A4A A4a. What Count 6 4 13 1,483 Q34A4B	% .13 .07 3.78 96.02 "EST WE was your .40 .27 .86 98.47 "WEIGHT	Value/Range 1.0 - 80.0 98.0 99.0 .0 EIGHT LAST DOC weight at the Value/Range 1.0 - 400.0 998.0 999.0 .0 T -WHEN LAST DOC was your visit	Code Value/Range Text Inches DK NA; refused Inap.: height obtained at Q34A1 or Q34A3A VISIT 07" Pe last doctor visit? Code Value/Range Text Pounds DK NA; refused Inap.: weight obtained at Q34A2 OC VISIT 07" NUM(1.0)

3	.20	2	1-5 months ago
-	_	3	6 months to a year ago
-	_	4	More than one year ago
-	-	8	DK
-	_	9	NA; refused
1,500	99.60	0	<pre>Inap.: weight obtained at Q34A2 or NA, DK, RF child's weight at last doctor visit (Q34A4A=998,999)</pre>

Q34A4C "EST CURRENT WEIGHT 07"

NUM(5.1)

A4c. Can you give me your best estimate of your weight?

Count	%	Value/Range	Code Value/Range Text		
4	.27	1.0 - 400.0	Pounds		
2	.13	998.0	DK		
11	.73	999.0	NA; refused		
1,489	98.87	.0	Inap. weight obtained at Q34A2 or Q34A4A		

Q34BMI "BODY MASS INDEX 07"

NUM(4.1)

Calculated Body Mass Index based on child's age, sex, height, and weight. See CDS-III User Guide for more details.

Count	<u></u>	<u>Value/Range</u>	Code Value/Range Text
1,440	95.62	.1 - 97.9	Body Mass Index
66	4.38	99.0	NA

Q34B2 "GLASSES OR HEARING AID 07"

NUM(1.0)

Special considerations for Child, per Coverscreen Interview: (Vision; Hearing; Physical; Mental; Behavioral; Language; [Q31SpecialOS]; No special needs)

Count	%	<u>Value/Range</u>	Code Value/Range Text	
427	28.35	1	Child needs glasses or hearing aid	
1,079	71.65	2	Child does not need glasses or hearing aid	
-	-	8	DK	
_	_	9	NA; refused	

Q34B3 "GRADE IN SCH 07"

NUM(2.0)

Grade in School at the time of the assessment

Count	%	Value/Range	Code Value/Range Text
_	-	1	1st grade
-	_	2	2nd grade
2	.13	3	3rd grade
13	.86	4	4th grade
114	7.57	5	5th grade
201	13.35	6	6th grade

202	13.41	7	7th grade
202	13.41	8	8th grade
227	15.07	9	9th grade
193	12.82	10	10th grade
191	12.68	11	11th grade
158	10.49	12	12th grade
2	.13	13	Graduated high school; GED
1	.07	14	College
-	_	98	DK
-	_	99	NA; refused
-	_	0	Inap.: child not in school

Q34LW1 "LW TEST ITEM 1 07"

NUM(1.0)

Letter Word Item 1

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	~	Value/Range	Code Value/Range Text								
1,505	99.93	1	Correct response								
-	_	5	Incorrect response								
-	_	8	DK								
1	.07	9	NA; refused								
_	-	0	Inap.: refer to the User Guide (see note above)								

Q34LW2 "LW TEST ITEM 2 07"

NUM(1.0)

Letter Word Item 2

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text							
1,505	99.93	1	orrect response							
-	-	5	incorrect response							
-	-	8	DK							
1	.07	9	NA; refused							
-	-	0	Inap.: refer to the User Guide (see note above)							

Q34LW3 "LW TEST ITEM 3 07"

NUM(1.0)

Letter Word Item 3

Count	<u></u> %	Value/Range	Code Value/Range Text
1,505	99.93	1	Correct response

-	-	5	Incorrect response
_	-	8	DK
1	.07	9	NA; refused
_	_	0	<pre>Inap.: refer to the User Guide (see note above)</pre>

Q34LW4 "LW TEST ITEM 4 07"

NUM(1.0)

Letter Word Item 4

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u></u>	Value/Range	Code Value/Range Text								
1,505	99.93	1	orrect response								
_	-	5	ncorrect response								
-	-	8	DK								
1	.07	9	NA; refused								
_	_	0	Inap.: refer to the User Guide (see note above)								

Q34LW5 "LW TEST ITEM 5 07"

NUM(1.0)

Letter Word Item 5

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text							
1,505	99.93	1	orrect response							
-	_	5	Incorrect response							
-	_	8	DK .							
1	.07	9	NA; refused							
_	_	0	<pre>Inap.: refer to the User Guide (see note above)</pre>							

Q34LW6 "LW TEST ITEM 6 07"

NUM(1.0)

Letter Word Item 6

<u>Count</u> 1,505	99.93		Code Value/Range Text Correct response						
-	_	5	Incorrect response						
-	-	8	DK						
1	.07	9	NA; refused						
_	_	0	Inap.: refer to the User Guide (see note above)						

Q34LW7 "LW TEST ITEM 7 07"

NUM(1.0)

Letter Word Item 7

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u>%</u>	Value/Range	Code Value/Range Text								
1,504	99.87	1	Correct response								
1	.07	5	Incorrect response								
-	_	8	DK								
1	.07	9	NA; refused								
_	_	0	Inap.: refer to the User Guide (see note above)								

O34LW8 "LW TEST ITEM 8 07"

NUM(1.0)

Letter Word Item 8

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text							
1,504	99.87	1	Correct response							
1	.07	5	Incorrect response							
-	-	8	DK							
1	.07	9	NA; refused							
_	_	0	Inap.: refer to the User Guide (see note above)							

Q34LW9 "LW TEST ITEM 9 07"

NUM(1.0)

Letter Word Item 9

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text							
1,504	99.87	1	Correct response							
1	.07	5	Incorrect response							
-	-	8	DK							
1	.07	9	NA; refused							
_	_	0	Inap.: refer to the User Guide (see note above)							

Q34LW10 "LW TEST ITEM 10 07"

NUM(1.0)

Letter Word Item 10

<u>Count</u>	<u></u>	<pre>Value/Range</pre>	Code Value/Range Text
1,505	99.93	1	Correct response
_	_	5	Incorrect response

_	-	8	DK								
1	.07	9	NA; refu	.sed							
-	-	0	Inap.:	refer	to	the	User	Guide	(see	note	above)

Q34LW11 "LW TEST ITEM 11 07"

NUM(1.0)

Letter Word Item 11

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,504	99.87	1	Correct response
1	.07	5	Incorrect response
_	_	8	DK
1	.07	9	NA; refused
-	-	0	Inap.: refer to the User Guide (see note above)

Q34LW12 "LW TEST ITEM 12 07"

NUM(1.0)

Letter Word Item 12

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,504	99.87	1	Correct response
1	.07	5	Incorrect response
-	_	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW13 "LW TEST ITEM 13 07"

NUM(1.0)

Letter Word Item 13

Count	%	Value/Range	Code Value/Range Text
1,504	99.87	1	Correct response
1	.07	5	Incorrect response
_	-	8	DK
1	.07	9	NA; refused
-	_	0	Inap.: refer to the User Guide (see note above)

Q34LW14 "LW TEST ITEM 14 07"

NUM(1.0)

Letter Word Item 14

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,504	99.87	1	Correct response
1	.07	5	Incorrect response
_	-	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

O34LW15 "LW TEST ITEM 15 07"

NUM(1.0)

Letter Word Item 15

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
1,503	99.80	1	Correct response
2	.13	5	Incorrect response
-	_	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW16 "LW TEST ITEM 16 07"

NUM(1.0)

Letter Word Item 16

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,501	99.67	1	Correct response
4	.27	5	Incorrect response
-	-	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW17 "LW TEST ITEM 17 07"

NUM(1.0)

Letter Word Item 17

Count	~ %	Value/Range	Code Value/Range Text
1,501	99.67	1	Correct response
4	.27	5	Incorrect response

-	-	8	DK
1	.07	9	NA; refused
_	_	0	<pre>Inap.: refer to the User Guide (see note above)</pre>

Q34LW18 "LW TEST ITEM 18 07"

NUM(1.0)

Letter Word Item 18

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,494	99.20	1	Correct response
10	.66	5	Incorrect response
1	.07	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW19 "LW TEST ITEM 19 07"

NUM(1.0)

Letter Word Item 19

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
1,498	99.47	1	Correct response
6	.40	5	Incorrect response
1	.07	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW20 "LW TEST ITEM 20 07"

NUM(1.0)

Letter Word Item 20

Count	<u>%</u>	<u>Value/Range</u>	Code Value/Range Text
1,493	99.14	1	Correct response
11	.73	5	Incorrect response
1	.07	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW21 "LW TEST ITEM 21 07"

NUM(1.0)

Letter Word Item 21

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	용	<u>Value/Range</u>	Code Value/Range Text
1,493	99.14	1	Correct response
10	.66	5	Incorrect response
2	.13	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

O34LW22 "LW TEST ITEM 22 07"

NUM(1.0)

Letter Word Item 22

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,494	99.20	1	Correct response
9	.60	5	Incorrect response
2	.13	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW23 "LW TEST ITEM 23 07"

NUM(1.0)

Letter Word Item 23

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,495	99.27	1	Correct response
9	.60	5	Incorrect response
1	.07	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW24 "LW TEST ITEM 24 07"

NUM(1.0)

Letter Word Item 24

Count	~ ~	Value/Range	Code Value/Range Text
1,493	99.14	1	Correct response
9	.60	5	Incorrect response

3	.20	8	DK
1	.07	9	NA; refused
_	_	0	Inap: refer to the User Guide (see note above)

Q34LW25 "LW TEST ITEM 25 07"

NUM(1.0)

Letter Word Item 25

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,478	98.14	1	Correct response
19	1.26	5	Incorrect response
8	.53	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW26 "LW TEST ITEM 26 07"

NUM(1.0)

Letter Word Item 26

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,472	97.74	1	Correct response
30	1.99	5	Incorrect response
3	.20	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW27 "LW TEST ITEM 27 07"

NUM(1.0)

Letter Word Item 27

Count	<u> </u>	Value/Range	Code Value/Range Text
1,490	98.94	1	Correct response
11	.73	5	Incorrect response
4	.27	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW28 "LW TEST ITEM 28 07"

NUM(1.0)

Letter Word Item 28

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
1,482	98.41	1	Correct response
17	1.13	5	Incorrect response
6	.40	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

O34LW29 "LW TEST ITEM 29 07"

NUM(1.0)

Letter Word Item 29

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	용	<u>Value/Range</u>	Code Value/Range Text
1,459	96.88	1	Correct response
39	2.59	5	Incorrect response
7	.46	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW30 "LW TEST ITEM 30 07"

NUM(1.0)

Letter Word Item 30

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u>%</u>	Value/Range	Code Value/Range Text
1,456	96.68	1	Correct response
45	2.99	5	Incorrect response
4	.27	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LW31 "LW TEST ITEM 31 07"

NUM(1.0)

Letter Word Item 31

Count	<u> </u>	Value/Range	Code Value/Range Text
1,483	98.47	1	Correct response
14	.93	5	Incorrect response

8	.53	8 DK
1	.07	9 NA; refused
-	_	0 Inap.: refer to the User Guide (see note above)

Q34LW32 "LW TEST ITEM 32 07"

NUM(1.0)

Letter Word Item 32

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text				
1,327	88.11	1	Correct response				
143	9.50	5	Incorrect response				
34	2.26	8	DK				
2	.13	9	NA; refused				
_	_	0	Inap.: refer to the User Guide (see note above)				

Q34LW33 "LW TEST ITEM 33 07"

NUM(1.0)

Letter Word Item 33

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text				
1,442	95.75	1	Correct response				
56	3.72	5	Incorrect response				
7	.46	8	DK				
1	.07	9	NA; refused				
_	_	0	Inap.: refer to the User Guide (see note above)				

Q34LW34 "LW TEST ITEM 34 07"

NUM(1.0)

Letter Word Item 34

Count	<u>%</u>	<u>Value/Range</u>	Code Value/Range Text				
1,421	94.36	1	Correct response				
74	4.91	5	Incorrect response				
10	.66	8	DK				
1	.07	9	NA; refused				
_	_	0	Inap.: refer to the User Guide (see note above)				

Q34LW35 "LW TEST ITEM 35 07"

NUM(1.0)

Letter Word Item 35

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text				
1,417	94.09	1	forrect response				
81	5.38	5	Incorrect response				
7	.46	8	DK				
1	.07	9	NA; refused				
_	_	0	Inap.: refer to the User Guide (see note above)				

O34LW36 "LW TEST ITEM 36 07"

NUM(1.0)

Letter Word Item 36

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text				
1,420	94.29	1	Correct response				
62	4.12	5	Incorrect response				
14	.93	8	DK				
1	.07	9	NA; refused				
9	.60	0	Inap.: refer to the User Guide (see note above)				

Q34LW37 "LW TEST ITEM 37 07"

NUM(1.0)

Letter Word Item 37

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text				
1,261	83.73	1	Correct response				
200	13.28	5	Incorrect response				
35	2.32	8	DK				
1	.07	9	NA; refused				
9	.60	0	Inap.: refer to the User Guide (see note above)				

Q34LW38 "LW TEST ITEM 38 07"

NUM(1.0)

Letter Word Item 38

Count	~ ~	Value/Range	Code Value/Range Text
1,295	85.99	1	Correct response
170	11.29	5	Incorrect response

31	2.06	8	DK									
1	.07	9	NA;	ref	used							
9	.60	0	Inar	.:	refer	to	the	User	Guide	(see	note	above)

Q34LW39 "LW TEST ITEM 39 07"

NUM(1.0)

Letter Word Item 39

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text				
1,351	89.71	1	Correct response				
123	8.17	5	Incorrect response				
22	1.46	8	DK				
1	.07	9	NA; refused				
9	.60	0	Inap.: refer to the User Guide (see note above)				

Q34LW40 "LW TEST ITEM 40 07"

NUM(1.0)

Letter Word Item 40

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text				
1,313	87.18	1	Correct response				
149	9.89	5	Incorrect response				
33	2.19	8	DK				
2	.13	9	NA; refused				
9	.60	0	Inap.: refer to the User Guide (see note above)				

Q34LW41 "LW TEST ITEM 41 07"

NUM(1.0)

Letter Word Item 41

Count	%	<u>Value/Range</u>	Code Value/Range Text					
1,241	82.40	1	Correct response					
228	15.14	5	Incorrect response					
26	1.73	8	DK					
2	.13	9	NA; refused					
9	.60	0	Inap.: refer to the User Guide (see note above)					

Q34LW42 "LW TEST ITEM 42 07"

NUM(1.0)

Letter Word Item 42

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	%	<u>Value/Range</u>	Code Value/Range Text				
1,412	93.76	1	Correct response				
46	3.05	5	Incorrect response				
3	.20	8	DK				
1	.07	9	NA; refused				
44	2.92	0	Inap.: refer to the User Guide (see note above)				

O34LW43 "LW TEST ITEM 43 07"

NUM(1.0)

Letter Word Item 43

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text									
995	66.07	1	Correct response									
403	26.76	5	Incorrect response									
59	3.92	8	DK									
5	.33	9	NA; refused									
44	2.92	0	Inap.: refer to the User Guide (see note above)									

Q34LW44 "LW TEST ITEM 44 07"

NUM(1.0)

Letter Word Item 44

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u>%</u>	Value/Range	Code Value/Range Text								
735	48.80	1	orrect response								
617	40.97	5	ncorrect response								
108	7.17	8	DK								
2	.13	9	NA; refused								
44	2.92	0	Inap.: refer to the User Guide (see note above)								

Q34LW45 "LW TEST ITEM 45 07"

NUM(1.0)

Letter Word Item 45

Count	<u> </u>	Value/Range	Code Value/Range Text
772	51.26	1	Correct response
612	40.64	5	Incorrect response

77	5.11	8	DK	
1	.07	9	NA; refused	
44	2 92	0	Inan: refer to the User Guide (see note above	(د

Q34LW46 "LW TEST ITEM 46 07"

NUM(1.0)

Letter Word Item 46

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text									
640	42.50	1	orrect response									
677	44.95	5	Incorrect response									
143	9.50	8	DK									
2	.13	9	NA; refused									
44	2.92	0	Inap.: refer to the User Guide (see note above)									

Q34LW47 "LW TEST ITEM 47 07"

NUM(1.0)

Letter Word Item 47

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text									
921	61.16	1	Correct response									
511	33.93	5	Incorrect response									
29	1.93	8	DK									
1	.07	9	NA; refused									
44	2.92	0	Inap.: refer to the User Guide (see note above)									

Q34LW48 "LW TEST ITEM 48 07"

NUM(1.0)

Letter Word Item 48

Count	%	<u>Value/Range</u>	ode Value/Range Text									
746	49.54	1	prrect response									
648	43.03	5	ncorrect response									
28	1.86	8	DK.									
1	.07	9	NA; refused									
83	5.51	0	Inap.: refer to the User Guide (see note above)									

Q34LW49 "LW TEST ITEM 49 07"

NUM(1.0)

Letter Word Item 49

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text									
863	57.30	1	orrect response									
514	34.13	5	Incorrect response									
45	2.99	8	DK									
1	.07	9	NA; refused									
83	5.51	0	Inap.: refer to the User Guide (see note above)									

O34LW50 "LW TEST ITEM 50 07"

NUM(1.0)

Letter Word Item 50

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

_	Count	<u></u>	<u>Value/Range</u>	ode Value/Range Text									
	610	40.50	1	Correct response									
	796	52.86	5	ncorrect response									
	16	1.06	8	ıK									
	1	.07	9	NA; refused									
	83	5.51	0	Inap.: refer to the User Guide (see note above)									

Q34LW51 "LW TEST ITEM 51 07"

NUM(1.0)

Letter Word Item 51

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u></u>	Value/Range	Code Value/Range Text								
388	25.76	1	orrect response								
882	58.57	5	ncorrect response								
150	9.96	8	DK								
3	.20	9	NA; refused								
83	5.51	0	Inap.: refer to the User Guide (see note above)								

Q34LW52 "LW TEST ITEM 52 07"

NUM(1.0)

Letter Word Item 52

Count	~ ~	Value/Range	Code Value/Range Text
412	27.36	1	Correct response
961	63.81	5	Incorrect response

49	3.25	8	DK									
1	.07	9	NA;	ref	used							
83	5.51	0	Ina	p.:	refer	to	the	User	Guide	(see	note	above)

Q34LW53 "LW TEST ITEM 53 07"

NUM(1.0)

Letter Word Item 53

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

_	Count	ૄ%	<u>Value/Range</u>	Code Value/Range Text
	401	26.63	1	Correct response
	965	64.08	5	Incorrect response
	55	3.65	8	DK
	2	.13	9	NA; refused
	83	5.51	0	Inap.: refer to the User Guide (see note above)

Q34LW54 "LW TEST ITEM 54 07"

NUM(1.0)

Letter Word Item 54

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
439	29.15	1	Correct response
674	44.75	5	Incorrect response
36	2.39	8	DK
2	.13	9	NA; refused
355	23.57	0	Inap.: refer to the User Guide (see note above)

Q34LW55 "LW TEST ITEM 55 07"

NUM(1.0)

Letter Word Item 55

Count	%	<u>Value/Range</u>	Code Value/Range Text
116	7.70	1	Correct response
991	65.80	5	Incorrect response
42	2.79	8	DK
2	.13	9	NA; refused
355	23.57	0	Inap.: refer to the User Guide (see note above)

Q34LW56 "LW TEST ITEM 56 07"

NUM(1.0)

Letter Word Item 56

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
110	7.30	1	Correct response
986	65.47	5	Incorrect response
54	3.59	8	DK
1	.07	9	NA; refused
355	23.57	0	Inap.: refer to the User Guide (see note above)

Q34LW57 "LW TEST ITEM 57 07"

NUM(1.0)

Letter Word Item 57

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
11	.73	1	Correct response
965	64.08	5	Incorrect response
173	11.49	8	DK
2	.13	9	NA; refused
355	23.57	0	Inap.: refer to the User Guide (see note above)

Q34LW58 "LW TEST ITEM 58 07"

NUM(1.0)

Letter Word Item 58

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
-	_	1	Correct response
_	-	5	Incorrect response
-	-	8	DK
1,506	100.00	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34LWRAW "LW RAW SCORE 07"

NUM(2.0)

Letter Word Raw Score

<u>Count</u>	<u></u>	Value/Range	Code Value/Range Text
1,505	99.93	0 - 58	Actual score
1	.07	99	NA; Letter Word not administered

Q34LWSS "LW STD SCORE 07"

NUM(3.0)

Letter Word Standardized Score

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u></u>	<u>Value/Range</u>	Code Value/Range Text
1,505	99.93	0 - 200	Actual score
1	.07	999	NA; Letter Word not administered

Q34LWPR "LW PERCENTILE RANK 07"

NUM(3.0)

Letter Word Percentile Rank

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
1,505	99.93	0 - 99	Percentile Rank
1	.07	999	NA; Letter Word not administered

Q34LWW "LW W SCORE 07"

NUM(3.0)

Letter Word W Score

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text
1,505	99.93	300 - 600	W Score
1	.07	999	NA; Letter Word not administered

Q34PC1 "PC TEST ITEM 1 07"

NUM(1.0)

Passage Comprehension Item 1

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,504	99.87	1	Correct response
2	.13	5	Incorrect response
-	_	8	DK
-	-	9	NA; refused
_	_	0	<pre>Inap.: refer to the User Guide (see note above)</pre>

Q34PC2 "PC TEST ITEM 2 07"

NUM(1.0)

Passage Comprehension Item 2

Count	<u> </u>	Value/Range	Code Value/Range Text
1,500	99.60	1	Correct response
6	.40	5	Incorrect response

- - 8 DK

- - 9 NA; refused

- - 0 Inap.: refer to the User Guide (see note above)

Q34PC3 "PC TEST ITEM 3 07"

NUM(1.0)

Passage Comprehension Item 3

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text				
1,501	99.67	1	Correct response				
5	.33	5	Incorrect response				
_	_	8	DK				
_	_	9	NA; refused				
-	-	0	Inap.: refer to the User Guide (see note above)				

Q34PC4 "PC TEST ITEM 4 07"

NUM(1.0)

Passage Comprehension Item 4

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text		
1,500	99.60	1	Correct response		
6	.40	5	Incorrect response		
_	_	8	DK		
_	_	9	NA; refused		
_	_	0	Inap.: refer to the User Guide (see note above)		

Q34PC5 "PC TEST ITEM 5 07"

NUM(1.0)

Passage Comprehension Item 5

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,502	99.73	1	Correct response
4	.27	5	Incorrect response
-	-	8	DK
_	-	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34PC6 "PC TEST ITEM 6 07"

NUM(1.0)

Passage Comprehension Item 6

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,487	98.74	1	Correct response
19	1.26	5	Incorrect response
_	_	8	DK
_	_	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

O34PC7 "PC TEST ITEM 7 07"

NUM(1.0)

Passage Comprehension Item 7

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,496	99.34	1	Correct response
8	.53	5	Incorrect response
2	.13	8	DK
-	-	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34PC8 "PC TEST ITEM 8 07"

NUM(1.0)

Passage Comprehension Item 8

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,497	99.40	1	Correct response
8	.53	5	Incorrect response
1	.07	8	DK
-	-	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34PC9 "PC TEST ITEM 9 07"

NUM(1.0)

Passage Comprehension Item 9

Count	<u> </u>	Value/Range	Code Value/Range Text
1,484	98.54	1	Correct response
21	1.39	5	Incorrect response

1	.07	8	DK								
_	-	9	NA; r	efused							
_	_	0	Inap.	: refer	to	the	User	Guide	(see	note	above)

Q34PC10 "PC TEST ITEM 10 07"

NUM(1.0)

Passage Comprehension Item 10

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,491	99.00	1	Correct response
9	.60	5	Incorrect response
6	.40	8	DK
-	-	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

NUM(1.0)

Passage Comprehension Item 11

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,488	98.80	1	Correct response
15	1.00	5	Incorrect response
3	.20	8	DK
-	_	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34PC12 "PC TEST ITEM 12 07"

NUM(1.0)

Passage Comprehension Item 12

Count	%	<u>Value/Range</u>	Code Value/Range Text		
1,436	95.35	1	orrect response		
64	4.25	5	Incorrect response		
6	.40	8	DK		
-	-	9	NA; refused		
_	_	0	Inap.: refer to the User Guide (see note above)		

Q34PC13 "PC TEST ITEM 13 07"

NUM(1.0)

Passage Comprehension Item 13

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text		
1,478	98.14	1	Correct response		
22	1.46	5	Incorrect response		
6	.40	8	DK		
-	-	9	NA; refused		
_	_	0	Inap.: refer to the User Guide (see note above)		

O34PC14 "PC TEST ITEM 14 07"

NUM(1.0)

Passage Comprehension Item 14

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,464	97.21	1	Correct response
40	2.66	5	Incorrect response
2	.13	8	DK
-	-	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34PC15 "PC TEST ITEM 15 07"

NUM(1.0)

Passage Comprehension Item 15

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,439	95.55	1	Correct response
64	4.25	5	Incorrect response
2	.13	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34PC16 "PC TEST ITEM 16 07"

NUM(1.0)

Passage Comprehension Item 16

Count	~ ~	Value/Range	Code Value/Range Text
1,399	92.90	1	Correct response
92	6.11	5	Incorrect response

14	.93	8	DK									
1	.07	9	NA;	ref	used							
_	_	0	Tnap	. :	refer	t.o	the	User	Guide	(see	note	above)

NUM(1.0)

Passage Comprehension Item 17

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,441	95.68	1	Correct response
54	3.59	5	Incorrect response
10	.66	8	DK
1	.07	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34PC18 "PC TEST ITEM 18 07"

NUM(1.0)

Passage Comprehension Item 18

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u>%</u>	<u>Value/Range</u>	Code Value/Range Text
1,177	78.15	1	Correct response
268	17.80	5	Incorrect response
56	3.72	8	DK
1	.07	9	NA; refused
4	.27	0	Inap.: refer to the User Guide (see note above)

Q34PC19 "PC TEST ITEM 19 07"

NUM(1.0)

Passage Comprehension Item 19

Count	%	Value/Range	Code Value/Range Text
1,170	77.69	1	Correct response
288	19.12	5	Incorrect response
44	2.92	8	DK
-	-	9	NA; refused
4	.27	0	Inap.: refer to the User Guide (see note above)

Q34PC20 "PC TEST ITEM 20 07"

NUM(1.0)

Passage Comprehension Item 20

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
1,047	69.52	1	Correct response
291	19.32	5	Incorrect response
161	10.69	8	DK
3	.20	9	NA; refused
4	.27	0	<pre>Inap.: refer to the User Guide (see note above)</pre>

O34PC21 "PC TEST ITEM 21 07"

NUM(1.0)

Passage Comprehension Item 21

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u></u>	Value/Range	Code Value/Range Text
1,303	86.52	1	Correct response
151	10.03	5	Incorrect response
40	2.66	8	DK
2	.13	9	NA; refused
10	.66	0	Inap.: refer to the User Guide (see note above)

Q34PC22 "PC TEST ITEM 22 07"

NUM(1.0)

Passage Comprehension Item 22

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,184	78.62	1	Correct response
275	18.26	5	Incorrect response
34	2.26	8	DK
3	.20	9	NA; refused
10	.66	0	Inap.: refer to the User Guide (see note above)

Q34PC23 "PC TEST ITEM 23 07"

NUM(1.0)

Passage Comprehension Item 23

Count	%	Value/Range	Code Value/Range Text
1,093	72.58	1	Correct response
396	26.29	5	Incorrect response

7	.46	8 DK
-	-	9 NA; refused
10	.66	O Inap.: refer to the User Guide (see note above)

Q34PC24 "PC TEST ITEM 24 07"

NUM(1.0)

Passage Comprehension Item 24

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	ૄ%	<u>Value/Range</u>	Code Value/Range Text
972	64.54	1	Correct response
437	29.02	5	Incorrect response
63	4.18	8	DK
1	.07	9	NA; refused
33	2.19	0	Inap.: refer to the User Guide (see note above)

Q34PC25 "PC TEST ITEM 25 07"

NUM(1.0)

Passage Comprehension Item 25

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u>%</u>	Value/Range	Code Value/Range Text
1,198	79.55	1	Correct response
233	15.47	5	Incorrect response
41	2.72	8	DK
1	.07	9	NA; refused
33	2.19	0	Inap.: refer to the User Guide (see note above)

Q34PC26 "PC TEST ITEM 26 07"

NUM(1.0)

Passage Comprehension Item 26

Count	%	Value/Range	Code Value/Range Text
1,294	85.92	1	Correct response
157	10.42	5	Incorrect response
22	1.46	8	DK
-	-	9	NA; refused
33	2.19	0	Inap.: refer to the User Guide (see note above)

Q34PC27 "PC TEST ITEM 27 07"

NUM(1.0)

Passage Comprehension Item 27

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
666	44.22	1	Correct response
623	41.37	5	Incorrect response
169	11.22	8	DK
7	.46	9	NA; refused
41	2.72	0	Inap.: refer to the User Guide (see note above)

O34PC28 "PC TEST ITEM 28 07"

NUM(1.0)

Passage Comprehension Item 28

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
646	42.90	1	Correct response
697	46.28	5	Incorrect response
120	7.97	8	DK
2	.13	9	NA; refused
41	2.72	0	Inap.: refer to the User Guide (see note above)

Q34PC29 "PC TEST ITEM 29 07"

NUM(1.0)

Passage Comprehension Item 29

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
707	46.95	1	Correct response
685	45.48	5	Incorrect response
70	4.65	8	DK
3	.20	9	NA; refused
41	2.72	0	Inap.: refer to the User Guide (see note above)

Q34PC30 "PC TEST ITEM 30 07"

NUM(1.0)

Passage Comprehension Item 30

Count	%	Value/Range	Code Value/Range Text
662	43.96	1	Correct response
537	35.66	5	Incorrect response

220	14.61	8 DK
12	.80	9 NA; refused
75	4.98	O Inap: refer to the User Guide (see note above)

Q34PC31 "PC TEST ITEM 31 07"

NUM(1.0)

Passage Comprehension Item 31

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

_	Count	 %	<u>Value/Range</u>	Code Value/Range Text
	633	42.03	1	Correct response
	658	43.69	5	Incorrect response
	136	9.03	8	DK
	4	.27	9	NA; refused
	75	4.98	0	Inap.: refer to the User Guide (see note above)

Q34PC32 "PC TEST ITEM 32 07"

NUM(1.0)

Passage Comprehension Item 32

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u>%</u>	Value/Range	Code Value/Range Text
370	24.57	1	Correct response
777	51.59	5	Incorrect response
277	18.39	8	DK
7	.46	9	NA; refused
75	4.98	0	Inap.: refer to the User Guide (see note above)

Q34PC33 "PC TEST ITEM 33 07"

NUM(1.0)

Passage Comprehension Item 33

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
219	14.54	1	Correct response
871	57.84	5	Incorrect response
142	9.43	8	DK
1	.07	9	NA; refused
273	18.13	0	Inap.: refer to the User Guide (see note above)

Q34PC34 "PC TEST ITEM 34 07"

NUM(1.0)

Passage Comprehension Item 34

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
336	22.31	1	Correct response
733	48.67	5	Incorrect response
158	10.49	8	DK
6	.40	9	NA; refused
273	18.13	0	Inap.: refer to the User Guide (see note above)

O34PC35 "PC TEST ITEM 35 07"

NUM(1.0)

Passage Comprehension Item 35

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	%	<u>Value/Range</u>	Code Value/Range Text
329	21.85	1	Correct response
870	57.77	5	Incorrect response
33	2.19	8	DK
1	.07	9	NA; refused
273	18.13	0	Inap.: refer to the User Guide (see note above)

Q34PC36 "PC TEST ITEM 36 07"

NUM(1.0)

Passage Comprehension Item 36

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
165	10.96	1	Correct response
655	43.49	5	Incorrect response
192	12.75	8	DK
5	.33	9	NA; refused
489	32.47	0	Inap.: refer to the User Guide (see note above)

Q34PC37 "PC TEST ITEM 37 07"

NUM(1.0)

Passage Comprehension Item 37

Count	~ %	Value/Range	Code Value/Range Text
78	5.18	1	Correct response
714	47.41	5	Incorrect response

220	14.61	8	DK
5	.33	9	NA; refused
489	32.47	0	Inap.: refer to the User Guide (see note above)

Q34PC38 "PC TEST ITEM 38 07"

NUM(1.0)

Passage Comprehension Item 38

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u></u>	Value/Range	Code Value/Range Text
126	8.37	1	Correct response
794	52.72	5	Incorrect response
93	6.18	8	DK
4	.27	9	NA; refused
489	32.47	0	Inap.: refer to the User Guide (see note above)

Q34PC39 "PC TEST ITEM 39 07"

NUM(1.0)

Passage Comprehension Item 39

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
170	11.29	1	Correct response
527	34.99	5	Incorrect response
32	2.12	8	DK
2	.13	9	NA; refused
775	51.46	0	Inap.: refer to the User Guide (see note above)

Q34PC40 "PC TEST ITEM 40 07"

NUM(1.0)

Passage Comprehension Item 40

Count	%	Value/Range	Code Value/Range Text
51	3.39	1	Correct response
454	30.15	5	Incorrect response
214	14.21	8	DK
12	.80	9	NA; refused
775	51.46	0	Inap.: refer to the User Guide (see note above)

Q34PC41 "PC TEST ITEM 41 07"

NUM(1.0)

Passage Comprehension Item 41

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
28	1.86	1	Correct response
574	38.11	5	Incorrect response
123	8.17	8	DK
6	.40	9	NA; refused
775	51.46	0	Inap.: refer to the User Guide (see note above)

O34PC42 "PC TEST ITEM 42 07"

NUM(1.0)

Passage Comprehension Item 42

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
103	6.84	1	Correct response
232	15.41	5	Incorrect response
59	3.92	8	DK
2	.13	9	NA; refused
1,110	73.71	0	Inap.: refer to the User Guide (see note above)

Q34PC43 "PC TEST ITEM 43 07"

NUM(1.0)

Passage Comprehension Item 43

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	ૄ	<u>Value/Range</u>	Code Value/Range Text
24	1.59	1	Correct response
308	20.45	5	Incorrect response
64	4.25	8	DK
-	-	9	NA; refused
1,110	73.71	0	Inap.: refer to the User Guide (see note above)

Q34PCRAW "PC RAW SCORE 07"

NUM(2.0)

Passage Comprehension Raw Score

Count	%	Value/Range	Code Value/Range Text
1,506	100.00	0 - 43	Actual score
_	_	99	NA; Passage Comprehension not administered

Q34PCSS "PC STND SCORE 07"

NUM(3.0)

Passage Comprehension Standardized Score

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count % Value/Range Code Value/Range Text

1,506 100.00 18 - 187 Actual score

- 999 NA; Passage Comprehension not administered

Q34PCPR "PC PERCENTILE RANK 07"

NUM(3.0)

Passage Comprehension Percentile Rank

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count % Value/Range Code Value/Range Text

1,506 100.00 0 - 99 Percentile Rank

- 999 NA; Passage Comprehension not administered

Q34PCW "PC W SCORE 07"

NUM(3.0)

Passage Comprehension W Score

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count % Value/Range Code Value/Range Text

1,506 100.00 300 - 600 W Score

999 NA; Passage Comprehension not administered

O34BRSS "BROAD READING STND SCORE 07"

NUM(3.0)

Broad Reading Summation Standardized Score

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count % Value/Range Code Value/Range Text

1,506 100.00 9 - 194 Actual score

- - 999 NA; Letter Word or Passage Comprehension not administered

Q34BRPR "BROAD READING PERCENTILE RANK 07"

NUM(3.0)

Broad Reading Summation Percentile Rank

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count _ % Value/Range Code Value/Range Text

1,506 100.00 0 - 99 Percentile Rank

- - 999 NA; Letter Word or Passage Comprehension not administered

Q34BRW "BROAD READING W SCORE 07"

NUM(3.0)

Broad Reading Summation W Score

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	%	Value/Range	Code Value/Range Text
1,506	100.00	300 - 600	W Score
_	_	999	NA; Letter Word or Passage Comprehension not administered

Q34AP1 "AP TEST ITEM 1 07"

NUM(1.0)

Applied Problems Item 1

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text			
1,500	99.60	1	Correct response			
-	_	5	Incorrect response			
-	_	8	DK			
6	.40	9	NA; refused			
_	_	0	Inap.: refer to the User Guide (see note above)			

Q34AP2 "AP TEST ITEM 2 07"

NUM(1.0)

Applied Problems Item 2

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u></u> %	Value/Range	Code Value/Range Text			
1,500	99.60	1	Correct response			
-	_	5	Incorrect response			
-	_	8	DK			
6	.40	9	NA; refused			
_	-	0	Inap.: refer to the User Guide (see note above)			

Q34AP3 "AP TEST ITEM 3 07"

NUM(1.0)

Applied Problems Item 3

Count	%	Value/Range	Code Value/Range Text			
1,500	99.60	1	Correct response			
-	_	5	Incorrect response			
-	_	8	DK			
6	.40	9	NA; refused			
_	_	0	Inap.: refer to the User Guide (see note above)			

Q34AP4 "AP TEST ITEM 4 07"

NUM(1.0)

Applied Problems Item 4

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text			
1,500	99.60	1	Correct response			
_	_	5	Incorrect response			
_	_	8	DK			
6	.40	9	NA; refused			
_	-	0	Inap.: refer to the User Guide (see note above)			

O34AP5 "AP TEST ITEM 5 07"

NUM(1.0)

Applied Problems Item 5

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text				
1,499	99.54	1	Correct response				
1	.07	5	Incorrect response				
-	_	8	DK				
6	.40	9	NA; refused				
_	_	0	Inap.: refer to the User Guide (see note above)				

Q34AP6 "AP TEST ITEM 6 07"

NUM(1.0)

Applied Problems Item 6

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text			
1,500	99.60	1	Correct response			
-	_	5	Incorrect response			
-	-	8	DK			
6	.40	9	NA; refused			
_	_	0	Inap.: refer to the User Guide (see note above)			

Q34AP7 "AP TEST ITEM 7 07"

NUM(1.0)

Applied Problems Item 7

Count	~ ~	Value/Range	Code Value/Range Text
1,499	99.54	1	Correct response
1	.07	5	Incorrect response

-	_	8	DK								
6	.40	9	NA; r	efused							
_	_	0	Inap.	: refer	to	the	User	Guide	(see	note	above)

Q34AP8 "AP TEST ITEM 8 07"

NUM(1.0)

Applied Problems Item 8

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	%	Value/Range	Code Value/Range Text				
1,500	99.60	1	Correct response				
-	_	5	Incorrect response				
-	_	8	DK				
6	.40	9	NA; refused				
_	_	0	Inap.: refer to the User Guide (see note above)				

Q34AP9 "AP TEST ITEM 9 07"

NUM(1.0)

Applied Problems Item 9

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text			
1,500	99.60	1	Correct response			
-	_	5	Incorrect response			
-	_	8	DK			
6	.40	9	NA; refused			
_	_	0	Inap.: refer to the User Guide (see note above)			

Q34AP10 "AP TEST ITEM 10 07"

NUM(1.0)

Applied Problems Item 10

Count	%	<u>Value/Range</u>	Code Value/Range Text			
1,497	99.40	1	Correct response			
3	.20	5	Incorrect response			
_	-	8	DK			
6	.40	9	NA; refused			
_	_	0	Inap.: refer to the User Guide (see note above)			

Q34AP11 "AP TEST ITEM 11 07"

NUM(1.0)

Applied Problems Item 11

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u></u>	<u>Value/Range</u>	Code Value/Range Text
1,498	99.47	1	Correct response
2	.13	5	Incorrect response
-	-	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

O34AP12 "AP TEST ITEM 12 07"

NUM(1.0)

Applied Problems Item 12

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,498	99.47	1	Correct response
2	.13	5	Incorrect response
_	-	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP13 "AP TEST ITEM 13 07"

NUM(1.0)

Applied Problems Item 13

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,494	99.20	1	Correct response
6	.40	5	Incorrect response
-	_	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP14 "AP TEST ITEM 14 07"

NUM(1.0)

Applied Problems Item 14

Count	<u> </u>	Value/Range	Code Value/Range Text
1,498	99.47	1	Correct response
2	.13	5	Incorrect response

-	_	8 DK
6	.40	9 NA; refused
_	_	O Inap : refer to the User Guide (see note above)

Q34AP15 "AP TEST ITEM 15 07"

NUM(1.0)

Applied Problems Item 15

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
1,497	99.40	1	Correct response
3	.20	5	Incorrect response
_	-	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP16 "AP TEST ITEM 16 07"

NUM(1.0)

Applied Problems Item 16

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,494	99.20	1	Correct response
6	.40	5	Incorrect response
-	-	8	DK
6	.40	9	NA; refused
_	-	0	Inap.: refer to the User Guide (see note above)

Q34AP17 "AP TEST ITEM 17 07"

NUM(1.0)

Applied Problems Item 17

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,491	99.00	1	Correct response
9	.60	5	Incorrect response
_	-	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP18 "AP TEST ITEM 18 07"

NUM(1.0)

Applied Problems Item 18

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,477	98.07	1	Correct response
23	1.53	5	Incorrect response
-	-	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

O34AP19 "AP TEST ITEM 19 07"

NUM(1.0)

Applied Problems Item 19

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u></u>	Value/Range	Code Value/Range Text
1,489	98.87	1	Correct response
11	.73	5	Incorrect response
-	-	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP20 "AP TEST ITEM 20 07"

NUM(1.0)

Applied Problems Item 20

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,496	99.34	1	Correct response
4	.27	5	Incorrect response
-	-	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP21 "AP TEST ITEM 21 07"

NUM(1.0)

Applied Problems Item 21

Count	~%	Value/Range	Code Value/Range Text
1,481	98.34	1	Correct response
19	1.26	5	Incorrect response

-	_	8 DK
6	.40	9 NA; refused
_	_	O Inap : refer to the User Guide (see note above)

Q34AP22 "AP TEST ITEM 22 07"

NUM(1.0)

Applied Problems Item 22

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text				
1,481	98.34	1	Correct response				
18	1.20	5	Incorrect response				
1	.07	8	DK				
6	.40	9	NA; refused				
_	_	0	Inap.: refer to the User Guide (see note above)				

Q34AP23 "AP TEST ITEM 23 07"

NUM(1.0)

Applied Problems Item 23

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,488	98.80	1	Correct response
12	.80	5	Incorrect response
-	_	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP24 "AP TEST ITEM 24 07"

NUM(1.0)

Applied Problems Item 24

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,439	95.55	1	Correct response
59	3.92	5	Incorrect response
2	.13	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP25 "AP TEST ITEM 25 07"

NUM(1.0)

Applied Problems Item 25

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,417	94.09	1	Correct response
82	5.44	5	Incorrect response
1	.07	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

O34AP26 "AP TEST ITEM 26 07"

NUM(1.0)

Applied Problems Item 26

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,418	94.16	1	Correct response
80	5.31	5	Incorrect response
1	.07	8	DK
7	.46	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP27 "AP TEST ITEM 27 07"

NUM(1.0)

Applied Problems Item 27

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u>%</u>	Value/Range	Code Value/Range Text			
1,410	93.63	1	Correct response			
88	5.84	5	Incorrect response			
2	.13	8	DK			
6	.40	9	NA; refused			
_	_	0	Inap.: refer to the User Guide (see note above)			

Q34AP28 "AP TEST ITEM 28 07"

NUM(1.0)

Applied Problems Item 28

Count	%	Value/Range	Code Value/Range Text
1,327	88.11	1	Correct response
169	11.22	5	Incorrect response

3	.20	8	DK								
7	.46	9	NA; re	fused							
_	_	0	Inap.:	refer	to	the	User	Guide	(see	note	above)

Q34AP29 "AP TEST ITEM 29 07"

NUM(1.0)

Applied Problems Item 29

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	ૄ	<u>Value/Range</u>	Code Value/Range Text
1,275	84.66	1	Correct response
225	14.94	5	Incorrect response
_	-	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP30 "AP TEST ITEM 30 07"

NUM(1.0)

Applied Problems Item 30

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,272	84.46	1	Correct response
223	14.81	5	Incorrect response
5	.33	8	DK
6	.40	9	NA; refused
_	-	0	Inap.: refer to the User Guide (see note above)

Q34AP31 "AP TEST ITEM 31 07"

NUM(1.0)

Applied Problems Item 31

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
1,322	87.78	1	Correct response
174	11.55	5	Incorrect response
4	.27	8	DK
6	.40	9	NA; refused
_	_	0	Inap.: refer to the User Guide (see note above)

Q34AP32 "AP TEST ITEM 32 07"

NUM(1.0)

Applied Problems Item 32

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,015	67.40	1	Correct response
469	31.14	5	Incorrect response
7	.46	8	DK
7	.46	9	NA; refused
8	.53	0	Inap.: refer to the User Guide (see note above)

O34AP33 "AP TEST ITEM 33 07"

NUM(1.0)

Applied Problems Item 33

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u></u>	<u>Value/Range</u>	Code Value/Range Text
1,044	69.32	1	Correct response
437	29.02	5	Incorrect response
11	.73	8	DK
6	.40	9	NA; refused
8	.53	0	Inap.: refer to the User Guide (see note above)

Q34AP34 "AP TEST ITEM 34 07"

NUM(1.0)

Applied Problems Item 34

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,046	69.46	1	Correct response
391	25.96	5	Incorrect response
53	3.52	8	DK
8	.53	9	NA; refused
8	.53	0	Inap.: refer to the User Guide (see note above)

Q34AP35 "AP TEST ITEM 35 07"

NUM(1.0)

Applied Problems Item 35

Count	~ ~~	Value/Range	Code Value/Range Text
1,058	70.25	1	Correct response
427	28.35	5	Incorrect response

7	.46	8	DK								
6	.40	9	NA; r	efused							
8	.53	0	Inap.	: refer	to	the	User	Guide	(see	note	above)

Q34AP36 "AP TEST ITEM 36 07"

NUM(1.0)

Applied Problems Item 36

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
1,001	66.47	1	Correct response
446	29.61	5	Incorrect response
10	.66	8	DK
6	.40	9	NA; refused
43	2.86	0	Inap.: refer to the User Guide (see note above)

Q34AP37 "AP TEST ITEM 37 07"

NUM(1.0)

Applied Problems Item 37

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
1,116	74.10	1	Correct response
281	18.66	5	Incorrect response
55	3.65	8	DK
11	.73	9	NA; refused
43	2.86	0	Inap.: refer to the User Guide (see note above)

Q34AP38 "AP TEST ITEM 38 07"

NUM(1.0)

Applied Problems Item 38

Count	%	<u>Value/Range</u>	Code Value/Range Text
832	55.25	1	Correct response
558	37.05	5	Incorrect response
64	4.25	8	DK
9	.60	9	NA; refused
43	2.86	0	Inap.: refer to the User Guide (see note above)

Q34AP39 "AP TEST ITEM 39 07"

NUM(1.0)

Applied Problems Item 39

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
666	44.22	1	Correct response
768	51.00	5	Incorrect response
22	1.46	8	DK
7	.46	9	NA; refused
43	2.86	0	Inap.: refer to the User Guide (see note above)

O34AP40 "AP TEST ITEM 40 07"

NUM(1.0)

Applied Problems Item 40

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	ૄ%	Value/Range	Code Value/Range Text
649	43.09	1	Correct response
662	43.96	5	Incorrect response
93	6.18	8	DK
14	.93	9	NA; refused
88	5.84	0	Inap.: refer to the User Guide (see note above)

Q34AP41 "AP TEST ITEM 41 07"

NUM(1.0)

Applied Problems Item 41

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
676	44.89	1	Correct response
625	41.50	5	Incorrect response
100	6.64	8	DK
17	1.13	9	NA; refused
88	5.84	0	Inap.: refer to the User Guide (see note above)

Q34AP42 "AP TEST ITEM 42 07"

NUM(1.0)

Applied Problems Item 42

Count	<u> </u>	Value/Range	Code Value/Range Text
706	46.88	1	Correct response
542	35.99	5	Incorrect response

153	10.16	8	DK
17	1.13	9	NA; refused
88	5.84	0	Inap.: refer to the User Guide (see note above)

Q34AP43 "AP TEST ITEM 43 07"

NUM(1.0)

Applied Problems Item 43

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

_	Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
	624	41.43	1	Correct response
	592	39.31	5	Incorrect response
	184	12.22	8	DK
	18	1.20	9	NA; refused
	88	5.84	0	Inap.: refer to the User Guide (see note above)

Q34AP44 "AP TEST ITEM 44 07"

NUM(1.0)

Applied Problems Item 44

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
846	56.18	1	Correct response
317	21.05	5	Incorrect response
60	3.98	8	DK
9	.60	9	NA; refused
274	18.19	0	Inap.: refer to the User Guide (see note above)

Q34AP45 "AP TEST ITEM 45 07"

NUM(1.0)

Applied Problems Item 45

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
375	24.90	1	Correct response
669	44.42	5	Incorrect response
170	11.29	8	DK
18	1.20	9	NA; refused
274	18.19	0	Inap.: refer to the User Guide (see note above)

Q34AP46 "AP TEST ITEM 46 07"

NUM(1.0)

Applied Problems Item 46

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

 Count	<u> </u>	Value/Range	Code Value/Range Text
217	14.41	1	Correct response
783	51.99	5	Incorrect response
214	14.21	8	DK
18	1.20	9	NA; refused
274	18.19	0	Inap.: refer to the User Guide (see note above)

O34AP47 "AP TEST ITEM 47 07"

NUM(1.0)

Applied Problems Item 47

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
201	13.35	1	Correct response
748	49.67	5	Incorrect response
263	17.46	8	DK
20	1.33	9	NA; refused
274	18.19	0	Inap.: refer to the User Guide (see note above)

Q34AP48 "AP TEST ITEM 48 07"

NUM(1.0)

Applied Problems Item 48

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

 Count	~~~~~ <u>%</u>	<u>Value/Range</u>	Code Value/Range Text
506	33.60	1	Correct response
516	34.26	5	Incorrect response
73	4.85	8	DK
8	.53	9	NA; refused
403	26.76	0	Inap.: refer to the User Guide (see note above)

Q34AP49 "AP TEST ITEM 49 07"

NUM(1.0)

Applied Problems Item 49

Count	~ %	Value/Range	Code Value/Range Text
136	9.03	1	Correct response
753	50.00	5	Incorrect response

196	13.01	8	DK
18	1.20	9	NA; refused
403	26.76	0	<pre>Inap.: refer to the User Guide (see note above)</pre>

Q34AP50 "AP TEST ITEM 50 07"

NUM(1.0)

Applied Problems Item 50

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
181	12.02	1	Correct response
616	40.90	5	Incorrect response
278	18.46	8	DK
28	1.86	9	NA; refused
403	26.76	0	Inap.: refer to the User Guide (see note above)

Q34AP51 "AP TEST ITEM 51 07"

NUM(1.0)

Applied Problems Item 51

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	<u>Value/Range</u>	Code Value/Range Text
332	22.05	1	Correct response
653	43.36	5	Incorrect response
106	7.04	8	DK
12	.80	9	NA; refused
403	26.76	0	Inap.: refer to the User Guide (see note above)

Q34AP52 "AP TEST ITEM 52 07"

NUM(1.0)

Applied Problems Item 52

Count	%	<u>Value/Range</u>	Code Value/Range Text
94	6.24	1	Correct response
376	24.97	5	Incorrect response
238	15.80	8	DK
20	1.33	9	NA; refused
778	51.66	0	Inap.: refer to the User Guide (see note above)

Q34AP53 "AP TEST ITEM 53 07"

NUM(1.0)

Applied Problems Item 53

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
70	4.65	1	Correct response
521	34.59	5	Incorrect response
125	8.30	8	DK
12	.80	9	NA; refused
778	51.66	0	Inap.: refer to the User Guide (see note above)

O34AP54 "AP TEST ITEM 54 07"

NUM(1.0)

Applied Problems Item 54

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

_	Count	 %	Value/Range	Code Value/Range Text
	86	5.71	1	Correct response
	501	33.27	5	Incorrect response
	128	8.50	8	DK
	13	.86	9	NA; refused
	778	51.66	0	Inap.: refer to the User Guide (see note above)

Q34AP55 "AP TEST ITEM 55 07"

NUM(1.0)

Applied Problems Item 55

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
72	4.78	1	Correct response
518	34.40	5	Incorrect response
126	8.37	8	DK
12	.80	9	NA; refused
778	51.66	0	Inap.: refer to the User Guide (see note above)

Q34AP56 "AP TEST ITEM 56 07"

NUM(1.0)

Applied Problems Item 56

Count	%	Value/Range	Code Value/Range Text
21	1.39	1	Correct response
376	24.97	5	Incorrect response

69	4.58	8	DK										
8	.53	9	NA;	refu	used								
1,032	68.53	0	Inar	o.:	refer	to	the	User	Guide	(see	note	above)	

Q34AP57 "AP TEST ITEM 57 07"

NUM(1.0)

Applied Problems Item 57

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	ૄ%	Value/Range	Code Value/Range Text
32	2.12	1	Correct response
373	24.77	5	Incorrect response
57	3.78	8	DK
12	.80	9	NA; refused
1,032	68.53	0	Inap.: refer to the User Guide (see note above)

Q34AP58 "AP TEST ITEM 58 07"

NUM(1.0)

Applied Problems Item 58

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
99	6.57	1	Correct response
329	21.85	5	Incorrect response
39	2.59	8	DK
7	.46	9	NA; refused
1,032	68.53	0	Inap.: refer to the User Guide (see note above)

Q34AP59 "AP TEST ITEM 59 07"

NUM(1.0)

Applied Problems Item 59

Count	<u> </u>	Value/Range	Code Value/Range Text
68	4.52	1	Correct response
112	7.44	5	Incorrect response
60	3.98	8	DK
12	.80	9	NA; refused
1,254	83.27	0	Inap.: refer to the User Guide (see note above)

Q34AP60 "AP TEST ITEM 60 07"

NUM(1.0)

Applied Problems Item 60

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	<u> </u>	Value/Range	Code Value/Range Text
32	2.12	1	Correct response
197	13.08	5	Incorrect response
16	1.06	8	DK
7	.46	9	NA; refused
1,254	83.27	0	Inap.: refer to the User Guide (see note above)

O34APRAW "APPLIED PROB RAW SCORE 07"

NUM(2.0)

Applied Problems Raw Score

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text
1,500	99.60	0 - 60	Actual score
6	.40	99	NA; Applied Problems not administered

Q34APSS "APPLIED PROB STD SCORE 07"

NUM(3.0)

Applied Problems Standardized Score

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text
1,500	99.60	0 - 200	Actual score
6	.40	999	NA; Applied Problems not administered

Q34APPR "APPLIED PROB PERCENTILE RANK 07"

NUM(3.0)

Applied Problems Percentile Rank

Please refer to the CDS-III User Guide, Chapter 8, "Assessments", for information about administration and scoring of the Woodcock-Johnson Tests of Achievement.

Count	%	Value/Range	Code Value/Range Text
1,500	99.60	0 - 99	Percentile Rank
6	.40	999	NA; Applied Problems not administered

Q34APW "APPLIED PROB W SCORE 07"

NUM(3.0)

Applied Problems W Score

Count	<u> </u>	Value/Range	Code Value/Range Text
1,500	99.60	300 - 600	W Score
6	.40	999	NA; Applied Problems not administered

Q34C1A Digits Fo		FORWD1A 07" -9	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
1,504	99.87	1	Correct response
2	.13	5	Incorrect response
-	-	8	DK
-	-	9	NA; refused
Q34C1B Digits Fo		FORWD1B 07" -6	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
1,505	99.93	1	Correct response
1	.07	5	Incorrect response
_	_	8	DK
_	_	9	NA; refused
Q34C2A Digits Fo		FORWD2A 07" -8-6	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
1,501	99.67	1	Correct response
4	.27	5	Incorrect response
_	_	8	DK
_	-	9	NA; refused
1	.07	0	<pre>Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9)</pre>
Q34C2B Digits Fo		FORWD2B 07" -1-2	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
1,503	99.80	1	Correct response
2	.13	5	Incorrect response
_	-	8	DK
-	-	9	NA; refused
1	.07	0	<pre>Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9)</pre>
Q34C3A Digits Fo		FORWD3A 07" -4-1-7	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
1,451	96.35	1	Correct response
54	3.59	5	Incorrect response

-	-	8	DK
-	-	9	NA; refused
1	.07	0	<pre>Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9)</pre>

Q34C3B "DIGIT FORWD3B 07"

NUM(1.0)

Digits Forward: 6-1-5-8

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text
1,460	96.95	1	Correct response
41	2.72	5	Incorrect response
4	.27	8	DK
_	_	9	NA; refused
1	.07	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9)

Q34C4A "DIGIT FORWD4A 07"

NUM(1.0)

Digits Forward: 8-4-2-3-9

Count	%	Value/Range	Code Value/Range Text
1,098	72.91	1	Correct response
382	25.37	5	Incorrect response
18	1.20	8	DK
-	_	9	NA; refused
8	.53	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9)

Q34C4B "DIGIT FORWD4B 07"

NUM(1.0)

Digits Forward: 5-2-1-8-6

<u>Count</u>	%	Value/Range	Code Value/Range Text
1,089	72.31	1	Correct response
395	26.23	5	Incorrect response
14	.93	8	DK
_	-	9	NA; refused
8	.53	0	Inap.: incorrect or NA, DK, or RF responses to both ClA and ClB (ClA=5,8,9 and ClB=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9)

Q34C5A "DIGIT FORWD5A 07"

Digits Forward: 3-8-9-1-7-4

NUM(1.0)

Count	%	<u>Value/Range</u>	Code Value/Range Text
891	59.16	1	Correct response
380	25.23	5	Incorrect response
25	1.66	8	DK
4	.27	9	NA; refused
206	13.68	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9); incorrect or NA, DK, or RF responses to both C4A and C4B (C4A=5,8,9 and C4B=5,8,9)

Q34C5B "DIGIT FORWD5B 07"

Digits Forward: 7-9-6-4-8-3

NUM(1.0)

Count	%	Value/Range	Code Value/Range Text
661	43.89	1	Correct response
609	40.44	5	Incorrect response
29	1.93	8	DK
1	.07	9	NA; refused
206	13.68	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9); incorrect or NA, DK, or RF responses to both C4A and C4B (C4A=5,8,9 and C4B=5,8,9)

Q34C6A "DIGIT FORWD6A 07"

Digits Forward: 5-1-7-4-2-3-8

NUM(1.0)

Count	<u> </u>	Value/Range	Code Value/Range Text
450	29.88	1	Correct response
538	35.72	5	Incorrect response
25	1.66	8	DK
3	.20	9	NA; refused
490	32.54	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9); incorrect or NA, DK, or RF responses to both C4A and C4B (C4A=5,8,9 and C4B=5,8,9); incorrect or NA, DK, or RF responses to both C5A and C5B (C5A=5,8,9 and C5B=5,8,9)

Q34C6B "DIGIT FORWD6B 07"

Digits Forward: 9-8-5-2-1-6-3

NUM(1.0)

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
359	23.84	1	Correct response
619	41.10	5	Incorrect response
34	2.26	8	DK
4	.27	9	NA; refused
490	32.54	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9); incorrect or NA, DK, or RF responses to both C4A and C4B (C4A=5,8,9 and C4B=5,8,9); incorrect or NA, DK, or RF responses to both C5A and C5B (C5A=5,8,9 and C5B=5,8,9)

Q34C7A "DIGIT FORWD7A 07"

Digits Forward: 1-6-4-5-9-7-6-3

NUM(1.0)

<u>Count</u>	%	Value/Range	Code Value/Range Text
94	6.24	1	Correct response
435	28.88	5	Incorrect response
61	4.05	8	DK
5	.33	9	NA; refused
911	60.49	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9); incorrect or NA, DK, or RF responses to both C4A and C4B (C4A=5,8,9 and C4B=5,8,9); incorrect or NA, DK, or RF responses to both C5A and C5B (C5A=5,8,9 and C5B=5,8,9); incorrect or NA, DK, or RF responses to both C6A and C6B (C6A=5,8,9 and C6B=5,8,9)

Q34C7B "DIGIT FORWD7B 07"

Digits Forward: 2-9-7-6-3-1-5-4

NUM(1.0)

Count	 %	<u>Value/Range</u>	Code Value/Range Text
120	7.97	1	Correct response
450	29.88	5	Incorrect response
24	1.59	8	DK
1	.07	9	NA; refused

911 60.49

0 Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9); incorrect or NA, DK, or RF responses to both C4A and C4B (C4A=5,8,9 and C4B=5,8,9); incorrect or NA, DK, or RF responses to both C5A and C5B (C5A=5,8,9 and C5B=5,8,9); incorrect or NA, DK, or RF responses to both C6A and C6B (C6A=5,8,9 and C6B=5,8,9)

"DIGIT FORWD8A 07" Q34C8A

NUM(1.0)

Digits Forward: 5-3-8-7-1-2-4-6-9

Count	%	Value/Range	Code Value/Range Text
36	2.39	1	Correct response
133	8.83	5	Incorrect response
13	.86	8	DK
-	-	9	NA; refused
1,324	87.92	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9); incorrect or NA, DK, or RF responses to both C4A and C4B (C4A=5,8,9 and C4B=5,8,9); incorrect or NA, DK, or RF responses to both C5A and C5B (C5A=5,8,9 and C5B=5,8,9); incorrect or NA, DK, or RF responses to both C6A and C6B (C6A=5,8,9 and C6B=5,8,9); incorrect or NA, DK, or RF responses to both C7A and C7B (C7A=5,8,9 and C7B=5,8,9)

Q34C8B "DIGIT FORWD8B 07"

NUM(1.0)

Digits Forward: 4-2-6-9-1-7-8-3-5

Count	%	<u>Value/Range</u>	Code Value/Range Text
36	2.39	1	Correct response
134	8.90	5	Incorrect response
11	.73	8	DK
1	.07	9	NA; refused
1,324	87.92	0	Inap.: incorrect or NA, DK, or RF responses to both C1A and C1B (C1A=5,8,9 and C1B=5,8,9); incorrect or NA, DK, or RF responses to both C2A and C2B (C2A=5,8,9 and C2B=5,8,9); incorrect or NA, DK, or RF responses to both C3A and C3B (C3A=5,8,9 and C3B=5,8,9); incorrect or NA, DK, or RF responses to both C4A and C4B (C4A=5,8,9 and C4B=5,8,9); incorrect or NA, DK, or RF responses to both C5A and C5B (C5A=5,8,9 and C5B=5,8,9); incorrect or NA, DK, or RF responses to both C6A and C6B (C6A=5,8,9 and C6B=5,8,9); incorrect or NA, DK, or RF responses to both C7A and C7B (C7A=5,8,9 and C7B=5,8,9)

Q34DSFO Sum of 16		SPAN FORWARD I pan Forward ite	
Count	<u> </u>	Value/Range	Code Value/Range Text
1,295	85.99	0 - 16	Actual score
211	14.01	99	NA; Digits Forward not administered
Q34C9A Digits Ba	_	BACK 1A 07" 2-5	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
1,498	99.47	1	Correct response
8	.53	5	Incorrect response
_	-	8	DK
_	-	9	NA; refused
Q34C9B Digits Ba		BACK 1B 07" 6-3	NUM(1.0)
Count	<u> </u>	Value/Range	Code Value/Range Text
1,495	99.27	1	Correct response
11	.73	5	Incorrect response
_	_	8	DK
-	-	9	NA; refused
Q34C10A Digits Ba		BACK 2A 07" 5-4-7	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
1,333	88.51	1	Correct response
168	11.16	5	Incorrect response
_	_	8	DK
_	_	9	NA; refused
5	.33	0	<pre>Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9)</pre>
Q34C10B Digits Ba		BACK 2B 07" 2-5-9	NUM(1.0)
Count	%	Value/Range	Code Value/Range Text
1,239	82.27		Correct response
262	17.40	5	Incorrect response
_	_	8	DK
_	_	9	NA; refused
5	.33	0	<pre>Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9)</pre>

Q34C11A "DIGITBACK 3A 07"

NUM(1.0)

Digits Backwards: 7-2-9-6

<u>Count</u>	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
774	51.39	1	Correct response
649	43.09	5	Incorrect response
20	1.33	8	DK
1	.07	9	NA; refused
62	4.12	0	<pre>Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9)</pre>

Q34C11B "DIGITBACK 3B 07"

NUM(1.0)

Digits Backwards: 8-4-9-3

Count	%	Value/Range	Code Value/Range Text
842	55.91	1	Correct response
580	38.51	5	Incorrect response
20	1.33	8	DK
2	.13	9	NA; refused
62	4.12	0	<pre>Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9)</pre>

Q34C12A "DIGITBACK 4A 07"

NUM(1.0)

Digits Backwards: 4-1-3-5-7

Count	%	Value/Range	Code Value/Range Text
327	21.71	1	Correct response
679	45.09	5	Incorrect response
50	3.32	8	DK
3	.20	9	NA; refused
447	29.68	0	Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9) and C10B=5,8,9); incorrect or NA, DK, or RF responses to both C11A and C11B (C11A=5,8,9 and C11B=5,8,9)

Q34C12B "DIGITBACK 4B 07"

NUM(1.0)

Digits Backwards: 9-7-8-5-2

Count	%	Value/Range	Code Value/Range Text
375	24.90	1	Correct response
652	43.29	5	Incorrect response
29	1.93	8	DK

3	.20	9 NA; refused
447	29.68	O Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9); incorrect or NA, DK, or RF responses to both C11A and C11B (C11A=5,8,9 and C11B=5,8,9)

Q34C13A "DIGITBACK 5A 07"

Digits Backwards: 1-6-5-2-9-8

NUM(1.0)

Count	%	Value/Range	Code Value/Range Text
119	7.90	1	Correct response
365	24.24	5	Incorrect response
38	2.52	8	DK
3	.20	9	NA; refused
981	65.14	0	Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9); incorrect or NA, DK, or RF responses to both C11A and C11B (C11A=5,8,9 and C11B=5,8,9); incorrect or NA, DK, or RF responses to both C12A and C12B (C12A=5,8,9 and C12B=5,8,9)

Q34C13B "DIGITBACK 5B 07"

Digits Backwards: 3-6-7-1-9-4

NUM(1.0)

Count	%	Value/Range	Code Value/Range Text
219	14.54	1	Correct response
281	18.66	5	Incorrect response
24	1.59	8	DK
1	.07	9	NA; refused
981	65.14	0	Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9); incorrect or NA, DK, or RF responses to both C11A and C11B (C11A=5,8,9 and C11B=5,8,9); incorrect or NA, DK, or RF responses to both C12A and C12B (C12A=5,8,9 and C12B=5,8,9)

Q34C14A "DIGITBACK 6A 07"

Digits Backwards: 8-5-9-2-3-4-2

NUM(1.0)

Count	%	Value/Range	Code Value/Range Text
45	2.99	1	Correct response
189	12.55	5	Incorrect response
21	1.39	8	DK
2	.13	9	NA; refused

1,249 82.93

O Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9); incorrect or NA, DK, or RF responses to both C11A and C11B (C11A=5,8,9 and C11B=5,8,9); incorrect or NA, DK, or RF responses to both C12A and C12B (C12A=5,8,9 and C12B=5,8,9); incorrect or NA, DK, or RF responses to both C13A and C13B (C13A=5,8,9 and C13B=5,8,9)

Q34C14B "DIGITBACK 6B 07"

Digits Backwards: 4-5-7-9-2-8-1

NUM(1.0)

Count	%	<u>Value/Range</u>	Code Value/Range Text
53	3.52	1	Correct response
188	12.48	5	Incorrect response
16	1.06	8	DK
-	-	9	NA; refused
1,249	82.93	0	Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9); incorrect or NA, DK, or RF responses to both C11A and C11B (C11A=5,8,9 and C11B=5,8,9); incorrect or NA, DK, or RF responses to both C12A and C12B (C12A=5,8,9 and C12B=5,8,9); incorrect or NA, DK, or RF responses to both C13A and C13B (C13A=5,8,9 and C13B=5,8,9)

Q34C15A "DIGITBACK 7A 07"

Digits Backwards: 6-9-1-6-3-2-5-8

NUM(1.0)

<u>Count</u> 8	 .53		Code Value/Range Text Correct response
61	4.05		Incorrect response
11	.73	8	DK
1	.07	9	NA; refused
1,425	94.62	0	Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9); incorrect or NA, DK, or RF responses to both C11A and C11B (C11A=5,8,9 and C11B=5,8,9); incorrect or NA, DK, or RF responses to both C12A and C12B (C12A=5,8,9 and C12B=5,8,9); incorrect or NA, DK, or RF responses to both C13A and C13B (C13A=5,8,9 and C13B=5,8,9); incorrect or NA, DK, or RF responses to both C14A and C14B (C14A=5,8,9 and C14B=5,8,9)

Q34C15B "DIGITBACK 7B 07"

Digits Backwards: 3-1-7-9-5-4-8-2

NUM(1.0)

Count	%	Value/Range	Code Value/Range Text
12	.80	1	Correct response
62	4.12	5	Incorrect response

7	.46	8	DK
_	_	9	NA; refused
1,425	94.62	0	Inap.: incorrect or NA, DK, or RF responses to both C9A and C9B (C9A=5,8,9 and C9B=5,8,9); incorrect or NA, DK, or RF responses to both C10A and C10B (C10A=5,8,9 and C10B=5,8,9); incorrect or NA, DK, or RF responses to both C11A and C11B (C11A=5,8,9 and C11B=5,8,9); incorrect or NA, DK, or RF responses to both C12A and C12B (C12A=5,8,9 and C12B=5,8,9); incorrect or NA, DK, or RF responses to both C13A and C13B (C13A=5,8,9 and C13B=5,8,9); incorrect or NA, DK, or RF responses to both C14A and C14B (C14A=5,8,9 and C14B=5,8,9)

Q34DSBA "DIGIT SPAN BACKWARD RAW SCORE 07" NUM(2.0)

Sum of 14 Digit Span Backwards items

Count	%	Value/Range	Code Value/Range Text
1,332	88.45	0 - 14	Actual score
174	11.55	99	NA; Digits Backwards not administered

Q34DSTO "DIGIT SPAN TOTAL RAW SCORE 07"

NUM(2.0)

Digit Span Total

Count	<u> </u>	Value/Range	Code Value/Range Text
1,212	80.48	0 - 30	Actual score
294	19.52	99	NA; Digits Forward or Digits Backwards not administered

Q34D1 "OTH PRESENT 07"

NUM(1.0)

Was anyone else present in the room at any time during the administration of the assessments?

_	Count	<u></u>	Value/Range	Code Value/Range Text
	730	48.47	1	Yes
	776	51.53	5	No
	_	_	8	DK
	_	_	9	NA; refused

Q34D1A "OTH DISTRACT 07"

NUM(1.0)

How much did the presence of this person distract child or interfere with the assessments?

<u>Count</u>	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
37	2.46	1	A great deal
218	14.48	2	Somewhat
475	31.54	3	Not at all
-	-	8	DK
_	-	9	NA; refused
776	51.53	0	<pre>Inap.: no one present in the room during the administration of the assessments (Q34D1=5,8,9)</pre>

Q34D2 "COMPLETE WJR 07" NUM(1.0)

Were all the appropriate Woodcock-Johnson assessments completed?

Count	%	<u>Value/Range</u>	Code Value/Range Text
1,499	99.54	1	Yes
7	.46	5	No
-	-	8	DK
_	_	9	NA; refused

Q34D2A "CAREGIVER TERMINATED WJR 07" NUM(1.0)

What were the reasons for not completing them? -- PARENT/PCG TERMINATED/REFUSED

Count	%	Value/Range	Code Value/Range Text
-	-	1	Yes
7	.46	5	No
-	-	8	DK
_	_	9	NA; refused
1,499	99.54	0	<pre>Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (Q34D2=1,8,9)</pre>

Q34D2B "CHILD DID NOT RESPOND WJR 07"

NUM(1.0)

What were the reasons for not completing them? -- CHILD WOULD NOT RESPOND

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text
2	.13	1	Yes
5	.33	5	No
_	_	8	DK
-	-	9	NA; refused
1,499	99.54	0	<pre>Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (Q34D2=1,8,9)</pre>

Q34D2C "MAJOR INTERRUPTION WJR 07"

Count % Value/Range Code Value/Range Text

NUM(1.0)

What were the reasons for not completing them? -- MAJOR INTERRUPTION CAUSED TERMINATION

-	_	1	Yes
7	.46	5	No
_	-	8	DK
_	_	9	NA; refused
1,499	99.54	0	<pre>Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (Q34D2=1,8,9)</pre>

Q34D2D "CHILD DID NOT UNDERSTAND WJR 07" NUM(1.0)

What were the reasons for not completing them? -- CHILD COULD NOT UNDERSTAND TASK

<u>Count</u>	<u></u>	<u>Value/Range</u>	Code Value/Range Text
_	-	1	Yes
7	.46	5	No
-	-	8	DK
-	-	9	NA; refused
1,499	99.54	0	<pre>Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (Q34D2=1,8,9)</pre>

Q34D2E "LANG PROB WJR 07" NUM(1.0)

What were the reasons for not completing them? -- CHILD HAD LANGUAGE PROBLEM

Count	%	Value/Range	Code Value/Range Text
-	-	1	Yes
7	.46	5	No
_	_	8	DK
_	_	9	NA; refused
1,499	99.54	0	<pre>Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (Q34D2=1,8,9)</pre>

Q34D2F "EMOT CONDITION WJR 07"

What were the reasons for not completing them? -- CHILD'S EMOTIONAL CONDITION

Count	%	Value/Range	Code Value/Range Text
1	.07	1	Yes
6	.40	5	No
-	_	8	DK
-	_	9	NA; refused
1,499	99.54	0	<pre>Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (Q34D2=1,8,9)</pre>

Q34D2G "PHYS CONDITION WJR 07"

NUM(1.0)

What were the reasons for not completing them? -- CHILD'S PHYSICAL CONDITION

Count	<u> </u>	Value/Range	Code Value/Range Text
_	-	1	Yes
7	.46	5	No
_	_	8	DK
_	_	9	NA; refused

1,499 99.54

0 Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (Q34D2=1,8,9)

Q34D2H "TIRED WJR 07"

NUM(1.0)

What were the reasons for not completing them? -- CHILD TIRED

Count	<u></u>	Value/Range	Code Value/Range Text
_	-	1	Yes
7	.46	5	No
-	-	8	DK
_	-	9	NA; refused
1,499	99.54	0	<pre>Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (Q34D2=1,8,9)</pre>

Q34D2I "OTHER WJR 07"

NUM(1.0)

What were the reasons for not completing them? -- OTHER (PLEASE SPECIFY)

Count	<u></u> 왕	Value/Range	Code Value/Range Text
4	.27	1	Yes
3	.20	5	No
-	_	8	DK
-	_	9	NA; refused
1,499	99.54	0	<pre>Inap.: all the appropriate Woodcock-Johnson Assessments completed or NA, DK, or RF if all the appropriate Woodcock-Johnson Assessments completed (034D2=1,8,9)</pre>

Q34D3 "COMPLETE WISC 07"

NUM(1.0)

Was the Digit Span assessment completed?

<u>Count</u>	%	<u>Value/Range</u>	Code Value/Range Text
1,501	99.67	1	Yes
5	.33	5	No
-	-	8	DK
_	_	9	NA; refused

Q34D3A "CAREGIVER TERMINATED WISC 07"

NUM(1.0)

What were the reasons for not completing them? -- PARENT/PCG TERMINATED/REFUSED

Count	<u> </u>	Value/Range	Code Value/Range Text
_	-	1	Yes
5	.33	5	No
_	-	8	DK
_	-	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (Q34D3=1,8,9)

Q34D3B "CHILD DID NOT RESPOND WISC 07" NUM(1.0)

What were the reasons for not completing them? -- CHILD WOULD NOT RESPOND

<u>Count</u>	<u></u>	<u>Value/Range</u>	Code Value/Range Text
-	-	1	Yes
5	.33	5	No
_	_	8	DK
_	_	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (034D3=1,8,9)

Q34D3C "MAJOR INTERRUPTION WISC 07" NUM(1.0)

What were the reasons for not completing them? -- MAJOR INTERRUPTION CAUSED TERMINATION

Count	<u></u>	<u>Value/Range</u>	Code Value/Range Text
_	-	1	Yes
5	.33	5	No
-	_	8	DK
-	_	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (Q34D3=1,8,9)

Q34D3D "CHILD DID NOT UNDERSTAND WISC 07" NUM

What were the reasons for not completing them? -- CHILD COULD NOT UNDERSTAND TASK

Count	<u> </u>	Value/Range	Code Value/Range Text
1	.07	1	Yes
4	.27	5	No
-	_	8	DK
-	_	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (Q34D3=1,8,9)

Q34D3E "LANG PROB WISC 07" NUM(1.0)

Count

What were the reasons for not completing them? -- CHILD HAD LANGUAGE PROBLEM

Value/Range Code Value/Range Text

_	_	1	Yes
5	.33	5	No
_	_	8	DK
_	_	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (Q34D3=1,8,9)

Q34D3F "EMOT CONDITION WISC 07" NUM(1.0)

What were the reasons for not completing them? -- CHILD'S EMOTIONAL CONDITION

<u>Count</u>	<u></u>	<u>Value/Range</u>	Code Value/Range Text
-	-	1	Yes
5	.33	5	No
_	_	8	DK
_	_	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (034D3=1,8,9)

Q34D3G "PHYS CONDITION WISC 07"

 $NTIM(1 \cap)$

What were the reasons for not completing them? -- CHILD'S PHYSICAL CONDITION

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text
-	-	1	Yes
5	.33	5	No
-	_	8	DK
-	_	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (Q34D3=1,8,9)

Q34D3H "TIRED WISC 07"

NUM(1.0)

What were the reasons for not completing them? -- CHILD TIRED

 Count	%	Value/Range	Code Value/Range Text
-	-	1	Yes
5	.33	5	No
-	_	8	DK
-	_	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (Q34D3=1,8,9)

Q34D3I "OTHER WISC 07"

NUM(1.0)

What were the reasons for not completing them? -- OTHER (PLEASE SPECIFY)

<u>Count</u>	<u> </u>	Value/Range	Code Value/Range Text
4	.27	1	Yes
1	.07	5	No
_	_	8	DK
_	_	9	NA; refused
1,501	99.67	0	Inap.: the Digit Span Assessment completed or NA, DK, or RF if the Digit Span Assessment completed (Q34D3=1,8,9)

Q34IWAGE "CHILD AGE AT ASSESSMENT - MONTHS 07"

NUM(3.0)

Child's age in months at the time of the assessment.

Count % Value/Range Code Value/Range Text

1,506 100.00 63 - 232 Months

WTIND07 "WEIGHT STATUS 07"

NUM(1.0)

Calculated weight status per CDC growth chart percentiles

Count 35	2.32		<pre>Code Value/Range Text Underweight: BMI-for-age < 5th percentile</pre>
824	54.71	2	Normal: BMI-for-age 5th percentile up to 85th percentile
243	16.14	3	At risk of overweight: BMI-for-age 85th percentile to < 95th percentile
338	22.44	4	Overweight: BMI-for-age > 95th percentile
66	4.38	9	NA

BMIZ07 "Z-SCORE FOR BMI 07"

NUM(6.2)

Calculated z-score for Body Mass Index.

If preliminary calculation of height z-score or weight z-score was greater than 6.0 or less than -6.0, then the record was examined for accuracy of the original height or weight fields (A1/A3A/A3C and/or A2/A4A/A4C). Height and weight outliers were recoded to NA in the corresponding original field, and the corresponding z-score was reset to NA. BMI was also set to NA if either height or weight were set to NA. Note that some few outliers remain for BMI (z-score greater than 6.0), though neither of their corresponding height or weight values were deemed to be outliers.

Count	%	Value/Range	Code Value/Range Text
1,440	95.62	-10.00 - 10.00	Z Score
66	4.38	99.00	NA

HGTZ07 "Z-SCORE FOR HEIGHT 07"

NUM(6.2)

Calculated z-score for Height (A1/A3A/A3C).

If preliminary calculation of z-score was greater than 6.0 or less than -6.0, then the record was examined for accuracy of the original height fields (A1/A3A/A3C). Outliers were recoded to NA in the corresponding height field, and z-score was reset to NA.

Count	<u> </u>	<u>Value/Range</u>	Code Value/Range Text
1,448	96.15	-10.00 - 10.00	Z Score
58	3.85	99.00	NA

WGTZ07 "Z-SCORE FOR WEIGHT 07"

NUM(6.2)

Calculated z-score for Weight (A2/A4A/A4C).

If preliminary calculation of z-score was greater than 6.0 or less than -6.0, then the record was examined for accuracy of the original weight fields (A2/A4A/A4C). Outliers were recoded to NA in the corresponding weight field, and z-score was reset to NA.

<u>Count</u>	<u></u>	Value/Range	Code Value/Range Text
1,493	99.14	-10.00 - 10.00	Z Score

13 .86 99.00 NA