

Filename = TD_ACTIVITY

Codebook

Number of Variables

34

TDREL02 "TD_ACTIVITY FILE RELEASE NUMBER 02" NUM(1.0)

Release number

Count	%	Value/Range	Code Value/Range Text
-	-	1	Release number 1 - October 2004
99,467	100.00	2	Release number 2 - November 2015

TDID01 "2001 INTERVIEW NUMBER" NUM(5.0)

2001 PSID Main Family Identifier

The values for this variable represent the 2001 interview number of the family in which this individual was included in 2001.

Count	%	Value/Range	Code Value/Range Text
99,467	100.00	1 - 7,443	Interview number

TDSN01 "CYPSN 2001" NUM(2.0)

2001 PSID Sequence Number

This sequence number variable provides a means of identifying an individual's status with regard to the family unit at the time of the PSID main family 2001 interview.

Count	%	Value/Range	Code Value/Range Text
99,467	100.00	1 - 20	Individuals in the family at the time of the 2001 interview
-	-	51 - 59	Individuals in institutions at the time of the 2001 interview

T1_02 "DAY OF WEEK 02" NUM(1.0)

Day of week diary completed.

Count	%	Value/Range	Code Value/Range Text
24,461	24.59	1	Sunday
9,881	9.93	2	Monday
10,501	10.56	3	Tuesday
9,952	10.01	4	Wednesday
9,620	9.67	5	Thursday
9,659	9.71	6	Friday
25,393	25.53	7	Saturday
-	-	9	NA; refused

COLA_02 "ACTIVITY CODE 02" NUM(4.0)

What did your child do?

For code descriptions refer to the Time Diary Coding Manual. (COLA_02 activities coded 0000, 4810, 5790 or 9840 have a value of 0 for variables COLD_02 through COLJ_02)

Count	%	Value/Range	Code Value/Range Text
-	-	0	INAP: No activity; gap in diary created by coding or check-coding
49,685	49.95	110 - 4,690	Activity code

Filename = TD_ACTIVITY

623	.63	4,810	Time gap; NA activities; "Filling out time diary"
9,430	9.48	4,820 - 5,691	Activity code
32	.03	5,790	End of diary
38,525	38.73	5,970 - 9,830	Activity code
-	-	9,840	Activities of others reported-R's activities not specified
1,172	1.18	9,890 - 9,990	Activity code

COLB_02 "START TIME 02"

NUM(5.0)

What time did the activity begin?

(Time is stored as the number of seconds past midnight)

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code Value/Range Text</u>
99,467	100.00	0 - 86,400	Seconds past midnight
-	-	99,999	NA; refused

COLC_02 "END TIME 02"

NUM(5.0)

What time did the activity end?

(Time is stored as the number of seconds past midnight)

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code Value/Range Text</u>
99,467	100.00	0 - 86,400	Seconds past midnight
-	-	99,999	NA; refused

COLD_02 "TV TYPE 02"

NUM(1.0)

If your child was watching TV, was that a video tape or TV program?

Note: Follow-up question COL_E ("What was the name of the [program]?") was subsequently coded for all television programs mentioned. This data is available separately in the "CDS Media File", available from the PSID Data Center under "Content Coding of Time Diary Television Shows".

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code Value/Range Text</u>
87,450	87.92	0	INAP: Child was not watching TV; COLA_02 = 0000, 4810, 5790 or 9840
1,954	1.96	1	Video tape or DVD
9,671	9.72	2	Television program
392	.39	9	NA; refused

COLF_02 "WHERE WAS CHILD 02"

NUM(2.0)

Where was the child?

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code Value/Range Text</u>
571	.57	0	INAP: COLA_02 = 0000, 4810, 5790 or 9840
65,340	65.69	10	Home, in the yard
17,100	17.19	20	Transit (car, bus, walking)
95	.10	30	Parent's place of work

Filename = TD_ACTIVITY

257	.26	35	Child's place of work
5,442	5.47	40	Someone else's home
803	.81	45	Other parent's home
939	.94	50	Restaurant
857	.86	60	Indoor recreational place
893	.90	70	Outdoor recreational place
3,794	3.81	80	School
1,115	1.12	81	Church
1,579	1.59	82	Store/shopping center/mall
104	.10	83	Non-retail business
130	.13	84	Daycare center
421	.42	89	Other, hospital
27	.03	99	NA; refused

COLGA_02 "NO ONE ELSE PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- No one else

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
81,839	82.28	0	INAP:	Not selected;	COLA_02 = 0000, 4810, 5790 or 9840
17,628	17.72	1	Selected		
-	-	9	NA;	refused	

COLGB_02 "MOTHER PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Mother

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
78,859	79.28	0	INAP:	Not selected;	COLA_02 = 0000, 4810, 5790 or 9840
20,608	20.72	1	Selected		
-	-	9	NA;	refused	

COLGC_02 "FATHER PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Father

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
88,670	89.15	0	INAP:	Not selected;	COLA_02 = 0000, 4810, 5790 or 9840
10,797	10.85	1	Selected		
-	-	9	NA;	refused	

COLGD_02 "SIBLING PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Sibling

Count	%	Value/Range	Code Value/Range Text
76,370	76.78	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
23,097	23.22	1	Selected
-	-	9	NA; refused

COLGE_02 "STEP-MOTHER PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Step-mother

Count	%	Value/Range	Code Value/Range Text
99,328	99.86	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
139	.14	1	Selected
-	-	9	NA; refused

COLGF_02 "STEP-FATHER PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Step-father

Count	%	Value/Range	Code Value/Range Text
99,033	99.56	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
434	.44	1	Selected
-	-	9	NA; refused

COLGG_02 "STEP-SIBLING PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Step-sibling

Count	%	Value/Range	Code Value/Range Text
99,389	99.92	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
78	.08	1	Selected
-	-	9	NA; refused

COLGH_02 "CHILD'S FRIEND PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Child's friend

Count	%	Value/Range	Code Value/Range Text
90,625	91.11	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
8,842	8.89	1	Selected
-	-	9	NA; refused

COLGI_02 "GRANDPARENT PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Grandparent

Count	%	Value/Range	Code Value/Range Text
96,958	97.48	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
2,509	2.52	1	Selected
-	-	9	NA; refused

COLGJ_02 "OTHER RELATIVE PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Other relative

Count	%	Value/Range	Code Value/Range Text
94,610	95.12	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
4,857	4.88	1	Selected
-	-	9	NA; refused

COLGK_02 "OTHER NON-RELATIVE PARTICIPATING 02"

NUM(1.0)

Who else was doing the activity with the child?

-- Other non-relative

Count	%	Value/Range	Code Value/Range Text
93,843	94.35	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
5,624	5.65	1	Selected
-	-	9	NA; refused

COLHA_02 "NO ONE ELSE AROUND, NOT PARTICIPATING 02"

NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- No one else

Count	%	Value/Range	Code Value/Range Text
69,414	69.79	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
30,053	30.21	1	Selected
-	-	9	NA; refused

COLHB_02 "MOTHER AROUND, NOT PARTICIPATING 02"

NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Mother

Count	%	Value/Range	Code Value/Range Text
83,346	83.79	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
16,121	16.21	1	Selected
-	-	9	NA; refused

COLHC_02 "FATHER AROUND, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Father

Count	%	Value/Range	Code Value/Range Text
90,581	91.07	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
8,886	8.93	1	Selected
-	-	9	NA; refused

COLHD_02 "SIBLING AROUND, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Sibling

Count	%	Value/Range	Code Value/Range Text
87,819	88.29	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
11,648	11.71	1	Selected
-	-	9	NA; refused

COLHE_02 "STEP-MOTHER AROUND, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Step-mother

Count	%	Value/Range	Code Value/Range Text
99,297	99.83	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
170	.17	1	Selected
-	-	9	NA; refused

COLHF_02 "STEP-FATHER AROUND, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Step-father

Count	%	Value/Range	Code Value/Range Text
98,895	99.42	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
572	.58	1	Selected
-	-	9	NA; refused

COLHG_02 "STEP-SIBLING AROUND, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Step-sibling

Count	%	Value/Range	Code Value/Range Text
99,379	99.91	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
88	.09	1	Selected
-	-	9	NA; refused

COLHH_02 "CHILDS FRND AROUND, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Child's friend

Count	%	Value/Range	Code Value/Range Text
98,589	99.12	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
878	.88	1	Selected
-	-	9	NA; refused

COLHI_02 "GRANDPARENT AROUND, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Grandparent

Count	%	Value/Range	Code Value/Range Text
97,021	97.54	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
2,446	2.46	1	Selected
-	-	9	NA; refused

COLHJ_02 "OTR RELATIV AROUND, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Other relative

Count	%	Value/Range	Code Value/Range Text
96,945	97.46	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
2,522	2.54	1	Selected
-	-	9	NA; refused

COLHK_02 "OTHER NON-RELATIVE, NOT PARTICIPATING 02" NUM(1.0)

Who (else) was there but not directly involved in the activity?

-- Other non-relative

Count	%	Value/Range	Code Value/Range Text
86,800	87.27	0	INAP: Not selected; COLA_02 = 0000, 4810, 5790 or 9840
12,667	12.73	1	Selected
-	-	9	NA; refused

COLJ_02 "ACTIVITY CODE 02" NUM(4.0)

What else was the child doing at the same time?

For code descriptions, refer to the Time Diary Coding Manual. (Secondary activities coded as travel are "waiting for travel.")

Count	%	Value/Range	Code Value/Range Text
65,779	66.13	0	INAP: No activity; gap in diary created by coding or check-coding; COLA_02 = 0000, 4810, 5790 or 9840
2,276	2.29	110 - 4,690	Activity code
15	.02	4,810	Time gap; NA activities; "Filling out time diary"
474	.48	4,820 - 5,691	Activity code
-	-	5,790	End of diary

Filename = TD_ACTIVITY

29,890	30.05	5,970 - 9,830	Activity code
1	.00	9,840	Activities of others reported-R's activities not specified
1,032	1.04	9,890 - 9,990	Activity code

DIARY_02 "1=WEEKDAY/0=WEEKEND 02"

NUM(1.0)

Diary: Weekday or Weekend day

Count	%	Value/Range	Code Value/Range Text
49,854	50.12	0	Weekend
49,613	49.88	1	Weekday

DUR_02 "DURATION OF ACTIVITY SPELL 02"

NUM(5.0)

Duration of activity in seconds

Count	%	Value/Range	Code Value/Range Text
99,467	100.00	1 - 99,997	Seconds
-	-	99,999	NA; refused