# - SAFAPS SIM ARCHITECTURE DOCUMENT

Jeremy Harrault

**SWORDFISH** 

– SAFAPS SIM –	Publication date	26/01/2016	- SPARCS -
Stress and Fatigue			5.755
Audit and Prediction	Project name	SAFAPS SIM	Software Product Architecture Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Objectives of this document	

## Objectives of this document

The purpose of this document is to present the architecture of the SAFAPS SIM project. It will contain diagrams as well as explanations to describe the architectural choices in order to fulfil the requirements. The information contained in the document act as a guide in order to fully develop, deploy and setup SAFAPS. Reflexions and reviewed decisions are tracked in this document.

<ul><li>SAFAPS SIM –</li></ul>
Stress and Fatigue
<b>Audit and Prediction</b>
Service Simulator

Publication date	26/01/2016
Project name	SAFAPS SIM
Subject	Architecture Document
Chapter name	Objectives of this document

– SPARCS –Software Product ArchitectureResources Control System

## Glossary and Terminology

-A-

API: Application Programming Interface

\_ J \_

JSON: JavaScript Object Notation

-S-

S&F: Stress and Fatigue

SAFAPS: Stress and Fatigue Audit and Prediction Service

<ul><li>– SAFAPS SIM –</li><li>Stress and Fatigue</li></ul>	Publication date	26/01/2016	- SPARCS -
Audit and Prediction	Project name	SAFAPS SIM	Software Product Architecture
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Document Description	

## **Document Description**

Title	SAFAPS SIM : Architecture Document		
Creation date	25/01/2016		
Publication date	26/01/2016		
Product Owner	Augustin Tataru	taau15md@student.ju.se	
Authors	Jeremy Harrault	hajr15bp@ju.se	
Subject	Architecture Document		
Model version	1.0		
Document version	0.4		

## Revisions table

Date	Rev.	Author	Modified Section(s)	Comments	
25/01/16	0.1	Jeremy Harrault	All	Add empty sections	
28/01/16	0.2	Jeremy Harrault	4.	Add context and database view	
29/01/16	0.3	Jeremy Harrault	4.	Add invoice table in database view and add additional information	
02/02/16	0.4	Jeremy Harrault	1. 4.	Remove "Introduction and Management Summary" part. Add the general architecture principals. Add standardization from information viewpoint	

SAFAPS SIM –Stress and FatigueAudit and PredictionService Simulator

Publication date	26/01/2016
Project name	SAFAPS SIM
Subject	Architecture Document
Chapter name	Table of Contents

SPARCS –Software Product Architecture Resources Control System

## Table of Contents

1.	Gen	eral Architecture Principles	1
	1.1.	Layer View	1
	1.2.	Restful architecture	1
2.	Arch	nitectural Design Decisions	2
3.		vpoints and Views	
	3.1.	Context Viewpoint	3
	3.2.	Functional Viewpoint	
	3.3.	Information Viewpoint	
	3.3.1	•	
	3.3.2	. Database Standardization	4
	3.4.	Concurrency Viewpoint	6
	3.5.	Development Viewpoint	6
	3.6.	Deployment Viewpoint	6
	3.7.	Operational Viewpoint	6
4.	Qua	lity Property Summary	7
5.	Imp	ortant Scenarios	8
6.	Issu	es Awaiting Resolution	9
7.		endices 1	
	• •		
Li	st of	Tables	
Та	ble 1: S	AFAPS SIM global layers	1
Та	ble 2: [	Patabase entity additional information	4
Та	ble 3: E	xample of naming database tables	5
Та	ble 4: E	xample of verbs for database table relationships	5
Ta	ble 5: E	xample of naming foreign keys between database tables	5
Li	st of	Figures	
		SAFAPS SIM global architecture	
_		Context diagram	3
Fig	turo 2.	Database entity diagram	1

<ul><li>– SAFAPS SIM –</li><li>Stress and Fatigue</li></ul>	Publication date	26/01/2016	– SPARCS –
Audit and Prediction	Project name	SAFAPS SIM	Software Product Architecture
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	General Architecture Principles	

## 1. General Architecture Principles

### 1.1. Layer View




Figure 1: SAFAPS SIM global architecture

SAFAPS SIM Web server is able to receive HTTP requests and send HTTP response in return. It is composed of for layers.

Layer	Description		
Application server	The application server is first layer that the request goes across. This layer is		
	between the software application and the operating system that the web server		
	is running on. It catches the HTTP requests received by the server and pass it to		
	the implemented web application.		
Web service	The web service includes all business logic that will be computed. It includes the router which will call controllers depending on the resource pointed by the resource. Controllers can access and modify values within entities and call the S&F evaluator launching an asynchronous process. The web server takes JSON as input and returns JSON as output		
Database	The layer is in charge of storing data for future use		
View layer	The view layer is used to lay out the data returned by the web service within HTML to present data onto browser for example.		

Table 1: SAFAPS SIM global layers

#### 1.2. Restful architecture

– SAFAPS SIM –	Publication date	26/01/2016	– SPARCS –
Stress and Fatigue			Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Architectural Design Decisions	

# 2. Architectural Design Decisions

– SAFAPS SIM –	Publication date	26/01/2016	CDARCS
Stress and Fatigue			– SPARCS – Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Viewpoints and Views	

## 3. Viewpoints and Views

#### 3.1. Context Viewpoint




Figure 2: Context diagram

SAFAPS SIM is a system that is mainly used by external systems from organizations. Managers from such organizations can send SAFAPS through their external system to SAFAPS SIM and get authenticated using unique authenticating keys. Managers cannot interrogate SAFAPS SIM directly.

Once the evaluation result is ready, it is sent back to the external system.

When managers are added to or removed from the external system, it can notify SAFAPS SIM so that they are added to or removed from SAFAPS SIM.

External organizations' financials can consult invoices for the organization in two ways. He can either consult them from his mail or directly from SAFAPS SIM website. Indeed, when an invoice is generated by SAFAPS SIM, it is automatically sent to the external organization.

SAPAFS SIM is a simulation software. To limit the work to do on the back-end of SAFAPS website, the information about the organizations is filled in the system by the SAFAPS administrators.

– SAFAPS SIM –	Publication date	26/01/2016	– SPARCS –
Stress and Fatigue			Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Viewpoints and Views	

#### 3.2. Functional Viewpoint

#### 3.3. Information Viewpoint

#### 3.3.1. Database View




Figure 3: Database entity diagram

Some **additional information** regarding this diagram needs to be given in order to fully understand how to manipulated this presented data:

Table	Column	Additional information		
- administrators	- active	The active field represent whether the account is still authorized to use		
- managers		SAFAPS SIM functionalities. The type of this field represent a data with only		
		2 exclusive possible values. Depending on the database implementation,		
		these values can either be TRUE/FALSE or 1/0. Both are correct.		
- invoices	- currency	The currency of the invoice is stored as locale as describe in the RFC 4646		
		(e.g. en_US, en_UK).		
	- amount	The amount is a floating number that can have up to 4 decimals. The stored		
		value is the amount of the invoice converted into the currency stored in		
		the invoice.		
- events	- timezone	The time zone of the event is stored as a string in the format		
		"Continent/City".		

Table 2: Database entity additional information

**Warning**: This diagram has been made without considering the database type or version which is used in the project. It offers a generic model showing how the data are stored and related to each other.

#### 3.3.2. Database Standardization

Hereafter is the naming convention and other rules adopted for the database implementation.

– SAFAPS SIM –	Publication date	26/01/2016	– SPARCS –
Stress and Fatigue			Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Viewpoints and Views	

#### Tables:

- The table names are fully given in low camel case (lowercase letter with '\_' as space between words).
- o The table names must be plural names.

Do	Don't
organizations	Organizations (first letter is uppercase)
managers	organization (singular noun)
organization_invoices	organizationinvoices (no '_' between words)

Table 3: Example of naming database tables

- Columns (including ID and foreign keys):
  - The column names are fully given in low camel case (lowercase letter with '\_' as space between words).
- Table IDs:
  - Each table representing an entity must have an ID. Only tables made for many-to-many relationships may be without any ID.
  - o Entities' ID are "bigint" stored over 19 bits
  - o Entities' ID are unique, "non-nullable", primary keys.
  - o Entities' ID named 'id'
- Foreign keys:
  - Foreign keys are supposed to represent one-to-many or one-to-one relationships between two tables.
  - o Each of these relationships needs to be defined using a verb.

#### Example:

One	Can be related to	Verb
Organization	(many) Invoices	Invoices are => 'send to' => Organization
Evaluation	(many) Events	Events are => 'included in' => Evaluation
Evaluation	(one) Result	Result is => 'calculated from' => Evaluation
Result	(one) Evaluation	Evaluation is => 'generating' => Result

Table 4: Example of verbs for database table relationships

**Note**: For one-to-one relationship, either one or the other table is able to store the foreign key (but not both at once).

O Foreign keys must be named <verb>\_<fk\_table\_singular\_name><fk\_attribute\_name>

#### Example:

Do	Don't
sentto_organizationid	administrator_organization_id
includedin evaluationid	fk id
workfor_organizationid	organizationid

Table 5: Example of naming foreign keys between database tables

– SAFAPS SIM –	Publication date	26/01/2016	– SPARCS –
Stress and Fatigue			Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Viewpoints and Views	

- 3.4. Concurrency Viewpoint
- 3.5. Development Viewpoint
- 3.6. Deployment Viewpoint
- 3.7. Operational Viewpoint

– SAFAPS SIM –	Publication date	26/01/2016	– SPARCS –
Stress and Fatigue			Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Quality Property Summary	

# 4. Quality Property Summary

– SAFAPS SIM –	Publication date	26/01/2016	– SPARCS –
Stress and Fatigue			Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Important Scenarios	

# 5. Important Scenarios

– SAFAPS SIM –	Publication date	26/01/2016	– SPARCS –
Stress and Fatigue			Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Issues Awaiting Resolution	

# 6. Issues Awaiting Resolution

– SAFAPS SIM –	Publication date	26/01/2016	– SPARCS –
Stress and Fatigue			Software Product Architecture
Audit and Prediction	Project name	SAFAPS SIM	Resources Control System
Service Simulator	Subject	Architecture Document	Resources Control System
	Chapter name	Appendices	

# 7. Appendices