



Community

Web API

Overview

Getting started

Concepts

▼ Concepts

< Concepts

Access Token

API calls

Apps

Authorization

Redirect URIs

Playlists

Quota modes

Rate limits

Scopes

Spotify URIs and IDs

Track Relinking

Tutorials

► Tutorials

How-Tos

► How-Tos

REFERENCE

Albums

Access Token

The *access token* is a string which contains the credentials and permissions that can be used to access a given resource (e.g artists, albums or tracks) or user's data (e.g your profile or your playlists).

To use the *access token* you must include the following header in your API calls:

Header Parameter	Value
Authorization	Valid access token following the format: Bearer <Access Token>

Note that the *access token* is valid for 1 hour (3600 seconds). After that time, the token expires and you need to request a new one.

Examples

The following example uses cURL to retrieve information about a track using the [Get a track](#) endpoint:

```
1 curl --request GET \  
2   'https://api.spotify.com/v1/tracks/2TpxZ  
3   --header "Authorization: Bearer NgCXRK."
```

The following code implements the `getProfile()` function which performs the API call to the [Get Current User's Profile](#) endpoint to retrieve the user profile related information:

```
1 async function getProfile(access_token) {  
2   let accessToken = localStorage.getItem('ac  
3  
4   const response = await fetch('https://api.  
5     headers: {  
6       Authorization: 'Bearer ' + accessToken  
7     }  
8   });  
9  
10  const data = await response.json();  
11 }
```

DOCUMENTATION

Web API

Web Playback SDK

Ads API

iOS

Android

Embeds

Commercial Hardware

LEGAL

Developer Terms

Developer Policy

Compliance Tips

Third Party Licenses

GUIDELINES

Design

Accessibility

COMMUNITY

News

Forum

