

# SampleName Solutions

Solution Author

2019-04-06 00:00:00

## Abstract

The following is a selection of solutions for various problems and exercises found in Sample Book Title by Problem Author. These solutions were written by Solution Author and updated last on 04-06-2019

## Contents

<b>1</b>	<b>Chapter 1</b>	<b>2</b>
1.1	Problem 1 . . . . .	2
1.2	Problem 2 . . . . .	2
<b>2</b>	<b>Chapter 2</b>	<b>2</b>
2.1	Problem 1 . . . . .	2
2.2	Problem 2 . . . . .	2

# 1 Chapter 1

## 1.1 Problem 1

This is a sample solution for problem 1.1. The below is some latex that will be used in the solution

$$\int_a^b f(x)dx = F(b) - F(a)$$

In the above its clear that the define integral \$ f \$.

## 1.2 Problem 2

This is a sample solution for problem 1.2. The below is some latex that will be used in the solution

$$a = b = c = d$$

In the above its clear that \$ inline \$. The end.

# 2 Chapter 2

## 2.1 Problem 1

This is a sample solution for problem 2.1. The below is some latex that will be used in the solution

$$\int_a^b f(x)dx = F(b) - F(a)$$

In the above its clear that the define integral \$ f \$.

## 2.2 Problem 2

This is a sample solution for problem 2.2. The below is some latex that will be used in the solution

$$a = b = c = d$$

In the above its clear that \$ inline \$. The end.

## References

<sup>1</sup>Wikipedia, “CW complex”, en, Wikipedia, Page Version ID: 884100665 (2019).