# SampleName Solutions

### Solution Author

### 2019-04-06 00:00:00

#### **Abstract**

The following is a selection of solutions for various problems and exercises found in Sample Book Title by Problem Author. These solutions were written by Solution Author and updated last on 04-06-2019

## Contents

1	Chapter 1																					
	1.1	Problem 1																				
	1.2	Problem 2																				
<b>2</b>	$\mathbf{Ch}$	apter 2																				
	2.1	Problem 1																				
	2.2	Problem 2																				

### 1 Chapter 1

#### 1.1 Problem 1

This is a sample solution for problem 1.1. The below is some latex that will be used in the solution

$$\int_{a}^{b} f(x)dx = F(b) - F(a)$$

In the above its clear that the define integral f.

#### 1.2 Problem 2

This is a sample solution for problem 1.2. The below is some latex that will be used in the solution

$$a = b = c = d$$

In the above its clear that *inline*. The end.

## 2 Chapter 2

#### 2.1 Problem 1

This is a sample solution for problem 2.1. The below is some latex that will be used in the solution

$$\int_{a}^{b} f(x)dx = F(b) - F(a)$$

In the above its clear that the define integral f.

#### 2.2 Problem 2

This is a sample solution for problem 2.2. The below is some latex that will be used in the solution

$$a = b = c = d$$

In the above its clear that *inline*. The end.

## References

 $^1\mathrm{Wikipedia},$  "CW complex", en<br/>, Wikipedia, Page Version ID: 884100665 (2019).