SEON v6 — client-minted session, readable

W;6.12.4;<16B salt>;<custom-cipher payload> · full pre-encryption

SEON (v6.12.4) — client-side session: readable & tamperable

authorized, own-stack · all telemetry fulfilled locally · 2026-10-31

1 · Session wire format (fully client-minted, zero network)

`ver` **W** `sdk` **6.12.4** `salt (16B)` **3ohwhojbMRi1LFgQ77kGRQ==** `encrypted payload (3840 chars)` …


```
W;6.12.4;3ohwhojbMRi1LFgQ77kGRQ==;Dq0lA+vjMd9whgM/Suvu/Tmv9YuMXJ1opeHvVKr/Pmf4w8Z5AW64h8UGU/en6WHfziaQ+9Eu8S6urwkHBaCxQ/akBAR9QKPUyKgoKxVkQnPHTGp2YqjPOJjDKXpfwr8bWcwcv0J3Z7u2DuKZrHXX9JyZn/y1DxngPeBL8SN92yHFyZx99iyJraOuDoW86y/8grT1dqePwj5xc/A0wbGEaTzgdD0rcVz+rEXDIlpFyCgG2G5soTX2igM4DMaX+fH74wEthr4ygvoocGQxobvFIorxZyBYoMnDtnb1cp8janZJJs3RMZDD2cimThSOqVFq8o4yzAq7GvXKeb0Fv6/3yLq+fP855nl2Tyg1kdgQto8GAt…
```


2 · The plaintext fingerprint tree — readable BEFORE encryption (JSON.stringify boundary)

len 9792 · every field with value (v) + status (s) · full record tree captured from the SDK's own object

#	signal	value(s)
A	perf-time	sub1: 170.44259643554688
B	perf-number	sub0: 124.04347527516074
C	—	sub0: null
D	locale	sub0: en-US sub1: en-US sub2: en-US sub3: null ⚠SecurityError: Failed to construct 'Shar
E	audio-hash	sub0: 6597f9d82421edda2447ebddc0531951
F	css-media	sub0: {"a":"no-preference","b":"light","c":"non-monochrome","d":null,"e":"no
G	—	sub0: null
H	—	sub0: false
I	—	sub0: false
J	hash-J	sub0: a931b6543effb809b4abb1ecb36431db
K	—	sub0: 0
L	hash-L	sub0: 95987020ce10a0253ca30367e1aec972
M	hash-M	sub0: 95987020ce10a0253ca30367e1aec972
N	hash-N	sub0: 35183d558065506f1c189deedd5a6cd9
O	hash-O	sub0: 2528b02c5c4bb4d03204956cfc9436ae
P	timestamp	sub0: 2026-10-31T11:39:15.949Z
Q	hash-Q	sub1: 610ba89089241f71eac42e9fc9fa1f45
R	—	sub0: null
S	b64-S	sub1: 4AgAQAAIAAFQAQA=
T	webgl-vendor	sub0: Google Inc. (Google)
U	—	sub0: null
V	audio-timing	sub1: [89.8,11.1,73.9,0,90,142.5,110,27,143.3]
W	—	sub1: false
X	—	sub0: false
Y	—	sub0: false sub1: false
Z	—	sub0: false
a	ua-array	sub0:
b	browser-hash	sub0: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) sub1: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) sub2: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) sub3: null ⚠SecurityError: Failed to construct 'Shar
c	language	sub0: en-US sub1: en-US sub2: en-US sub3: null ⚠SecurityError: Failed to construct 'Shar
d	languages	sub0: ["en-US"] sub1: ["en-US"] sub2: ["en-US"] sub3: null ⚠SecurityError: Failed to construct 'Shar
e	hw-concurrency	sub0: 12 sub1: 12 sub2: 12 sub3: null ⚠SecurityError: Failed to construct 'Shar
f	—	sub0: null sub1: null sub2: null sub3: null ⚠SecurityError: Failed to construct 'Shar
g	local-ips	sub0: ["192.168.68.75"]
h	public-ips	sub0: ["107.210.133.127"]
i	temporal-api	sub0: {} sub1: {"Date":{"toTemporalInstant":[12]}}
j	timezone	sub0: America/Chicago sub1: America/Chicago sub2: America/Chicago sub3: null ⚠SecurityError: Failed to construct 'Shar
k	tz-offset	sub0: -05:00
l	platform	sub0: Linux x86_64 sub1: Linux x86_64 sub2: Linux x86_64 sub3: null ⚠SecurityError: Failed to construct 'Shar
m	screen-full	sub0: {"a":1180,"b":900,"c":1188,"d":985,"e":1020,"f":13,"g":0,"h":0,"i":118 sub1: {"a":300,"b":150,"c":1188,"d":985,"e":1020,"f":13,"g":0,"h":0,"i":284,
n	device-flag	sub0: null
o	—	sub0: null
p	—	sub0: []
q	—	sub0: null
r	page-url	sub0: about://blank
s	sealed-subblob	sub0: {"s":"1x60/SM1vY9farX32ImbLKP9o2mbv9h7wta/v3j3io2X712V9Vw6+ryZ/3m3qb3r
t	—	sub0: null
u	—	sub0: ["PDF Viewer","Chrome PDF Viewer","Chromium PDF Viewer","Microsoft Edg
v	—	sub0: []
w	—	sub0: null
x	—	sub0: null
y	—	sub0: null ⚠TypeError: Cannot read properties of und
z	privacy-flags	sub0: true sub1: true sub2: false sub3: null ⚠SecurityError: Failed to construct 'Shar
0	canvas-fingerprint-flag	sub0: false
1	—	sub0: false sub1: false
2	screen-dims	sub0: []
3	geolocation	sub0: {"lat":0,"long":0,"accuracy":0,"status":-1}
4	—	sub0: null
5	permissions	sub0: {"g":[],"p":[],"d":["accelerometer","background-fetch","background-syn
6	webgl-renderer	sub0: ANGLE (Google, Vulkan 1.3.0 (SwiftShader Device (Subzero) (0x0000C0DE)
7	—	sub0: null ⚠TypeError: Cannot read properties of und
8	webdriver	sub0: false
9	devtools-open	sub0: true
10	color-depth	sub0: 255
11	—	sub0: null
12	—	sub0: []
13	canvas-hash	sub0: 93b5d4a255d9a775736e677572c5b1ac
14	—	sub0: null ⚠TypeError: Cannot read properties of und
15	—	sub0: null ⚠TypeError: Cannot read properties of und
16	—	sub0: null ⚠TypeError: Cannot read properties of und
17	—	sub0: null ⚠TypeError: Cannot read properties of und
18	—	sub0: null ⚠TypeError: Cannot read properties of und
19	—	sub0: null ⚠TypeError: Cannot read properties of und
20	—	sub0: null ⚠TypeError: Cannot read properties of und
21	—	sub0: null ⚠TypeError: Cannot read properties of und
22	webgl-flag	sub0: null ⚠TypeError: Cannot read properties of und
23	—	sub0: null ⚠TypeError: Cannot read properties of und
24	—	sub0: null
25	—	sub0: null ⚠TypeError: Cannot read properties of und
26	—	sub0: null ⚠TypeError: Cannot read properties of und
27	—	sub0: null ⚠TypeError: Cannot read properties of und
28	—	sub0: null ⚠TypeError: Cannot read properties of und
29	—	sub0: null ⚠TypeError: Cannot read properties of und
30	incognito-flag	sub0: false
31	—	sub0: null ⚠TypeError: Cannot read properties of und
32	—	sub0: null
33	—	sub0: null
34	pointer-coords	sub0: {"x":-0.5,"y":-0.5}
35	—	sub0: null
36	—	sub0: null
37	—	sub0: []
38	lazy-value	sub0: function(){return{v:ld[n(2535)](),s:0}}
39	—	sub0: null ⚠TypeError: Cannot read properties of und
40	—	sub0: null ⚠TypeError: Cannot read properties of und
41	—	sub0: null
42	webrtc-flag	sub0: c:
43	network-info	sub0: {"rtt":50,"effectiveType":"4g","downlink":1.6,"saveData":false}
44	—	sub0: null
45	—	sub0: null
46	ai-apis	sub0: {"languageDetector":"absent","summarizer":"absent"}
47	—	sub0: null ⚠SecurityError: Failed to read the 'cooki
48	—	sub0: null ⚠TypeError: Cannot read properties of und
49	gzip-blob	sub0: H4sIAAAAAAAAA+MCAJMG1zIBAAAA
50	—	sub0: null ⚠TypeError: Cannot read properties of und
51	—	sub0: null ⚠TypeError: Cannot read properties of und
52	—	sub0: null ⚠TypeError: Cannot read properties of und
53	—	sub0: null ⚠TypeError: Cannot read properties of und

3 · Tamper differential — rewrite in plaintext, re-seal, sessions change

cleam: W;6.12.4;CTJWaqJWcZOgx1zbH/hkbg==;ziih4v/… (3810)
tz+canvas tampered (Asia/Tokyo, fake hash): KXjFoMMuJ8w84SGhq8mmfA==;AVH3wkht8xJ… (3810) DIFFERS
webdriver→true: 7MIFzDifGTziQHAmc5Emwg==;OdjeSwLyVtHpyOYCZ… (3834) DIFFERS

→ payload is client-computed; a client can rewrite any signal before sealing. Server-side scoring is the real check.

SEON JavaScript SDK v6.12.4 · agent.umd.js · string decoder recovered (2,857 strings) · AES-GCM absent — custom cipher · DNS-exfil via *.seondnsresolve.com