

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file plants.html

Checker Input

Show source outline image report [Options...](#)

Check by [file upload](#) No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 16; to line 6, column 4

```
TYPE html>←{% extends "base.html" %}←{%
load static %}←←{%
block page_header
%}←<div c
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** The character encoding was not declared. Proceeding using windows-1252.

3. **Error** Element `head` is missing a required instance of child element `title`.

From line 1, column 16; to line 6, column 4

```
TYPE html>←{%
extends "base.html" %}←{%
load static %}←←{%
block
page_header %}←<div c
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

4. **Error** Bad value `{% url 'plants' %}?category={{ c.name }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
- From line 20, column 21; to line 20, column 115
- ```
<a class="category-badge text-decoration-none" href="{% url
'plants' %}?category={{ c.name }}">↔
```
5. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.
- At line 33, column 78
- ```
urrent_sorting == 'None_None' %
```
6. **Error** Saw `:` when expecting an attribute name. Probable cause: `=` missing immediately before.
- At line 33, column 80
- ```
ent_sorting == 'None_None' %}s
```
7. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.
- At line 33, column 90
- ```
g == 'None_None' %}selected{%
```
8. **Warning** Attribute `{%` is not serializable as XML 1.0.
- From line 33, column 33; to line 33, column 113
- ```
<option value="reset" {%- if current_sorting == 'None_None'
%}selected{%- endif %}>Sort b
```
9. **Warning** Attribute `'none_none'` is not serializable as XML 1.0.
- From line 33, column 33; to line 33, column 113
- ```
<option value="reset" {%- if current_sorting == 'None_None'  
%}selected{%- endif %}>Sort b
```
10. **Warning** Attribute `{%}selected{%` is not serializable as XML 1.0.
- From line 33, column 33; to line 33, column 113
- ```
<option value="reset" {%- if current_sorting == 'None_None'
%}selected{%- endif %}>Sort b
```
11. **Warning** Attribute `{%}` is not serializable as XML 1.0.
- From line 33, column 33; to line 33, column 113
- ```
<option value="reset" {%- if current_sorting == 'None_None'  
%}selected{%- endif %}>Sort b
```

12. Error Attribute `{%` not allowed on element `option` at this point.

From line 33, column 33; to line 33, column 113

```
<option value="reset" {%
  if current_sorting == 'None_None'
}%>
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

13. Error Attribute `if` not allowed on element `option` at this point.

From line 33, column 33; to line 33, column 113

```
<option value="reset" {%
  if current_sorting == 'None_None'
}%>
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

14. Error Attribute `current_sorting` not allowed on element `option` at this point.

From line 33, column 33; to line 33, column 113

```
<option value="reset" {%
  if current_sorting == 'None_None'
}%>
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

15. Error Attribute `'none_none'` not allowed on element `option` at this point.

From line 33, column 33; to line 33, column 113

```
<option value="reset" {%
  if current_sorting == 'None_None'
}%>
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled
[label](#) — User-visible label
[selected](#) — Whether the option is selected by default
[value](#) — Value to be used for [form submission](#)

16. **Error** Attribute `%}selected{%` not allowed on element [option](#) at this point.

From line 33, column 33; to line 33, column 113

```
<option value="reset" {%- if current_sorting == 'None_None'  
%}selected{%- endif %}>Sort b
```

Attributes for element [option](#):

[Global attributes](#)
[disabled](#) — Whether the form control is disabled
[label](#) — User-visible label
[selected](#) — Whether the option is selected by default
[value](#) — Value to be used for [form submission](#)

17. **Error** Attribute `endif` not allowed on element [option](#) at this point.

From line 33, column 33; to line 33, column 113

```
<option value="reset" {%- if current_sorting == 'None_None'  
%}selected{%- endif %}>Sort b
```

Attributes for element [option](#):

[Global attributes](#)
[disabled](#) — Whether the form control is disabled
[label](#) — User-visible label
[selected](#) — Whether the option is selected by default
[value](#) — Value to be used for [form submission](#)

18. **Error** Attribute `%}` not allowed on element [option](#) at this point.

From line 33, column 33; to line 33, column 113

```
<option value="reset" {%- if current_sorting == 'None_None'  
%}selected{%- endif %}>Sort b
```

Attributes for element [option](#):

[Global attributes](#)
[disabled](#) — Whether the form control is disabled
[label](#) — User-visible label
[selected](#) — Whether the option is selected by default
[value](#) — Value to be used for [form submission](#)

19. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 34, column 82

```
current_sorting == 'price_asc' %]
```

20. **Error** Saw '`'` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 34, column 84

```
ent_sorting == 'price_asc' %}{
```

21. **Error** Quote '`'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 34, column 94

```
g == 'price_asc' %}{selected{%
```

22. **Warning** Attribute `{%}` is not serializable as XML 1.0.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}{selected{%- endif %}>Price
```

23. **Warning** Attribute `'price_asc'` is not serializable as XML 1.0.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}{selected{%- endif %}>Price
```

24. **Warning** Attribute `{%}{selected{%-}` is not serializable as XML 1.0.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}{selected{%- endif %}>Price
```

25. **Warning** Attribute `{%}` is not serializable as XML 1.0.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}{selected{%- endif %}>Price
```

26. **Error** Attribute `{%}` not allowed on element `option` at this point.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}{selected{%- endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

27. **Error** Attribute `if` not allowed on element `option` at this point.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

28. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

29. **Error** Attribute `'price_asc'` not allowed on element `option` at this point.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

30. **Error** Attribute `{%}selected{%-` not allowed on element `option` at this point.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc'  
%}selected{%- endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)[disabled](#) — Whether the form control is disabled[label](#) — User-visible label[selected](#) — Whether the option is selected by default[value](#) — Value to be used for [form submission](#)

31. **Error** Attribute `endif` not allowed on element `option` at this point.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc' %}selected{%- endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)[disabled](#) — Whether the form control is disabled[label](#) — User-visible label[selected](#) — Whether the option is selected by default[value](#) — Value to be used for [form submission](#)

32. **Error** Attribute `{%}` not allowed on element `option` at this point.

From line 34, column 33; to line 34, column 117

```
<option value="price_asc" {%- if current_sorting == 'price_asc' %}selected{%- endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)[disabled](#) — Whether the form control is disabled[label](#) — User-visible label[selected](#) — Whether the option is selected by default[value](#) — Value to be used for [form submission](#)

33. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 35, column 83

```
current_sorting == 'price_desc'
```

34. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 35, column 85

```
ent_sorting == 'price_desc' %}
```

35. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 35, column 96

```
= 'price_desc' %}selected{%
```

36. **Warning** Attribute `{%` is not serializable as XML 1.0.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

37. **Warning** Attribute `'price_desc'` is not serializable as XML 1.0.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

38. **Warning** Attribute `{%}selected{%` is not serializable as XML 1.0.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

39. **Warning** Attribute `{%` is not serializable as XML 1.0.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

40. **Error** Attribute `{%` not allowed on element `option` at this point.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

41. **Error** Attribute `if` not allowed on element `option` at this point.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

42. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

43. **Error** Attribute `'price_desc'` not allowed on element `option` at this point.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

44. **Error** Attribute `{%- selected{%-` not allowed on element `option` at this point.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {%- if current_sorting == 'price_desc'  
%}selected{%- endif %}>Price
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

45. **Error** Attribute `endif` not allowed on element `option` at this point.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {% if current_sorting == 'price_desc'
%}selected{% endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

46. **Error** Attribute [%] not allowed on element [option](#) at this point.

From line 35, column 33; to line 35, column 119

```
<option value="price_desc" {% if current_sorting == 'price_desc'
%}selected{% endif %}>Price
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

47. **Error** [=] at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 36, column 83

```
current_sorting == 'rating_asc'
```

48. **Error** Saw [=] when expecting an attribute name. Probable cause: [=] missing immediately before.

At line 36, column 85

```
ent_sorting == 'rating_asc' %]
```

49. **Error** Quote ['] in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 36, column 96

```
= 'rating_asc' %}selected{%
```

50. **Warning** Attribute [%] is not serializable as XML 1.0.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {% if current_sorting == 'rating_asc'
%}selected{% endif %}>Rating
```

51. **Warning** Attribute ['rating_asc'] is not serializable as XML 1.0.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

52. **Warning** Attribute `{%}selected{%-}` is not serializable as XML 1.0.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

53. **Warning** Attribute `{%}` is not serializable as XML 1.0.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

54. **Error** Attribute `{%}` not allowed on element `option` at this point.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

55. **Error** Attribute `if` not allowed on element `option` at this point.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

56. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

57. **Error** Attribute `'rating_asc'` not allowed on element [option](#) at this point.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

58. **Error** Attribute `{%- selected{%-` not allowed on element [option](#) at this point.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

59. **Error** Attribute `endif` not allowed on element [option](#) at this point.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%- if current_sorting == 'rating_asc' %}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

60. **Error** Attribute `{%-` not allowed on element [option](#) at this point.

From line 36, column 33; to line 36, column 119

```
<option value="rating_asc" {%
  if current_sorting == 'rating_asc'
}selected{%
  endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

61. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 37, column 84

```
current_sorting == 'rating_desc'
```

62. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 37, column 86

```
ent_sorting == 'rating_desc' %
```

63. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 37, column 98

```
== 'rating_desc' %}selected{%
```

64. **Warning** Attribute `{%` is not serializable as XML 1.0.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%
  if current_sorting == 'rating_desc'
}selected{%
  endif %}>Rating
```

65. **Warning** Attribute `'rating_desc'` is not serializable as XML 1.0.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%
  if current_sorting == 'rating_desc'
}selected{%
  endif %}>Rating
```

66. **Warning** Attribute `{%}selected{%` is not serializable as XML 1.0.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%
  if current_sorting == 'rating_desc'
}selected{%
  endif %}>Rating
```

67. **Warning** Attribute `%` is not serializable as XML 1.0.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%- if current_sorting == 'rating_desc'  
%}selected{%- endif %}>Rating
```

68. **Error** Attribute `{%` not allowed on element `option` at this point.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%- if current_sorting == 'rating_desc'  
%}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

69. **Error** Attribute `if` not allowed on element `option` at this point.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%- if current_sorting == 'rating_desc'  
%}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

70. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%- if current_sorting == 'rating_desc'  
%}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

71. **Error** Attribute `'rating_desc'` not allowed on element `option` at this point.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%- if current_sorting == 'rating_desc'  
%}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

72. **Error** Attribute `{%}selected{%-}` not allowed on element [option](#) at this point.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%- if current_sorting == 'rating_desc'  
%}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

73. **Error** Attribute `endif` not allowed on element [option](#) at this point.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%- if current_sorting == 'rating_desc'  
%}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

74. **Error** Attribute `{%}` not allowed on element [option](#) at this point.

From line 37, column 33; to line 37, column 121

```
<option value="rating_desc" {%- if current_sorting == 'rating_desc'  
%}selected{%- endif %}>Rating
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

75. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 38, column 81

```
current_sorting == 'name_asc' %}
```

76. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 38, column 83

```
ent_sorting == 'name_asc' %}se
```

77. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 38, column 92

```
ng == 'name_asc' %}selected{%
```

78. **Warning** Attribute `{%` is not serializable as XML 1.0.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {% if current_sorting == 'name_asc'
%}selected{% endif %}>Name (
```

79. **Warning** Attribute `'name_asc'` is not serializable as XML 1.0.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {% if current_sorting == 'name_asc'
%}selected{% endif %}>Name (
```

80. **Warning** Attribute `{%}selected{%` is not serializable as XML 1.0.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {% if current_sorting == 'name_asc'
%}selected{% endif %}>Name (
```

81. **Warning** Attribute `{%}` is not serializable as XML 1.0.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {% if current_sorting == 'name_asc'
%}selected{% endif %}>Name (
```

82. **Error** Attribute `{%` not allowed on element `option` at this point.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {% if current_sorting == 'name_asc'
%}selected{% endif %}>Name (
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled
[label](#) — User-visible label
[selected](#) — Whether the option is selected by default
[value](#) — Value to be used for [form submission](#)

83. **Error** Attribute `if` not allowed on element `option` at this point.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {%- if current_sorting == 'name_asc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)
[disabled](#) — Whether the form control is disabled
[label](#) — User-visible label
[selected](#) — Whether the option is selected by default
[value](#) — Value to be used for [form submission](#)

84. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {%- if current_sorting == 'name_asc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)
[disabled](#) — Whether the form control is disabled
[label](#) — User-visible label
[selected](#) — Whether the option is selected by default
[value](#) — Value to be used for [form submission](#)

85. **Error** Attribute `'name_asc'` not allowed on element `option` at this point.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {%- if current_sorting == 'name_asc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)
[disabled](#) — Whether the form control is disabled
[label](#) — User-visible label
[selected](#) — Whether the option is selected by default
[value](#) — Value to be used for [form submission](#)

86. **Error** Attribute `{%- selected %}` not allowed on element `option` at this point.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {%
}selected{%
}endif %>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

87. **Error** Attribute `endif` not allowed on element [option](#) at this point.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {%
}selected{%
}endif %>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

88. **Error** Attribute `%}` not allowed on element [option](#) at this point.

From line 38, column 33; to line 38, column 115

```
<option value="name_asc" {%
}selected{%
}endif %>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

89. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 39, column 82

```
rrrent_sorting == 'name_desc' %
```

90. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 39, column 84

```
ent_sorting == 'name_desc' %} s
```

91. **Error** Quote ' in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 39, column 94

```
g == 'name_desc' %}selected{%
```

92. **Warning** Attribute '{%' is not serializable as XML 1.0.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

93. **Warning** Attribute 'name_desc' is not serializable as XML 1.0.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

94. **Warning** Attribute '%}selected{%' is not serializable as XML 1.0.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

95. **Warning** Attribute '%' is not serializable as XML 1.0.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

96. **Error** Attribute '{%' not allowed on element option at this point.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

Attributes for element option:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

97. **Error** Attribute 'if' not allowed on element option at this point.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
%}selected{%
  endif %}>Name (
```

Attributes for element option:

Global attributesdisabled — Whether the form control is disabledlabel — User-visible labelselected — Whether the option is selected by defaultvalue — Value to be used for [form submission](#)

98. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%- if current_sorting == 'name_desc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

Global attributesdisabled — Whether the form control is disabledlabel — User-visible labelselected — Whether the option is selected by defaultvalue — Value to be used for [form submission](#)

99. **Error** Attribute `'name_desc'` not allowed on element `option` at this point.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%- if current_sorting == 'name_desc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

Global attributesdisabled — Whether the form control is disabledlabel — User-visible labelselected — Whether the option is selected by defaultvalue — Value to be used for [form submission](#)

100. **Error** Attribute `{%}selected{%-}` not allowed on element `option` at this point.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%- if current_sorting == 'name_desc'  
%}selected{%- endif %}>Name (
```

Attributes for element [option](#):

Global attributesdisabled — Whether the form control is disabledlabel — User-visible labelselected — Whether the option is selected by defaultvalue — Value to be used for [form submission](#)

101. **Error** Attribute `endif` not allowed on element `option` at this point.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
}selected{%
  endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

102. **Error** Attribute `{%` not allowed on element [option](#) at this point.

From line 39, column 33; to line 39, column 117

```
<option value="name_desc" {%
  if current_sorting == 'name_desc'
}selected{%
  endif %}>Name (
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

103. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 40, column 85

```
current_sorting == 'category_asc'
```

104. **Error** Saw `'` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 40, column 87

```
ent_sorting == 'category_asc'
```

105. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 40, column 100

```
= 'category_asc' %}selected{%
```

106. **Warning** Attribute `{%` is not serializable as XML 1.0.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {%
  if current_sorting == 'category_asc'
}selected{%
  endif %}>Catego
```

107. **Warning** Attribute `'category_asc'` is not serializable as XML 1.0.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {% if current_sorting == 'category_asc'  
%}selected{% endif %}>Catego
```

108. **Warning** Attribute `{%selected{}}` is not serializable as XML 1.0.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {% if current_sorting == 'category_asc'  
%}selected{% endif %}>Catego
```

109. **Warning** Attribute `{%}` is not serializable as XML 1.0.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {% if current_sorting == 'category_asc'  
%}selected{% endif %}>Catego
```

110. **Error** Attribute `{%}` not allowed on element `option` at this point.

From line 40, column 33; to line 40, column 123

```
|<option value="category_asc" {% if current_sorting ==  
'category_asc' %}selected{% endif %}>Catego|
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

111. **Error** Attribute `if` not allowed on element `option` at this point.

From line 40, column 33; to line 40, column 123

```
|<option value="category_asc" {% if current_sorting ==  
'category_asc' %}selected{% endif %}>Catego|
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

112. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

113. **Error** Attribute `'category_asc'` not allowed on element [option](#) at this point.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

114. **Error** Attribute `{%}selected{%-}` not allowed on element [option](#) at this point.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

115. **Error** Attribute `endif` not allowed on element [option](#) at this point.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element [option](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

116. **Error** Attribute `{%}` not allowed on element `option` at this point.

From line 40, column 33; to line 40, column 123

```
<option value="category_asc" {%- if current_sorting ==  
'category_asc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

117. **Error** `=` at the start of an unquoted attribute value. Probable cause: Stray duplicate equals sign.

At line 41, column 86

```
current_sorting == 'category_des'
```

118. **Error** Saw `=` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 41, column 88

```
ent_sorting == 'category_desc'
```

119. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 41, column 102

```
'category_desc' %}selected{%
```

120. **Warning** Attribute `{%}` is not serializable as XML 1.0.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

121. **Warning** Attribute `'category_desc'` is not serializable as XML 1.0.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

122. **Warning** Attribute `{%}` is not serializable as XML 1.0.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

123. **Warning** Attribute `[%]` is not serializable as XML 1.0.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

124. **Error** Attribute `{%}` not allowed on element `option` at this point.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

125. **Error** Attribute `if` not allowed on element `option` at this point.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

126. **Error** Attribute `current_sorting` not allowed on element `option` at this point.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

127. **Error** Attribute 'category_desc' not allowed on element `option` at this point.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

128. **Error** Attribute `{%}selected{%-}` not allowed on element `option` at this point.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

129. **Error** Attribute `endif` not allowed on element `option` at this point.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[label](#) — User-visible label

[selected](#) — Whether the option is selected by default

[value](#) — Value to be used for [form submission](#)

130. **Error** Attribute `{%-}` not allowed on element `option` at this point.

From line 41, column 33; to line 41, column 125

```
<option value="category_desc" {%- if current_sorting ==  
'category_desc' %}selected{%- endif %}>Catego
```

Attributes for element `option`:

[Global attributes](#)

disabled — Whether the form control is disabled
label — User-visible label
selected — Whether the option is selected by default
value — Value to be used for [form submission](#)

131. **Error** Bad value `{% url 'plants' %}` for attribute `href` on element `a`:

Illegal character in path segment: `{` is not allowed.

From line 48, column 53; to line 48, column 81

```
s="small">><a href="{% url 'plants' %}">Produc
```

132. **Error** Bad value `{% url 'plant_detail' plant.id %}` for attribute `href`

on element `a`: Illegal character in path segment: `{` is not allowed.

From line 59, column 33; to line 59, column 76

```
<a href="{% url 'plant_detail' plant.id %}">←
```

133. **Error** Bad value `{{ plant.image.url }}` for attribute `src` on element

`img`: Illegal character in path segment: `{` is not allowed.

From line 60, column 37; to line 60, column 123

```
←
```

134. **Error** Bad value `{% url 'plant_detail' plant.id %}` for attribute `href`

on element `a`: Illegal character in path segment: `{` is not allowed.

From line 63, column 33; to line 63, column 76

```
<a href="{% url 'plant_detail' plant.id %}">←
```

135. **Error** Bad value `{{ MEDIA_URL }}noimage.png` for attribute `src` on

element `img`: Illegal character in path segment: `{` is not allowed.

From line 64, column 37; to line 64, column 128

```
←
```

136. **Error** Bad value `{% url 'plants' %}?category={{ plant.category.name }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is

not allowed.

From line 76, column 49; to line 76, column 131

```
<a class="text-muted" href="{% url 'plants' %}?category={{ plant.category.name }}">←
```

137. **Error** **Bad value** `{% url 'edit_plant' plant.id %}` **for attribute** `href` **on element** `a`: **Illegal character in path segment: { is not allowed.**

From line 88, column 53; to line 88, column 94

```
<a href="{% url 'edit_plant' plant.id %}">Edit</a>
```

138. **Error** **Bad value** `{% url 'delete_plant' plant.id %}` **for attribute** `href` **on element** `a`: **Illegal character in path segment: { is not allowed.**

From line 89, column 53; to line 89, column 116

```
<a class="text-danger" href="{% url 'delete_plant' plant.id %}">Delete</a>
```

139. **Warning** **The type attribute is unnecessary for JavaScript resources.**

From line 133, column 5; to line 133, column 35

```
er }<script type="text/javascript">'$(
```

140. **Warning** **The type attribute is unnecessary for JavaScript resources.**

From line 139, column 5; to line 139, column 35

```
<script type="text/javascript">
```

Document checking completed.

Used the HTML parser.

Total execution time 35 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.5.11