

Analysis charges (in INR) for using instruments in CIF

S. No.	Instrument Name	Internal (per sample/per hour)	Academia/R&D (per sample/per hour)	Industry (per sample/per hour)
1	Powder XRD (Bruker D8 Advance)	250 per sample & 400 per hour	700 per sample & 1200 per hour	1200 per sample & 1500per hour
2	GC*-MS/MS (Shimadzu TQ8040)	750 (Qualitative)/ 1500 (Quantitative)/ 3000 (per hour)	1600 (Qualitative)/ 4100 (Quantitative)/ 10000 (per hour)	2000 (Qualitative)/ 5000 (Quantitative)/ 15000 (per hour)
3	GC with FID*	500 (Qualitative)/ 1000 (Quantitative)/ 2000(per hour)	1100 (Qualitative)/ 2100 (Quantitative)/ 5000 (per hour)	1500 (Qualitative)/ 3000 (Quantitative)/ 7000 (per hour)
4	MS/MS	500	900	1200
5	FE-SEM [#] coupled with EDS detector, Au Sputter Coater (FE-SEM: JEOL JSM-7610F Plus EDS: OXFORD EDS LN2 free, Au Coater: JEOL Smart Coater)	FESEM- 500 (FESEM+EDS+MAP)- 500+250=750 Gold Coating- 150 (FESEM+GC)- 500+150=650 (FESEM+EDS+MAP+GC)- 900	FESEM- 1100 (FESEM+EDS)- 1100+500=1600 (FESEM +MAP)- 1100+300=1400 Gold Coating- 200 (FESEM+GC)- 1100+150= 1250 (FESEM+EDS+GC)-1100+500+200=1800 (FESEM +MAP+GC)-1100+300+200=1600 (FESEM+EDS+MAP+GC)- 1100+500+300+200= 2100	FESEM- 2000 (FESEM+EDS)- 2000+1000=3000 (FESEM +MAP)- 2000+1000=3000 Gold Coating- 250 (FESEM+GC)- 2000+250=2250 (FESEM+EDS+GC)- 2000+1000+250=3250 (FESEM +MAP+GC)- 2000+1000+250=3250 (FESEM+EDS+MAP+GC)- 2000+1000+1000+250= 4250
6	Electrochemical workstation**(Metrohm: Multichannel Autolab AUT.MAC.204)	100 per sample/ 200 (per hour)	350 per sample /800 (per hour)	500 per sample /1200 (per hour)
7	Fluorescence Spectrometer (PerkinElmer LS6500)	50 per scan	150 per scan/ 800 per hour (<u>unlimited Scanning for 1 sample</u>)	500 per scan /1200 per hour (<u>unlimited Scanning for 1 sample</u>)
8	Centrifuge (Eppendorf Refrigerated Centrifuge 5804R)	100 (per hour)	300 (per hour)	500 (per hour)
9	Thermogravimetric Analyzer (PerkinElmer TGA4000)	150 up to 600 °C (Extra INR 100/100°C rise in temperature after 600 °C up to 1000°C @10 °C/min)	600 up to 600 °C (Extra INR 200/100 °C rise in temperature after 600 °C up to 1000°C @10 °C/min)	1000 up to 600 °C(Extra INR 300/100°C rise in temperature after 600°C up to 1000°C@10°C/min)

S. No.	Instrument Name	Internal (per sample/per hour)	Academia/R&D (per sample/per hour)	Industry (per sample/per hour)
10	Differential Scanning Calorimeter ^{##} (PerkinElmer DSC 6000)	200 per hour (RT to 450°C @10 °C/min)	700 per hour (RT to 450°C @10 °C/min)	1200 per hour (RT to 450°C @ 10°C/min)
		300 per hour (RT to -70°C @-10 °C/min)	800 per hour (RT to -70°C @-10 °C/min)	1500 per hour (RT to - 70°C @-10 °C/min)
11	Density meter (Axis Density Meter with analytical balance AL N-220)	50 per sample	200 per sample	500 per sample
12	Viscometer (LABMAN model of LMDV-200 with small sample adaptor, low viscosity adaptor)	50 per sample	250 per sample	500 per sample
13	Particle size and Zeta potential analyzer (Malvern Zetasizer Nano ZS90)	100 per sample	600 per sample	1200 per sample
14	FTIR with Diamond ATR (PerkinElmer Spectrum2)	50 per sample	300 per sample	700 per sample
15	HPLC* with RI and PDA detector (Shimadzu Prominence ILC203 0Plus)	500 (Qualitative)/1000 (Quantitative)/3000(per hour)	1100 (Qualitative)/2100(Quantitative)/5000(per hour)	2000 (Qualitative)/4000(Quantitative)/10000(per hour)
16	UV-VIS Spectrophotometer (Shimadzu UV-1800)	50 per sample	150 per sample	300 per sample
17	De-ionized Water (Milli-Q Direct Q3)	150 per liter	300 per liter	500 per liter
18	Inductively Coupled Plasma Optical Emission Spectrometry (PerkinElmer ICP-OES Optima 8000)	500/- per sample (upto 1 element) and + 150/- extra for additional element Note: Standards will be provided by the user only. 750/- per sample will be charged extra for sample preparation (i.e., acid digestion). Calibration charges of standards are extra.	**850/- per sample (upto 1 element) and + 175/- extra for additional element Note: Standards will be provided by the user only. 750/- per sample will be charged extra for sample preparation (i.e., acid digestion). Calibration charges of standards are extra.	**1500/- per sample (upto 1 element) and + 200/- extra for additional element Note: Standards will be provided by the user only. 1000/- per sample will be charged extra for sample preparation (i.e., acid digestion). Calibration charges of standards are extra.
Note:				
1	If instrument run time is more than 30 minutes for single sample analysis then hourly basis charges will be applicable.			
2	For external users, @ 18.00 % GST or above (as per the prevailing norms) will be applicable in the above rate list.			
3	Please add courier and CD charges of INR 100 (conditions applied).			
4	* Specific column must be provided by user if required.			
5	For Qualitative analysis, Reference Standard must be provided by user only.			

6	The user should provide standard/reference (compound/solution) for the analysis.
7	**The user should provide standard/reference compound (solution)/working electrodes and if someone need glassy carbon electrode from CIF, then INR300 will be charged
8	## Alumina crucible will be used.
9	After successful submission of filled sample requisition form and payment, the samples should reach CIF within seven working days along with a copy of acknowledgement
10	#For FESEM each sample a 30 min time will be provided to the users for analysis. a) Total time slot for the user will be booked on number of sample basis. b) More time required than allotted slot for the Analysis on the request of Users will be charges. Rate for excess time usage upto 30 min is equivalent to one sample analysis charge of which booking has been made. c) Up to 30 min extra can be given per allotted slot. d) For liquid samples, they should be provided in the form of thin film having dimensions not more than 1cm*1cm*2mm i.e length, breadth and thickness respectively. e) If thin film is prepared by CIF, charges will be INR 150 for Internal Users and INR 300 for External User.
11	No Refund will be made if User submits Magnetic/Radioactive/Explosive/Chemically Active/Volatile matter. Such samples will not be analyzed.
12	Double distilled or Mili-Q water will be provided maximum of 5L per requisition form.
13	Sample requisition form for each instrument is available in the form of annexure.