Page 1: Basic Path Shapes

Demonstrates AddRectangle, AddRoundRectangle, CloseSubpath, and basic path operations

AddRectangle (stroked)

AddRectangle (filled)

AddRectangle(Rect)



Triangle (CloseSubpath)



Filled Pentagon

AddRoundRectangle (stroked)

AddRoundRectangle (filled)

IsEmpty (new path): True

IsRectangle (rectPath): True

IsRectangle (triPath): False

Triangle Bounds: x=72 y=230 w=150 h=110

Page 2: Curves

Demonstrates AddCurveToPoint (cubic) and AddQuadraticCurveToPoint



Cubic Bezier (AddCurveToPoint) - red dots = control points



Quadratic Bezier (AddQuadraticCurveToPoint) - red dot = control point



S-curve (two cubic Beziers combined)



Filled cubic Bezier shape (with CloseSubpath)

Page 3: Arcs

Demonstrates AddArc with various angles and directions



Full circle (0 to 2Pi)



Half circle (0 to Pi)

Quarter arc (0 to Pi/2)



Counterclockwise arc



Pac-Man shape (arc + lines)

Page 4: Round Rectangles Gallery

Various corner radii, asymmetric corners, filled vs outlined

cornerW=5, cornerH=5

cornerW=15, cornerH=15



cornerW=40, cornerH=40



cornerW=30, cornerH=10

cornerW=10, cornerH=30



Stadium (clamped)



Filled round rectangles in various colors

AddRoundRectangle(Rect, 15, 15)

Page 5: Complex Paths

Clipping, combined paths, Bounds visualization, and Contains hit testing

Clipping demo: text clipped to round rectangle

Line 1: This text is clipped to the rounded
Line 2: This text is clipped to the rounded
Line 3: This text is clipped to the rounded
Line 4: This text is clipped to the rounded
Line 5: This text is clipped to the rounded
Line 6: This text is clipped to the rounde

Star shape (10-point polygon)

Red rect = Bounds()

Contains() hit testing:



Green dots = inside, Red dots = outside (even-odd rule)



Combined path: curves + lines + CloseSubpath

Page 6: Backward Compatibility

Existing MoveToPoint/AddLineToPoint still works identically



Triangle (autoClose=True)



Pentagon (old API, autoClose=True)

GetPoints() backward compatibility:

Path with cubic curve + 2 lines + close -> GetPoints returns 14 points



Green = GetPoints() polygon, Gray = native PDF curves

GetSegments() returns 5 segments for same path

Handle() returns Nil: True