


Stroke Prevention: Medications and Lifestyle Changes to Help Reduce Stroke Risk

There are ways to reduce the risk of stroke. Learn the basics of stroke prevention as well as lifestyle changes the whole family can adopt.

📅 Article last reviewed 22 May 2019

🕒 3 mins read



There are strategies and some medications that can help to reduce the risk of another stroke.

Anti-Platelets

E.g. Clopidogrel, Aspirin, Dipyridamole

An antiplatelet drug makes the blood "less sticky" by preventing blood cells called platelets from sticking together to form a clot.

Anticoagulants

E.g. Warfarin, Novel-Oral anticoagulants (Rivaroxaban, Dabigatran and Apixaban)

An anticoagulant is a blood thinner that helps prevent the formation of new blood clots and keeps existing blood clots from getting larger. Anticoagulants work by interfering with the function of certain blood-clotting factors that are needed to form clots. They are usually prescribed to patients with atrial fibrillation (AF) and some other heart and blood disorders.

Cholesterol-Lowering Medicines

E.g. Simvastatin, Atorvastatin, Rosuvastatin, Ezetimibe, Fenofibrate, Gemfibrozil

Medications, such as statin, lower your cholesterol level and help reduce the risk of stroke and heart diseases.

Lifestyle Modifications

- Quit smoking.
 - Limit alcohol consumption.
 - Have a healthy and well-balanced diet.
 - Exercise regularly.
 - Maintain healthy body weight.
 - Take your medications as prescribed by your doctor.
 - Attend medical appointments with your doctor as scheduled.
-

Controlling and Reducing Risks

- [Controllable Risks](#)
- [Uncontrollable Risks](#)

For more on stroke, go to [StrokeHub](#).



Contributed By

An initiative by the Stroke Services Improvement Team in collaboration with all public healthcare institutions.