

EE5904/ME5404 Part II

Project 2: *Q*-Learning for World Grid Navigation**Project Description and Requirement**

Dr. Peter C. Y. Chen

Associate Professor

Department of Mechanical Engineering

National University of Singapore

Email: mpechenp@nus.edu.sg

Report due on 21 April 2023, 23:59 Singapore time

I. OBJECTIVE

This project is designed for the student to demonstrate (through independent learning):

1. Competence in implementing the *Q*-learning algorithm, and
2. Understanding of the principles of, and implementation issues related to, the *Q*-learning algorithm.

II. PROBLEM STATEMENT

Suppose that a robot is to traverse on a 10×10 grid, with the **top-left** and **bottom-right** cells being the **start state** and the **goal state** respectively, as illustrated in Figure 1.

The robot is to reach the goal state by maximizing the total reward of the trip. Note that the numbers (from 1 to 100) assigned to the individual cells represent the states; they do not represent the reward for the cells. At a state, the robot can take one of four actions (as shown in Figure 2) to move up ($a = 1$), right ($a = 2$), down ($a = 3$), or left ($a = 4$), into the corresponding adjacent state **deterministically**.

The learning process will consist of a series of trials. In a trial the robot **starts at the initial state** ($s = 1$) and makes transitions, according to the algorithm for *Q*-learning with ϵ -greedy exploration, until it reaches the goal state ($s = 100$), upon which the trial ends. The above process repeats until the values of the *Q*-function converge to the optimal values. An optimal policy can be then obtained.




Fig. 1: Illustration of a 10×10 world grid with start state and goal state. The index of each cell follows the MATLAB column-wise convention.




Fig. 2: Possible actions of the robot at a given state.

III. REQUIREMENT**A. What to be done**

There are **two main tasks** to be completed for this project.

Task 1: Write a MATLAB (M-file) program to imple-

ment the **Q-learning algorithm**, using the reward function as given in task1.mat and with the ε -greedy exploration algorithm by setting ε_k , α_k and γ as specified in Table I.

The file task1.mat is included in the zipfile that also contains this document. It can be directly loaded into MATLAB and contains the matrix variable reward (dimension: 100×4), in which each column corresponds to an action and each row to a state. For example, the reward for taking action $a = 3$ at state $s = 1$ to enter state $s = 2$ is given by the (1,3) entry of reward, i.e., $\rho(1,3,2) = \text{reward}(1,3)$. Note that rewards can be negative.

TABLE I: Parameter values and performance of Q-Learning

ε_k, α_k	No. of goal-reached runs		Execution time (sec.)	
	$\gamma = 0.5$	$\gamma = 0.9$	$\gamma = 0.5$	$\gamma = 0.9$
$\frac{1}{k}$?	?	?	?
$\frac{100}{100+k}$?	?	?	?
$\frac{1+\log(k)}{k}$?	?	?	?
$\frac{1+5\log(k)}{k}$?	?	?	?

In this task, ε_k and α_k are set to the same value. You are required to run your program **10 times** (i.e., 10 runs) for each set of parameter values and **record the number of times the goal state is reached**. (Note: It is possible that some of the runs may not yield an optimal policy that results in the robot reaching the goal state; these runs are not to be counted.) **The maximum number of trials in each run is set to 3000**. **The average program execution time of the “goal-reaching” runs** is to be calculated and entered into the table (as indicated by “?”). The final output of your program should be an optimal policy (if the goal state is reached in any of the 10 runs). In your report, this optimal policy is to be presented in three ways:

1. As a column vector, with the position in the column corresponding to a state, and the entry for that position representing the action selected by the optimal policy at that state. For example, if your optimal policy selects the same action a_3 in states 1 and 2, then the column vector would be: $[a_3, a_3, \dots]^T$.
2. As a 10×10 grid diagram with arrows indicating the action selected by your optimal policy at

each state, as is illustrated by the diagram on the left in Figure 3.

3. As a 10×10 grid diagram showing an (optimal) path taken by the robot as it moves from the initial state to the goal state, as is illustrated by the diagram on the right in Figure 3, according to your optimal policy, plus the reward associated with this optimal path.




Fig. 3: Sample diagram illustrating an optimal policy (left) and the optimal path (right).

Task 2: Write a MATLAB (M-file) program to implement Q-learning using your own values of the relevant parameters. Assume that the grid size is 10×10 and implement your program in a MATLAB M-file. This M-file will be used to find an optimal policy using a reward function *not provided to the students*, as part of the assessment scheme discussed in Section V.

B. What to submit

1. A report (in a PDF file) describing the implementation and the results. It must contain a cover page showing:
 - (i) student's name,
 - (ii) student number,
 - (iii) student's email address,
 - (iv) name of module, and
 - (v) project title.

The report should be in PDF format and no more than ten pages (excluding the cover page). The name of the PDF file must be in the format:

StudentNumber_RL.pdf

2. The M-file programs as specified in the description of Task 1 and Task 2 in Section III-A above.

C. How to submit

Only softcopy of the report (in PDF) and the MATLAB M-file programs are to be submitted. Please put the report and the M-file programs in a folder. Use your student number as the folder name. Generate a non-password-protected zipfile of this folder (again, with **your student number as the filename of the zipfile**) and upload this zipfile onto CANVAS in the folder *Part 2: RL project report submission*, under the *Assignments* section of the course *EE5904/ME5404 NEURAL NETWORKS [2220]*. Make sure to upload your report and code into the correct folder as specified above.

IV. DEMO SESSION

A demo session, to be conducted by the teaching assistant, on the use of MATLAB for implementing the Q -learning algorithm will be held during one of the lectures. Please check the schedule in the lecture slides for the specific date.

V. ASSESSMENT

The project will be assessed based on the following criteria:

1. *Comments (with supporting argument) on the results obtained in Task 1.*
2. *Presentation.* This includes good report style, clarity, and conciseness.
3. *Performance of your M-file program for Task 2 (as described in Section III-A) in finding an optimal policy based on the reward function specified in a file qeval.mat.* Your M-file program must be workable in MATLAB under the Windows environment. When qeval.mat is loaded into MATLAB, the MATLAB workspace will have a variable named qevalreward whose dimension is 100×4 , with each column corresponding to an action and each row to a state (similar to the variable reward described above in Task 1). Your M-file program must be able to process and generate as fast as possible a column vector named **qevalstates** as output, whose n^{th} element

is the state visited in the n^{th} transition. Also output **a 10×10 grid showing the path taken by the robot**, along with the total reward. You can assume that the variable qevalreward is available in the MATLAB workspace when your M-file is run during assessment. When writing your M-file program, you can test its execution on your own by making up a **qeval.mat file containing dummy sample values.**