

CHIEF COMPLAINT

Complaint Type	Duration (No of years)	Frequency (per week)	Postural		Nocturnal	
Heartburn			☐ Yes	☐ No	☐ Yes	☐
Regurgitation			☐ Yes	☐ No	☐ Yes	☐
Retrosternal Pain			☐ Yes	☐ No	☐ Yes	☐
Acid Taste in mouth			☐ Yes	☐ No	☐ Yes	☐

Save

COMORBIDITIES

COMORBIDITIES	Present	If Yes, Remarks
Hypertension	☐ Yes ☐ No	
Diabetes	☐ Yes ☐ No	
Dyslipidemia	☐ Yes ☐ No	
Chronic liver disease	☐ Yes ☐ No	

	☐ Yes ☐ No	
Neurological Disorder	☐ Yes ☐ No	
Cardiovascular disorders	☐ Yes ☐ No	
Hypothyroidism	☐ Yes ☐ No	
Hyperthyroidism	☐ Yes ☐ No	
Behavioural disorders	☐ Yes ☐ No	
Chronic kidney disease	☐ Yes ☐ No	
Asthma	☐ Yes ☐ No	
Osteoarthritis	☐ Yes ☐ No	
Rheumatoid arthritis	☐ Yes ☐ No	
Systemic Sclerosis	☐ Yes ☐ No	
Cancer	☐ Yes ☐ No	
Others (Specify)	☐ Yes ☐ No	

Save

PATIENT HISTORY

Past History

PERSONAL HISTORY

Diet: ☐ Vegetarian ☐ Non-Vegetarian

PERSONAL HISTORY

Items	Intake	Frequency (No. of times)	Quantity	Duration
Aerated Drinks (ml/day)	☐ Yes ☐ No	/day	ml	years
Coffee (ml/day)	☐ Yes ☐ No	/day	ml	years
Tea (ml/day)	☐ Yes ☐ No	/day	ml	years
Spicy food	☐ Yes ☐ No	/week	quantit	years

Alcohol (ml/week)	☐ Yes ☐ No	/week	ml	years
Chocolates/sweets (gms/day)	☐ Yes ☐ No	/week	g	years
Smoking (cigarettes/day)	☐ Yes ☐ No	/day	packs	years
Tobacco (other forms/day)	☐ Yes ☐ No	/day	quantit	years

PERSONAL HISTORY

Sleep Apnea

☒ Yes ☐ No	5 hr/week	5 years
---	---	---

Exercise

☐ Yes ☒ No

Exercise	Choose	Frequency	Duration
Jogging	☐ Yes ☐ No	 hr/week	 years
GYM	☐ Yes ☐ No	 hr/week	 years
Yoga	☐ Yes ☐ No	 hr/week	 years
Walking	☐ Yes ☐ No	 hr/week	 years

Aerobics	☐ Yes ☐ No	 hr/week	 years
Zumba	☐ Yes ☐ No	 hr/week	 years
Others 555	☐ Yes ☐ No	 hr/week	 years

PERSONAL HISTORY

Gadget Usage Details

Device	Used?	Frequency	Years of Usage
Computers	☐ Yes ☐ No	 hrs/da	 ye
Smartphones	☐ Yes ☐ No	 hrs/da	 ye

Working Hours (Occupation)

- ☐ 4.00 am to 12.00 noon (Early Morning Shift)
☐ 6.00 am to 3.00 pm (Morning Shift)
☐ 9.00 am to 6.00 pm (General Shift)
☐ 12.00 noon to 8.00 pm (Afternoon Shift)

☐ 8.00 pm to 8.00 am (Night Shift)

Job Type/Occupation ☐ Sedentary ☐ Non-Sedentary

**Duration (No. of Years in
the Above Working
Hours)**

Enter duration in years

FAMILY HISTORY

History of Endoscopy

☒ Yes ☐ No

Date:

2025-08-08

Report
Attached:

☐

History of Gastro Surgery

☐ Yes ☒ No

ASSESSMENTS

GERD Assessments Score/Scale

Frequency Scale for the Symptoms of GERD Scale (FSSG)

Sl.No	Question	NEVER (0)	OCCASIONALLY (1)	SOMETIMES (2)	C
1	Do you get heartburn?	☐	☐	☐	
2	Does your stomach get bloated?	☐	☐	☐	
3	Does your stomach ever feel heavy after meals?	☐	☐	☐	
4	Do you rub your chest with your hand?	☐	☐	☐	
5	Do you feel sick after meals?	☐	☐	☐	
6	Do you get heartburn after meals?	☐	☐	☐	
7	Do you have an unusual sensation in your throat?	☐	☐	☐	
8	Do you feel full while eating meals?	☐	☐	☐	
9	Do you feel things stuck when you	☐	☐	☐	

	swallow?			
10	Do you get bitter liquid in your throat?	☐	☐	☐
11	Do you burp a lot?	☐	☐	☐
12	Do you get heartburn if you bend over?	☐	☐	☐
Acid Reflux Related Symptom (Q1 + Q4 + Q6 + Q7 + Q9 + Q10 + Q12)		0		
Dyspeptic (Dysmotility) Symptom (Q2 + Q3 + Q5 + Q8 + Q11)		0		
Sum Points: 0 + 0 = 0				

Total Symptom Score in GERD Patients

Symptom	Nil (0)	Minimal (1)	Moderate (2)
Heartburn	☐ 0	☐ 1	☐ 2
Regurgitation	☐ 0	☐ 1	☐ 2
Retrosternal pain	☐ 0	☐ 1	☐ 2
Acid taste in the mouth	☐ 0	☐ 1	☐ 2

Total Symptom Score in GERD Patients: 0

Symptom score (4-point Likert scale)

(Heartburn, Acid Regurgitation, at and/or at bedtime)

☐ 0 = Absence of symptoms

- ☐ 1 = Minimal awareness of symptoms, easily tolerated
- ☐ 2 = Awareness of symptoms which is bothersome but tolerable with sleep or daily living
- ☐ 3 = Symptoms hard to be tolerated interfering with daily activities

Symptom score (4-point Likert scale): Enter score

Endoscopy Evaluation

- LAX les classification

☐ Yes ☐ No

- Los Angeles Grade:



Grade
A



Grade
B



Grade
C

Remarks

- Barrett's

Remarks

- Hill's classification

☐ Yes ☐ No

- Grade:



Grade
1



Grade
2



Grade
3

Remarks

pH Impedance Monitoring

☐ Yes ☐ No

Date:

Report Atta

Manometry Test

☐ Yes ☐ No

Date:

Report Atta

Biopsy

☐ Yes ☐ No

Date:

Report Atta

DIAGNOSIS

Newly Diagnosed:

☐ Yes ☒ No

Known case of GERD?

☐ Yes ☒ No

If Yes, Since how many years?

GERD Type:

☒ Erosive GERD ☐ Non-Erosive GERD

Refractory to PPI (presence of persistent troublesome GERD symptoms and objective evidence of GERD despite optimized PPI therapy for 8 weeks)

☐ Yes ☒ No

Adherence to Therapy:

☒ Yes ☐ No

MANAGEMENT

Lifestyle Recommendations ☐ Diet modification ☐ Moderation of alcohol ☐ Weight loss

Drug Therapy Advised

Drug Class	Medication Name	Dose
PPI		
Combination of PPI + Prokinetics		
Sucralfate		
Alginate		
H ₂ Blockers		
H ₂ Blockers combinations		
PCAB		
Any others		

followUp1

CHIEF COMPLAINT

Complaint Type	Duration (No of years)	Frequency (per week)	Postural		Nocturna	
Heartburn			☐ Yes	☐ No	☐ Yes	☐
Regurgitation			☐ Yes	☐ No	☐ Yes	☐
Retrosternal Pain			☐ Yes	☐ No	☐ Yes	☐
Acid Taste in mouth			☐ Yes	☐ No	☐ Yes	☐

Save

COMORBIDITIES

COMORBIDITIES	Present	If Yes, Remarks
Hypertension	☐ Yes ☐ No	
Diabetes	☐ Yes ☐ No	
Dyslipidemia	☐ Yes ☐ No	

Chronic liver disease	☐ Yes ☐ No	
Neurological Disorder	☐ Yes ☐ No	
Cardiovascular disorders	☐ Yes ☐ No	
Hypothyroidism	☐ Yes ☐ No	
Hyperthyroidism	☐ Yes ☐ No	
Behavioural disorders	☐ Yes ☐ No	
Chronic kidney disease	☐ Yes ☐ No	
Asthma	☐ Yes ☐ No	
Osteoarthritis	☐ Yes ☐ No	
Rheumatoid arthritis	☐ Yes ☐ No	
Systemic Sclerosis	☐ Yes ☐ No	
Cancer	☐ Yes ☐ No	
Others (Specify)	☐ Yes ☐ No	

Save

ASSESSMENTS

GERD Assessments Score/Scale

Frequency Scale for the Symptoms of GERD Scale (FSSG)

Sl.No	Question	NEVER (0)	OCCASIONALLY (1)	SOMETIMES (2)	C
1	Do you get heartburn?	☐	☐	☐	
2	Does your stomach get bloated?	☐	☐	☐	
3	Does your stomach ever feel heavy after meals?	☐	☐	☐	
4	Do you rub your chest with your hand?	☐	☐	☐	
5	Do you feel sick after meals?	☐	☐	☐	
6	Do you get heartburn after meals?	☐	☐	☐	
7	Do you have an unusual sensation in your throat?	☐	☐	☐	
	Do you feel				

8	full while eating meals?	☐	☐	☐
9	Do you feel things stuck when you swallow?	☐	☐	☐
10	Do you get bitter liquid in your throat?	☐	☐	☐
11	Do you burp a lot?	☐	☐	☐
12	Do you get heartburn if you bend over?	☐	☐	☐
Acid Reflux Related Symptom (Q1 + Q4 + Q6 + Q7 + Q9 + Q10 + Q12)		0		
Dyspeptic (Dysmotility) Symptom (Q2 + Q3 + Q5 + Q8 + Q11)		0		
Sum Points: 0 + 0 = 0				

Total Symptom Score in GERD Patients

Symptom	Nil (0)	Minimal (1)	Moderate (2)
Heartburn	☐ 0	☐ 1	☐ 2
Regurgitation	☐ 0	☐ 1	☐ 2
Retrosternal pain	☐ 0	☐ 1	☐ 2

Acid taste in the mouth	☐ 0	☐ 1	☐ 2
-------------------------	-------------------------	-------------------------	-------------------------

Total Symptom Score in GERD Patients: 0

Symptom score (4-point Likert scale)

(Heartburn, Acid Regurgitation, at and/or at bedtime)

- ☐ 0 = Absence of symptoms
- ☐ 1 = Minimal awareness of symptoms, easily tolerated
- ☐ 2 = Awareness of symptoms which is bothersome but tolerable with sleep or daily living
- ☐ 3 = Symptoms hard to be tolerated interfering with daily activities

Symptom score (4-point Likert scale):

Endoscopy Evaluation

- LAX les classification

☐ Yes ☐ No

- Los Angeles Grade:

☐

Grade
A

☐

Grade
B

☐

Grade
C

Remarks

- Barrett's

Remarks

- Hill's classification

☐ Yes ☐ No

- Grade:

☐☐☐

Grade 1	Grade 2	Grade 3
Remarks		

pH Impedance Monitoring

☐ Yes ☐ No

Date:

dd/mm/yyyy

Report Attached

Manometry Test

☐ Yes ☐ No

Date:

Report Attached

Biopsy

☐ Yes ☐ No

Date:

Report Attached

MANAGEMENT

Lifestyle Recommendations

☐ Diet modification

☐ Moderation of alcohol

☐ Weight loss

Drug Therapy Advised		
Drug Class	Medication Name	Dose
PPI		
Combination of PPI + Prokinetics		
Sucralfate		
Alginate		
H ₂ Blockers		

-		
H ₂ Blockers combinations		
PCAB		
Any others		

followUp2

CHIEF COMPLAINT

Complaint Type	Duration (No of years)	Frequency (per week)	Postural		Nocturna	
Heartburn			☐ Yes	☐ No	☐ Yes	☐
Regurgitation			☐ Yes	☐ No	☐ Yes	☐
Retrosternal Pain			☐ Yes	☐ No	☐ Yes	☐
Acid Taste in mouth			☐ Yes	☐ No	☐ Yes	☐

Save

COMORBIDITIES

COMORBIDITIES	Present	If Yes, Remarks
Hypertension	☐ Yes ☐ No	
Diabetes	☐ Yes ☐ No	
Dyslipidemia	☐ Yes ☐ No	

Chronic liver disease	☐ Yes ☐ No	
Neurological Disorder	☐ Yes ☐ No	
Cardiovascular disorders	☐ Yes ☐ No	
Hypothyroidism	☐ Yes ☐ No	
Hyperthyroidism	☐ Yes ☐ No	
Behavioural disorders	☐ Yes ☐ No	
Chronic kidney disease	☐ Yes ☐ No	
Asthma	☐ Yes ☐ No	
Osteoarthritis	☐ Yes ☐ No	
Rheumatoid arthritis	☐ Yes ☐ No	
Systemic Sclerosis	☐ Yes ☐ No	
Cancer	☐ Yes ☐ No	
Others (Specify)	☐ Yes ☐ No	

Save

ASSESSMENTS

GERD Assessments Score/Scale

Frequency Scale for the Symptoms of GERD Scale (FSSG)

Sl.No	Question	NEVER (0)	OCCASIONALLY (1)	SOMETIMES (2)	C
1	Do you get heartburn?	☐	☐	☐	
2	Does your stomach get bloated?	☐	☐	☐	
3	Does your stomach ever feel heavy after meals?	☐	☐	☐	
4	Do you rub your chest with your hand?	☐	☐	☐	
5	Do you feel sick after meals?	☐	☐	☐	
6	Do you get heartburn after meals?	☐	☐	☐	
7	Do you have an unusual sensation in your throat?	☐	☐	☐	
	Do you feel				

8	full while eating meals?	☐	☐	☐
9	Do you feel things stuck when you swallow?	☐	☐	☐
10	Do you get bitter liquid in your throat?	☐	☐	☐
11	Do you burp a lot?	☐	☐	☐
12	Do you get heartburn if you bend over?	☐	☐	☐
Acid Reflux Related Symptom (Q1 + Q4 + Q6 + Q7 + Q9 + Q10 + Q12)		0		
Dyspeptic (Dysmotility) Symptom (Q2 + Q3 + Q5 + Q8 + Q11)		0		
Sum Points: 0 + 0 = 0				

Total Symptom Score in GERD Patients

Symptom	Nil (0)	Minimal (1)	Moderate (2)
Heartburn	☐ 0	☐ 1	☐ 2
Regurgitation	☐ 0	☐ 1	☐ 2
Retrosternal pain	☐ 0	☐ 1	☐ 2

Acid taste in the mouth	☐ 0	☐ 1	☐ 2
-------------------------	-------------------------	-------------------------	-------------------------

Total Symptom Score in GERD Patients: **0**

Symptom score (4-point Likert scale)

(Heartburn, Acid Regurgitation, at and/or at bedtime)

- ☐ 0 = Absence of symptoms
- ☐ 1 = Minimal awareness of symptoms, easily tolerated
- ☐ 2 = Awareness of symptoms which is bothersome but tolerable with sleep or daily living
- ☐ 3 = Symptoms hard to be tolerated interfering with daily activities

Symptom score (4-point Likert scale): Enter score

Endoscopy Evaluation

- LAX lesion classification

☐ Yes ☐ No

- Los Angeles Grade:

☐
Grade
A

☐
Grade
B

☐
Grade
C

Remarks

- Barrett's

Remarks

- Hill's classification

☐ Yes ☐ No

- Grade:

☐

☐

☐

Grade 1	Grade 2	Grade 3
Remarks		

pH Impedance Monitoring

☐ Yes ☐ No

Date:

dd/mm/yyyy

Report Atta

Manometry Test

☐ Yes ☐ No

Date:

Report Atta

Biopsy

☐ Yes ☐ No

Date:

Report Atta

MANAGEMENT

Lifestyle Recommendations

☐ Diet modification

☐ Moderation of alcohol

☐ Weight loss

☐

Drug Therapy Advised

Drug Class	Medication Name	Dose
PPI		
Combination of PPI + Prokinetics		
Sucralfate		
Alginate		
H ₂ Blockers		

H ₂ Blockers combinations		
PCAB		
Any others		