

Figma Design Request — agent-meow UI

Date: 2026-07-24 · **From:** agent-meow engineering · **To:** Figma design team **Purpose:** Complete inventory of design assets needed from Figma to finalize the agent-meow product UI

Design Read

Reading this as: **multi-surface AI agent workspace** for developers and power users, with a **ColorFire ember** brand language, leaning toward **Tailwind v4 + Radix UI + shadcn** with warm-dark glassmorphism.

Current design system: - **Brand:** ColorFire (Cubecloud) — ember orange (#E8651A), warm amber accent (#FFB347), warm-dark canvas (#1A1410) - **Typography:** System UI sans (San Francisco/Segoe UI/Roboto) + Geist Mono for code - **Component library:** Radix UI primitives + shadcn wrappers - **Theme:** Light (warm-white #FFFBF5 canvas) + Dark (warm-dark #1A1410 glassmorphism) - **Radius:** 0.5rem base, scaling via Tailwind --radius-* - **Icon set:** Lucide React (stroke-width 1.5) - **Mascot:** MeowCat (橘宝疾风 / "Orange Treasure Storm") — geometric cat silhouette with eye-tracking pupils

What We Need from Figma

1. Brand Assets

Item	Spec	Current state
MeowCat mascot — full character	Vector illustration of 橘宝疾风 (Orange Treasure Storm) cat. Needs: full-body pose, sitting pose, working pose (for loading states), sleeping pose (for idle). SVG with separated layers for eye-tracking animation.	Current: geometric silhouette only (MeowCatIcon.tsx), no full character
App icon — all platforms	1024×1024 master + exported sizes for: macOS (16/32/64/128/256/512/1024), iOS (20/29/40/60/76/83.2/1024 + Settings/Spotlight/Notification), Android (48/72/96/144/192/512), web favicon (16/32/180), PWA maskable (512).	Current: mascot-hero.png exists but may need Cubecloud rebrand
Logo lockup	Horizontal + stacked variants of "agent-meow" wordmark + MeowCat icon. Light and dark versions. SVG.	None — text-only currently

Item	Spec	Current state
Splash/loading screen	Animated or static splash for Electron/iOS/Android. Should feature the mascot.	None

2. Landing Screen (NewChatLandingScreen)

This is the first thing users see. Current layout: central mic button with FFT wave band + 3 surface cards (Docs/Images/Videos) + composer.

Item	Spec	Notes
Hero composition	The landing screen's visual hierarchy: mascot placement, headline, mic button prominence, card layout. Desktop (1440×900) + mobile (390×844).	Current: mascot + wave band + cards, but no designed hero
Mic button + wave band	The central CTA: 56px circle with ember ring, 4-bar FFT visualizer inside. States: idle (baseline bars), listening (animated bars), permission-denied (error).	Implemented in <code>ComposerMicButton.tsx</code> — needs design polish
3 surface cards	Docs (📄), Images (🖼️), Videos (🎬) — each a card with icon, title, description, hover state. Grid layout on desktop, stacked on mobile.	Implemented but using generic Lucide icons — need branded icons
Surface card icons	Custom icons for each surface: Docs (document with pen), Images (photo with edit), Videos (film with play). Should match the ember brand. 24×24 SVG.	Currently using <code>FileTextIcon</code> , <code>ImageIcon</code> , <code>FilmIcon</code> from Lucide
Empty state illustrations	When a surface panel has no content (no docs, no images, no videos): a small illustration + CTA. 3 variants.	Currently text-only ("No documents yet")
Attach button (+)	The orange plus affordance on the landing screen. 32px circle, brand-primary.	Implemented but may need design refinement

3. Chat Surface

Item	Spec	Notes
Chat header	56px height bar with: sidebar toggle, conversation title, agent picker, host badge, panel toggle. Light + dark.	Implemented (<code>ChatHeader.tsx</code>) — needs design review
Message bubbles	User vs agent message styling. Code blocks, inline images, file chips, tool cards. Light + dark.	Implemented via <code>ai-elements</code> — needs brand alignment
Tool cards	Collapsible cards for tool calls (function name, args, output, status). States: running (shimmer), success, error.	Implemented (<code>ToolCard.tsx</code>) — needs design polish

Item	Spec	Notes
Approval/elicitation cards	Policy ASK cards: permission request, code review, file access. States: pending, approved, denied.	Implemented (ApprovalCard.tsx)
Composer	Text area with: mic button, attach button, send button, agent picker, model picker, effort picker. Light + dark. Desktop + mobile.	Implemented — needs design review for mobile layout
Slash command menu	Dropdown for /skill commands. Searchable, keyboard-navigable.	Implemented (SlashCommandMenu.tsx)
Mention menu	@file mention dropdown for workspace files.	Implemented (FileMentionMenu.tsx)

4. Workspace Rail (Right Panel)

Item	Spec	Notes
Tab strip	Files, Docs, Images, Videos, Agents, Shells, Tasks, Browser — pill-style tabs with badges. Scroll behavior on narrow rails.	Implemented (WorkspacePanel.tsx) — needs design review
FilesPanel	File tree with changed-files toggle, sort dropdown, hidden-files toggle.	Implemented
DocsPanel	Document list with new-doc button, delete, relative dates. Empty state.	Implemented
DocEditor	Tiptap rich-text editor with toolbar (bold, italic, heading, lists, quote, code, link). Save status indicator.	Implemented (DocEditor.tsx)
ImagesPanel	Gallery grid with upload dropzone, thumbnails, delete, edit indicator. Empty state.	Implemented (ImagesPanel.tsx)
ImageEditor	Fabric.js canvas editor with rotate, download, save-edit.	Implemented (ImageEditor.tsx)
VideosPanel	Gallery grid with first-frame thumbnails, duration badges, inline player, upload. Empty state.	Implemented (VideosPanel.tsx)
SubagentsPanel	Agent tree with working/idle status dots.	Implemented
TerminalsPanel	Inline terminal list + expand to full panel.	Implemented
TodoPanel	Task list with completion checkboxes.	Implemented
BrowserPane	Embedded browser (Electron only) with address bar, back/forward, design mode.	Implemented

5. Sidebar (Left Panel)

Item	Spec	Notes
Conversation list	Searchable list with: title, agent badge, timestamp, unread dot, status icon. Hover states, selected state.	Implemented (<code>Sidebar.tsx</code>)
New session button	Primary CTA at top.	Implemented
Project folders	Collapsible project groups with session counts.	Implemented
Sidebar footer	Server picker, settings, user menu.	Implemented

6. Settings Pages

Item	Spec	Notes
Settings sections	Appearance (theme, font, density), Language, Members, Policies, Skills, MCP Servers, Sharing. Each needs a settings layout.	Implemented (<code>SettingsPage.tsx</code>)
Harness setup dialog	Install/login flow for Claude, Codex, Cursor, etc. Progress states.	Implemented (<code>HarnessSetupDialog.tsx</code>)
Connect host dialog	Instructions for connecting a machine as a host. Copyable commands.	Implemented

7. Auth Pages

Item	Spec	Notes
Login page	Centered card, no chrome. OIDC redirect button or accounts login form.	Implemented (<code>LoginPage.tsx</code>)
Register page	Same layout, registration form.	Implemented (<code>RegisterPage.tsx</code>)
Setup page	First-run admin creation form.	Implemented (<code>SetupPage.tsx</code>)
Approve page	Elicitation approval for CLI-linked sessions.	Implemented (<code>ApprovePage.tsx</code>)

8. Mobile-Specific Layouts

Item	Spec	Notes
Mobile sidebar	Full-screen overlay with slide-in animation. Edge-swipe gesture.	Implemented
Mobile workspace rail	FAB dropdown → full-screen drawers for Files/Terminals/Agents/Tasks.	Implemented
Mobile composer	Keyboard-aware layout with safe-area insets. Mic button repositioned.	Implemented
iOS server switcher	Floating pill at top, shows current server, tap to switch.	Implemented (<code>ServerSwitcher</code> in Swift)

Item	Spec	Notes
Android server switcher	Same floating pill pattern.	Implemented (<code>MainActivity.kt</code>)
Chat/Terminal bar	Bottom bar on mobile for switching between chat and terminal views.	Implemented (<code>ChatTerminalBar.swift</code>)

9. Status & Feedback

Item	Spec	Notes
Loading states	Shimmer text ("Thinking..."), spinner, skeleton screens.	Implemented (<code>Shimmer.tsx</code>)
Error states	Error banners, toast notifications, inline error messages.	Implemented
Success states	Toast notifications, saved indicators.	Implemented
Connection status	Runner online/offline indicator, host connection status, session liveness dot.	Implemented
Empty states	For conversations, files, docs, images, videos, terminals, agents, tasks. Each needs illustration + CTA.	Partially implemented (text-only)

10. Iconography

Item	Spec	Notes
Surface icons	Custom branded icons for Docs, Images, Videos (not generic Lucide). 24×24 SVG, stroke 1.5.	Currently using Lucide defaults
Status icons	Online, offline, idle, working, error, success, warning, info. 16×16 SVG.	Currently using Lucide defaults
Harness icons	Claude, Codex, Cursor, Pi, Antigravity, Qwen, Hermes, Goose, OpenCode, Kimi, Kiro. 20×20 SVG.	None — using text badges
Agent type icons	Polly (orchestrator), Debby (debate), Voicebox (voice), Scrapling (spider), Reach (search), Browser (globe), Memory (brain). 20×20 SVG.	None — using text badges
File type icons	Code, markdown, image, video, pdf, office, archive, config. 16×16 SVG.	Currently using Lucide defaults

11. Motion & Animation

Item	Spec	Notes
Mic wave band	4-bar FFT visualizer animation curve. Idle baseline → active amplitude mapping.	Implemented in CSS — needs design spec
Mascot animations	Blink, bob (working state), eye-tracking toward cursor, sleep (idle).	Implemented in CSS — needs design spec
Panel transitions	Sidebar slide, rail tab switch, drawer push, modal fade.	Implemented — needs design spec for timing/easing

Item	Spec	Notes
Message streaming	Text appears word-by-word with cursor. Shimmer for thinking state.	Implemented
Card hover	Surface cards, tool cards, conversation rows. Lift/shadow/border transitions.	Implemented

12. Color Tokens (for Figma variables)

The design system uses these CSS custom properties. Figma variables should match:

Light mode: | Token | Value | Usage | |---|---|---| | --brand-primary | #E8651A | Buttons, active states, landing accent | | --brand-accent | #FFB347 | Brand moments, not status | | --background | #FFFFFF | Base canvas (auth pages) | | --sidebar | #FFFBF5 | Sidebar/rail canvas (warm white) | | --card | #FFFFFF | Cards, panels, surfaces | | --foreground | #11171C | Primary text | | --muted-foreground | #6F6F6F | Secondary text | | --border | #E8ECF0 | Dividers, input borders | | --destructive | #C8324C | Errors, delete | | --success | #2EA65C | Success states | | --warning | #D4972A | Warning states | | --info | #3B8FF5 | Info states | | --session-active | #2F7FD4 | Session liveness |

Dark mode: | Token | Value | Usage | |---|---|---| | --brand-primary | #F07A30 | Buttons, active states (lightened for dark) | | --background | #1A1410 | Warm dark canvas | | --card | rgba(40, 34, 58, 0.6) | Glassmorphism cards (translucent) | | --card-solid | #201C30 | Opaque card (composer) | | --foreground | oklch(0.965 0.003 240) | Primary text | | --border | oklch(0.28 0.005 240) | Dividers | | --sidebar | rgba(26, 20, 16, 0.75) | Translucent sidebar |

Radius scale: | Token | Value | |---|---| | --radius | 0.5rem (8px) | | --radius-sm | 4.8px | | --radius-md | 6.4px | | --radius-lg | 8px | | --radius-xl | 11.2px | | --radius-2xl | 14.4px |

Priority Order

1. **MeowCat mascot** (full character) — needed for app icons, splash, loading states
2. **App icons** (all platforms) — needed for Electron/iOS/Android packaging
3. **Landing screen hero** — first impression, needs designed composition
4. **Surface card icons** (Docs/Images/Videos) — currently using generic Lucide
5. **Empty state illustrations** — currently text-only
6. **Harness/agent type icons** — currently using text badges
7. **Mobile layouts** — verify current responsive behavior matches design intent
8. **Motion specs** — document timing/easing for existing animations

What We Do NOT Need

- A new component library (we use Radix + shadcn)
 - A new CSS framework (we use Tailwind v4)
 - A new icon set (we use Lucide, just need branded additions)
 - A new typography system (we use system UI + Geist Mono)
 - Dashboard/data-table designs (this is a chat workspace, not an analytics tool)
-

Deliverable Format

- **Figma file** with pages for each section above
- **SVG exports** for all icons and illustrations
- **Figma variables** matching the color tokens above (light + dark modes)
- **Component specs** with spacing, sizing, and state variants
- **Motion specs** with timing curves and duration values