

Laporan Latihan dan Tugas Praktikum Web Dinamis


Modul 1

G


Jarot Setiawan

L200190247

1. Dokumen



2. Heading



The screenshot shows a web browser on the left and a code editor on the right. The browser displays the text "Teks ini berukuran normal jenis Comic Sans MS dan warna hitam" in a standard font. Below it, the text "Teks cetak Tebal Miring Garis Bawah Garis Tengah Superscript Subscript" is shown with various HTML formatting applied. The code editor on the right shows the HTML code for the page, including the head section with a title and the body section with the styled text. The code uses various HTML tags and attributes to achieve the desired formatting, such as `` for bold, `<i>` for italic, `<u>` for underline, `` for strike through, `<sup>` for superscript, and `<sub>` for subscript. The font family is set to "Comic Sans MS" and the color is set to "red".

Teks ini berukuran normal jenis Comic Sans MS dan warna hitam

Teks cetak **Tebal** *Miring* Garis Bawah ~~Garis Tengah~~ ^{Superscript} _{Subscript}

```

1  <html>
2  <head><title>Font</title></head>
3  <body>
4      <font face="comic sans ms">
5          Teks ini berukuran normal jenis Comic Sans
6          MS dan warna hitam
7      </font> <br>
8      <font size="5" face="verdana" color="red">
9          Teks ini berukuran 5 jenis Verdana dan warna
10         merah
11      </font> <br>
12      <font>
13          Teks cetak <b>Tebal</b>
14          <i>Miring</i>
15          <u>Garis Bawah</u>
16          <del>Garis Tengah</del>
17          <sup>Superscript</sup>
18          <sub>Subscript</sub>
19      </font>
20  </body>
21  </html>

```

The screenshot displays a web browser window on the left and a code editor on the right. The browser shows the output of an HTML document with three paragraphs of text aligned left, center, and right. The code editor shows the corresponding HTML code using the `align` attribute for the `p` tags.

Browser Window (Left):

- Address bar: 127.0.0.1:5500/Modul1/Latihan/align.html
- Page Title: Align
- Content: Three paragraphs of text. The first is left-aligned, the second is center-aligned, and the third is right-aligned.

Code Editor (Right):

- File Explorer: Shows the project structure with files like `index.html`, `font.html`, `align.html`, `Modul1`, `L200190247.jpg`, and `index.html`.
- Code Editor: Shows the HTML code for `align.html`. The code uses the `align` attribute to format paragraphs.

HTML Code (align.html):

```

1  <!DOCTYPE html>
2  <html>
3  <head>
4  <title>Align</title></head>
5  <body>
6  <p>Format paragraf ini rata kiri</p>
7  <p align="center">Format paragraf ini rata tengah</p>
8  <p align="right">Format paragraf ini rata kanan</p>
9  </body>
10 </html>

```

5. Daftar

The screenshot shows a web browser on the left and Visual Studio Code on the right. The browser displays the rendered HTML, and the code editor shows the source code for 'daftar.html'.

Browser View:

- Daftar menggunakan Bullets
 - o Sunday
 - o Monday
 - o Tuesday
- Daftar Menggunakan Numbering (angka)
 1. Sunday
 2. Monday
 3. Tuesday
- Daftar Menggunakan Numbering (huruf)
 - a. Sunday
 - b. Monday
 - c. Tuesday
- Daftar menggunakan Numbering (huruf romawi)
 - I. Sunday
 - II. Monday
 - III. Tuesday

Visual Studio Code View (daftar.html):

```
1 <html>
2 <head>
3   <title>Bullets dan Numbering</title>
4 </head>
5 <body>
6   <p>Daftar menggunakan Bullets</p>
7   <ul type="circle">
8     <li>Sunday</li>
9     <li>Monday</li>
10    <li>Tuesday</li>
11  </ul>
12  <p>Daftar Menggunakan Numbering (angka)</p>
13  <ol type="1">
14    <li>Sunday</li>
15    <li>Monday</li>
16    <li>Tuesday</li>
17  </ol>
18  <p>Daftar Menggunakan Numbering (huruf)</p>
19  <ol type="a">
20    <li>Sunday</li>
21    <li>Monday</li>
22    <li>Tuesday</li>
23  </ol>
24  <p>Daftar menggunakan Numbering (huruf romawi)</p>
25  <ol type="I">
26    <li>Sunday</li>
27    <li>Monday</li>
28    <li>Tuesday</li>
29  </ol>
30 </body>
31 </html>
```

6. Tabel

The screenshot shows a web browser on the left and Visual Studio Code on the right. The browser displays the rendered HTML table, and the code editor shows the source code for 'table.html'.

Browser View:

cell 1a	cell 1b	cell 1c
cell 2a	cell 2b	cell 2c

Colspan

Quarter 1
Jan
Feb
Mar

Rowspan


Quarter 1
Jan
Feb
Mar

Visual Studio Code View (table.html):

```
1 <html>
2 <head><title>Table</title></head>
3 <body>
4   <table border="1">
5     <tr><td>cell 1a</td>
6     <td>cell 1b</td>
7     <td>cell 1c</td></tr>
8     <tr><td>cell 2a</td>
9     <td>cell 2b</td>
10    <td>cell 2c</td></tr>
11  </table>
12  Colspan
13  <table border="1">
14    <tr><td colspan="3" align="center">Quarter1
15    </td></tr>
16    <tr align="center">
17      <td>Jan</td>
18      <td>Feb</td>
19      <td>Mar</td> </tr>
20  </table>
21  Rowspan
22  <table border="1">
23    <tr>
24      <td rowspan="3" align="center">Quarter 1
25      </td>
26      <td>Jan</td>
27    </tr>
28    <tr>
29      <td>Feb</td>
30    </tr>
31    <tr>
32      <td>Mar</td>
33    </tr>
34  </table>
35 </body>
36 </html>
```

TUGAS

Code :



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>L200190247</title>
8
9   <style>
10     html{
11       height: 100%;
12     }
13     body{
14       background-image: url("L200190247.jpg");
15       background-size: cover;
16       background-repeat: no-repeat;
17       color: white;
18       height: auto;
19       width: auto;
20     }
21   </style>
22 </head>
23 <body>
24   <h1>Biodata Diri :</h1>
25   <br>
26   <h2>Nama : Jarot Setiawan</h2>
27   <h2>NIM : L200190247</h2>
28   <h2>Kota : Colomadu </h2>
29 </body>
30 </html>
```

Tampilan :

