

Laporan Latihan dan Tugas

Praktikum Web Dinamis

Modul 7

G


Jarot Setiawan

L200190247

1. Percobaan 1

border.html


```
<!DOCTYPE html>
<html>
<head>
  <title>Border</title>
  <style type="text/css">
    p.dotted { border-style: dotted; }
    p.dashed { border-style: dashed; }
    p.solid { border-style: solid; }
    p.double { border-style: double; }
    p.groove { border-style: groove; }
    p.ridge { border-style: ridge; }
    p.inset { border-style: inset; }
    p.outset { border-style: outset; }
  </style>
</head>
<body>
  <p class="dotted">A dotted border</p>
  <p class="dashed">A dashed border</p>
  <p class="solid">A solid border</p>
  <p class="double">A double border</p>
  <p class="groove">A groove border</p>
  <p class="ridge">A ridger border</p>
  <p class="inset">A inset border</p>
  <p class="outset">A outset border</p>
</body>
</html>
```



Gambar.html


```
<!DOCTYPE html>
<html>
<head>
  <title>Gambar</title>
  <style type="text/css">
    body{
      background-image: url('img/setiawan.jpg');
      background-repeat: no-repeat;
      background-position: center center;
      background-attachment: fixed;
    }
  </style>
</head>
<body>

</body>
</html>
```



Bayangan.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Bayangan</title>
  <style type="text/css">
    h1{ text-shadow: 5px 5px 5px #FF0000;}
    .posisi1{
      position: relative;
      top: 15;
      left: 25;
      z-index: 10;
      color: #000000;
      font-family: arial;
      font-size: 25pt;
    }
    .posisi2{
      position: relative;
      top: -22;
      left: 28;
      z-index: 6;
      color: #00ccff;
      font-family: arial;
      font-size: 25pt;
    }
    .posisi3{
      position: relative;
      top: -59;
      left: 29;
      z-index: 6;
      color: #ff00ff;
      font-family: arial;
      font-size: 25pt;
    }
  </style>
</head>
<body>
  <div class="posisi1">Pemrograman Web dengan CSS</div>
  <div class="posisi2">Pemrograman Web dengan CSS</div>
  <div class="posisi3">Pemrograman Web dengan CSS</div>
  <h1>Efek Bayangan dengan CSS3</h1>
</body>
</html>
```



Pemrograman Web dengan CSS

Pemrograman Web dengan CSS


Pemrograman Web dengan CSS

Efek Bayangan dengan CSS3



Hyperlink.html

```
<!DOCTYPE html>
<html>
<head>
<title>Hyperlink</title>
<style type="text/css">
  body{ font-variant: small-caps; }
  a:link{
    text-decoration: none;
    color: yellow;
    background-color: lime;
  }
  a:visited{
    text-decoration: none;
    color: green;
    background-color: lime;
  }
  a:active{
    text-decoration: none;
    color: yellow;
    background-color: lime;
  }
  a:hover{
    text-decoration: none;
    color: white;
    background-color: lime;
  }
</style>
</head>
<body>
  Hyperlink Menggunakan CSS<br>
  <a href="#">tombol 1</a>
  <a href="#">tombol 2</a>
  <a href="#">tombol 3</a>
  <a href="#">tombol 4</a>
</body>
</html>
```



Form.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Form</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h2><marquee>Free Registration</marquee></h2>
  <form action="form.php" method="post" name="form">
    <table width="68%" border="0" align="center" cellpadding="0">
      <tr>
        <td class="td" width="15%">Nama</td>
        <td width="2%"></td>
        <td width="83%"><input type="text" name="txtNama" id="txtNama"></td>
      </tr>
      <tr>
        <td class="td">Tgl lahir</td>
        <td></td>
        <td><input type="text" name="txtTgl" id="txtTgl" size="4" maxlength="2">
          <input type="text" name="txtBulan" id="txtBulan" size="4" maxlength="2">
          <input type="text" name="txtTahun" id="txtTahun" size="8" maxlength="4"></td>
        </tr>
      <tr>
        <td class="td">Alamat</td>
        <td><input type="text" name="txtAlamat" id="txtAlamat" cols="40" rows="2"></td>
      </tr>
      <tr>
        <td class="td">Kota</td>
        <td></td>
        <td><input type="text" name="txtKota" id="txtKota"></td>
      </tr>
      <tr>
        <td><input type="submit" name="btnKirim" id="btnKirim" value="Kirim">
        <input type="submit" name="btnCancel" id="btnCancel" value="Cancel"></td>
      </tr>
    </table>
  </form>
</body>
</html>
```

Style.css


```
body{ background: blue; }
h2{
  font-family: 'comic sans ms';
  background-color: red;
  text-align: center;
}
table{ background: grey; }
.td{ font-weight: bold; }
```



Tugas

File html sama seperti percobaan 5 (Form.html)

Style.css



The screenshot shows the Visual Studio Code editor with the 'style.css' file open. The code defines styles for a form and a table. The form has a blue background, a red border, and a font family of 'comic sans ms'. The table has a grey background and a bold font weight. The code is as follows:

```
# style.css > form
1 body{ background: blue; }
2 h2{
3   font-family: 'comic sans ms';
4   background-color: red;
5   text-align: center;
6 }
7 table{ background: grey; }
8 .td{ font-weight: bold; }
9
10 /* Tugas */
11 form{
12   border: 3;
13   border-style: groove;
14   border-color: aqua;
15 }
```

