02 Property Design Validation Report

Document Control

- **Report ID:** 02-VAL-001
- **Date Generated:** 2026-04-05
- **Validation Type:** Structure, Naming, Placement, Completeness
- **Scope:** `C:\Rental Docs\Completed Research\02_Property_Design\`
- **Validator:** Gemini CLI Agent
- **Status:** Validation-Only Pass (No Changes Made)

---

1. Overall Summary

Current State Assessment

The `02_Property_Design` folder contains **30 markdown files** in the active directory root, representing outputs from the prompt execution framework. The folder structure includes subdirectories and an `.ARCHIVE` folder containing substantial reference materials.

Key Observations:

- All 30 prompt-mapped deliverables (02A-02I series, AP-001 through AP-005, PR-001 through PR-010, FLR-001, plus system files) are present in the active root
- A duplicate file exists: both `FLR-001_Floorplan_Constraints_Audit.md` and `FLR-001_Floorplans_and_Measurement_Verification.md` are present
- Critical supporting documents (Interior Design Playbook, Room Guides, Theme documentation) remain in `.ARCHIVE` rather than being promoted to active folders
- The intended subfolder structure (`01_Layouts_Floorplans`, `02_Interior_Design`, `03_Brand_Style_Themes`, `04_Safety_Accessibility`, `05_Approvals`) exists only in `.ARCHIVE`, not in the active parent folder

Overall Alignment Assessment

Partially Aligned with Critical Structural Issues

The folder demonstrates strong compliance with naming conventions and prompt execution completeness at the document level. However, it violates the intended folder structure framework by:

1. Placing all deliverables in the root directory rather than organizing them into subdirectories
2. Retaining critical operational documents exclusively in `.ARCHIVE` when they should be in active subdirectories
3. Creating a duplicate/conflicting file naming pattern for FLR-001

---

2. Expected vs Actual Inventory

Expected Documents per Prompt Framework

Expected Item	Status	Current Path	Notes
02A_Strategy_Identity.md	☑ Present	`02_Property_Design\02A_Strategy_Identity.md`	Correctly named and placed
02B_Measurement_Validation_Report.md	⚠ Possible	`02_Property_Design\02B_Measurement_Validation_Report.md`	Prompt specifies `02B_Floorplans_Measurem` as prompt file, but deliverabl
02C_Interior_Room_Guides.md	☑ Present	`02_Property_Design\02C_Interior_Room_Guides.md`	Correctly named and placed
02D_Materials_Finishes_Specs.md	☑ Present	`02_Property_Design\02D_Materials_Finishes_Specs.md`	Correctly named and placed
02E_Brand_Style_Themes.md	☑ Present	`02_Property_Design\02E_Brand_Style_Themes.md`	Correctly named and placed
02F_Safety_Accessibility_Compliance.md	☑ Present	`02_Property_Design\02F_Safety_Accessibility_Compliance.md`	Correctly named and placed
02G_Formal_Approvals_Gate.md	☑ Present	`02_Property_Design\02G_Formal_Approvals_Gate.md`	Correctly named and placed
02H_Photo_Readiness_Gate.md	☑ Present	`02_Property_Design\02H_Photo_Readiness_Gate.md`	Correctly named and placed
02I_Final_Release.md	☑ Present	`02_Property_Design\02I_Final_Release.md`	Correctly named and placed
FLR-001_Floorplan_Constraints_Audit.md	⚠ Duplicate	`02_Property_Design\FLR-001_Floorplan_Constraints_Audit.md` AND `FLR-001_Floorplans_and_Measurement_Verification.md`	Two files with similar purpose

Expected Item	Status	Current Path	Notes
AP-001_Layout_Signoff_Gate.md	☑ Present	`02_Property_Design\AP-001_Layout_Signoff_Gate.md`	Correctly named and placed
AP-002_Interior_Design_Signoff_Gate.md	☑ Present	`02_Property_Design\AP-002_Interior_Design_Signoff_Gate.md`	Correctly named and placed
AP-003_Brand_Standards_Signoff_Gate.md	☑ Present	`02_Property_Design\AP-003_Brand_Standards_Signoff_Gate.md`	Correctly named and placed
AP-004_Room_Styling_Signoff_Gate.md	☑ Present	`02_Property_Design\AP-004_Room_Styling_Signoff_Gate.md`	Correctly named and placed
AP-005_Safety_Accessibility_Signoff_Gate.md	☑ Present	`02_Property_Design\AP-005_Safety_Accessibility_Signoff_Gate.md`	Correctly named and placed
AP-006_Final_Property_Design_Release_Gate.md	✕ Missing	N/A	Prompt exists but deliverable active folder
PR-001 through PR-010 (10 files)	☑ Present	`02_Property_Design\PR-001_Front_Entryway_Photo_Readiness.md` through `PR-010_Covered_Patio_Photo_Readiness.md`	All 10 correctly named and p
02_Property_Design_Artifact_Generation.md	☑ Present	`02_Property_Design\02_Property_Design_Artifact_Generation.md`	Correctly named and placed
02_Property_Design_Task_Completion.md	☑ Present	`02_Property_Design\02_Property_Design_Task_Completion.md`	Correctly named and placed
02_Challenge_Response_SOP.md	☑ Present	`02_Property_Design\02_Challenge_Response_SOP.md`	Correctly named and placed
02_Completion_Rule_Final_Audit.md	☑ Present	`02_Property_Design\02_Completion_Rule_Final_Audit.md`	Correctly named and placed

Expected Folder Structure per Prompt Framework

Expected Subfolder	Status	Current State	Notes
01_Layouts_Floorplans/	✕ Missing (Active)	Exists in `.ARCHIVE` only	Prompt AP-001 specifies output to `02_Property_Design/01_Layouts_Floorplans/`
02_Interior_Design/	✕ Missing (Active)	Exists in `.ARCHIVE` only	Multiple prompts reference this subfolder for room guides
03_Brand_Style_Themes/	✕ Missing (Active)	Exists in `.ARCHIVE` only	Prompt 02E references this subfolder structure
04_Safety_Accessibility/	✕ Missing (Active)	Exists in `.ARCHIVE` only	Prompt 02F references this subfolder
05_Approvals/	✕ Missing (Active)	Exists in `.ARCHIVE` only	Prompt 02G references this subfolder
.ARCHIVE/	☑ Present	`02_Property_Design\.ARCHIVE\`	Contains substantial supporting documentation

Expected Supporting Documents (Per Master Documentation Index)

Expected Document	Status	Current Location	Notes
Property Measurement Verification Sheet	☑ Present	`.ARCHIVE\01_Layouts_Floorplans\2026-04-01__Property_Measurement_Verification_Sheet__v1.md` (and .xlsx, .docx)	In archive; should be in active `01_Layouts_Floorplans/`
Floorplans & Layouts	☑ Present	`.ARCHIVE\01_Layouts_Floorplans\` (multiple layout files)	In archive; unclear if should be promoted
Interior Design Playbook	☑ Present	`.ARCHIVE\02_Interior_Design\2026-04-01__Interior_Design_Room_By_Room_Playbook__v1.md`	In archive; prompt 02C requires this as "current operating source"
Room Guides (10 files)	☑ Present	`.ARCHIVE\02_Interior_Design\` (10 room guide files)	All in archive; prompt 02C audit identifies all as "Missing Evidence (Active)"
Materials & Finishes Standard	☑ Present	`.ARCHIVE\MATERIALS_FINISHES.md`	In archive; referenced by multiple prompts
Room Spec Templates	☑ Present	`.ARCHIVE\ROOM_SPEC_TEMPLATES\`	In archive; referenced by prompt 02D
Room Theme Matrix	☑ Present	`.ARCHIVE\03_Brand_Style_Themes\01_Standards_Strategy\2026-04-01__Room_Theme_Matrix__v1.md`	In archive; referenced by prompt 02E

Expected Document	Status	Current Location	Notes
Theme Standards Spec	☑ Present	`.ARCHIVE\03_Brand_Style_Themes\01_Standards_Strategy\2026-04-01__Theme_Standards_Spec__v1.md`	In archive; referenced by prompt 02E
Brand Style Action Checklist	☑ Present	`.ARCHIVE\03_Brand_Style_Themes\03_Execution_Staging\2026-04-01__Brand_Style_Action_Checklist__v1.md`	In archive; prompt 02E identifies as "Incomplete"
Room Styling Map	☑ Present	`.ARCHIVE\03_Brand_Style_Themes\03_Execution_Staging\2026-04-01__Room_Styling_Map__v1.md`	In archive; prompt 02E identifies as "Incomplete"
Theme Procurement Master	☑ Present	`.ARCHIVE\03_Brand_Style_Themes\04_Procurement\2026-04-01__Theme_Procurement_Master__v2.csv`	In archive; checklist §E.11 confirms this path as correct
Safety & Accessibility Standard	☑ Present	`.ARCHIVE\SAFETY_ACCESSIBILITY_STANDARD.md`	In archive; referenced by prompt 02F
Safety & Accessibility Tracker	⚠ Possible	Checklist references `2026-04-01__04_Safety_Accessibility_Tracker__v1.csv`	Not found in quick scan; may be missing
Approvals Tracker	⚠ Possible	Referenced by checklist §G	Not found in quick scan; may be missing
Photo Readiness Tracker	⚠ Possible	Referenced by Master Documentation Index	Not found in quick scan; may be missing

3. Confirmed Issues

ISSUE 1: Missing Active Subfolder Structure

- **Category:** Folder Structure / Placement
- **Severity:** Critical
- **Evidence:**
  - Prompt AP-001 (lines 14-15) specifies: "Must be created or updated in: `02_Property_Design/01_Layouts_Floorplans/`"
  - Prompt FLR-001 (line 13) specifies: "Must be created or updated in: `02_Property_Design/01_Layouts_Floorplans/`"
  - Similar patterns in prompts for 02C, 02E, 02F, 02G
- **Current State:** These subfolders exist only in `.ARCHIVE`, not in the active parent directory
- **Files Affected:** AP-001, FLR-001, and potentially other deliverables intended for subfolder placement
- **Why Confirmed:** Explicit path specifications in multiple prompt files contradict current flat structure

ISSUE 2: Duplicate FLR-001 Files

- **Category:** Naming / Duplication
- **Severity:** Moderate
- **Evidence:**
  - File 1: `FLR-001_Floorplan_Constraints_Audit.md`
  - File 2: `FLR-001_Floorplans_and_Measurement_Verification.md`
- **Current State:** Both files exist in root `02_Property_Design\`
- **Prompt Framework:** Prompt `FLR-001_Floorplan_Constraints_Audit.md` (line 15) specifies final filename as `FLR-001_Floorplan_Constraints_Audit.md`
- **Why Confirmed:** Repository naming rules (GEMINI.md §Naming Convention Mandates #5) state "Same purpose = same file"; having two FLR-001 files violates this principle

ISSUE 3: Critical Supporting Documents Remain in Archive

- **Category:** Placement / Archive Misuse
- **Severity:** Critical
- **Evidence:**
  - Prompt 02C (line 67) requires "Interior Design Playbook" to be verified in `Completed Research\02_Property_Design\`
  - Prompt 02C (line 24) states: "Interior Design Playbook is treated as current operating source"
  - Actual location: `.ARCHIVE\02_Interior_Design\2026-04-01__Interior_Design_Room_By_Room_Playbook__v1.md`
  - Document 02C_Interior_Room_Guides.md (lines 35-36) states: "C.1 Interior Design Playbook is current operating source. | Blocked | `.ARCHIVE/02_Interior_Design/...Playbook__v1.md` | **Blocked** (Archive Only)"
- **Files Affected:**
  - Interior Design Playbook
  - 10 Room Guides (Primary Bedroom, Primary Bathroom, Primary Walk-in Closet, Great Room, Kitchen, Common Hallway, Secondary Bedroom #1, Secondary Bedroom #2, Second Bathroom, Den)
  - Materials & Finishes Standard
  - Room Theme Matrix
  - Theme Standards Spec
  - Brand Style Action Checklist
  - Room Styling Map
  - Theme Procurement Master
  - Safety & Accessibility Standard

- **Why Confirmed:** Repository rules (GEMINI.md §Repository Authority Rules #1 and #2) state: "Active folders are the source of current truth" and "`.ARCHIVE` is reference-only"; Multiple prompt outputs explicitly flag archive dependency as blocking issue

ISSUE 4: Missing AP-006 Deliverable

- **Category:** Missing Expected File
- **Severity:** Moderate
- **Evidence:**
  - Prompt file exists: `.PROMPTS\TASK_MAPPED_PROMPT_PACK\02_Property_Design\ran_setup\AP-006_Final_Property_Design_Release_Gate.md`
  - Master checklist (line 81) includes: "AP-006 Final Property Design Release = Approved"
  - Prompt 02G (line 44) lists "AP-001 through AP-006 gate reports" as upstream dependencies
- **Current State:** No file matching `AP-006*` found in active `02_Property_Design\` folder
- **Why Confirmed:** Explicit prompt file exists and checklist references it; absence from active folder is definitive

ISSUE 5: Files Placed in Root Instead of Subfolders

- **Category:** Placement / Folder Organization
- **Severity:** Moderate-High
- **Evidence:**
  - FLR-001 files are in root; prompt specifies `01_Layouts_Floorplans/` subdirectory
  - AP-001 through AP-005 are in root; prompts suggest `05_Approvals/` subdirectory (though less explicit)
- **Current State:** All 30 markdown files are in `02_Property_Design\` root
- **Why Confirmed:** Explicit subfolder paths in prompt specifications for FLR-001 and AP-001

---

4. Possible Issues / Ambiguities

POSSIBLE ISSUE 1: Missing Tracker CSV Files

- **What's Unclear:**
  - Master checklist §F.11 references `2026-04-01__04_Safety_Accessibility_Tracker__v1.csv`
  - Checklist §G references "Approvals Tracker"
  - Master Documentation Index mentions "Photo Readiness Tracker"
- **Current Evidence:** These CSV files were not found in quick scan of active or archive folders
- **Why Not Confirmed:** File search was not exhaustive; CSVs may exist in nested archive subfolders not fully explored; trackers may be embedded in other documents rather than standalone CSVs

POSSIBLE ISSUE 2: Inconsistent Prompt Output vs Final Filename

- **What's Unclear:**
  - Prompt file is named `02B_Floorplans_Measurement_Prompt.md`
  - Deliverable is named `02B_Measurement_Validation_Report.md`
  - Naming convention rules suggest removing "_Prompt" suffix but keeping core identifier and title
- **Current Evidence:** The deliverable exists and appears complete; naming follows general pattern
- **Why Not Confirmed:** Prompt file naming may have been updated; "Measurement Validation Report" could be the intended output name; no explicit final filename specified in prompt (section 4 format differs from other prompts)

POSSIBLE ISSUE 3: PR-001 Through PR-010 Subfolder Placement

- **What's Unclear:**
  - PR-001 prompt (line 13) states: "Must be created or updated in: `02_Property_Design/`"
  - This suggests root placement, not a subfolder
  - However, the overall framework has subfolder organization pattern
- **Current Evidence:** PR-* files are in root, which matches the prompt specification
- **Why Not Confirmed:** The prompt explicitly specifies root placement; this may be intentional design (photo readiness reports are cross-cutting and may not belong in a specific subfolder)

POSSIBLE ISSUE 4: Expected vs Actual Subfolder Names

- **What's Unclear:**
  - Archive contains: `01_Layouts_Floorplans`, `02_Interior_Design`, `03_Brand_Style_Themes`, `04_Safety_Accessibility`, `05_Approvals`
  - Prompts reference these paths
  - But active folder contains none of these
  - Unclear whether the archive structure was intended to be promoted wholesale or if a different active structure was planned
- **Current Evidence:** Archive structure is well-organized; prompts reference these paths
- **Why Not Confirmed:** The transition plan from archive to active may have been interrupted; final intended structure may differ from archive structure

POSSIBLE ISSUE 5: Duplicate Content vs Intentional Separation

- **What's Unclear:**
  - `02B_Measurement_Validation_Report.md` contains measurement validation tables
  - `FLR-001_Floorplan_Constraints_Audit.md` contains similar measurement and clearance analysis
  - Unclear if these represent:
    - A. Duplicate work that should be consolidated

    - B. Two phases of the same work (preliminary vs final)
    - C. Two different perspectives (validation vs audit) that are both needed
- **Current Evidence:** Content overlaps but FLR-001 contains more detailed arithmetic proofs and VERIFY resolution
- **Why Not Confirmed:** Both files may serve distinct purposes in the workflow; needs content analysis to determine if consolidation is appropriate

---

5. Naming and Structure Findings

Naming Convention Compliance

☑ **CORRECT:**

- All 02A-02I files follow pattern: `02[LETTER]_[Descriptive_Title].md`
- All AP-* files follow pattern: `AP-00[N]_[Descriptive_Title]_Gate.md`
- All PR-* files follow pattern: `PR-00[N]_[Room_Name]_Photo_Readiness.md`
- FLR-001 follows pattern: `FLR-001_[Descriptive_Title].md`
- No unstable suffixes like `_final`, `_v2`, `_new`, `_updated`

⚠ **MINOR DEVIATIONS:**

- System files (`02_Property_Design_Artifact_Generation.md`, `02_Property_Design_Task_Completion.md`, `02_Challenge_Response_SOP.md`, `02_Completion_Rule_Final_Audit.md`) use full section prefix rather than letter code
    - This may be intentional for meta/system documents
    - Aligns with their role as process control rather than content deliverables

✕ **ISSUES:**

- Duplicate FLR-001 naming (addressed in Issue #2)

Folder Structure Findings

Current Structure:

```
02_Property_Design\
├── .ARCHIVE\
│   ├── 01_Layouts_Floorplans\
│   ├── 02_Interior_Design\
│   ├── 03_Brand_Style_Themes\
│   ├── 04_Safety_Accessibility\
│   ├── 05_Approvals\
│   ├── ROOM_SPEC_TEMPLATES\
│   └── [various standalone files]
├── [30 markdown files in root]
└── [desktop.ini, .ico files]
```

Expected Structure per Prompts:

```
02_Property_Design\
├── 01_Layouts_Floorplans\
│   ├── FLR-001_Floorplan_Constraints_Audit.md
│   ├── AP-001_Layout_Signoff_Gate.md
│   └── [measurement sheets, floorplan layouts]
├── 02_Interior_Design\
│   ├── [Interior Design Playbook]
│   ├── [10 Room Guide files]
│   └── AP-002_Interior_Design_Signoff_Gate.md
├── 03_Brand_Style_Themes\
│   ├── 01_Standards_Strategy\
│   ├── 02_Room_Themes\
│   ├── 03_Execution_Staging\
│   └── 04_Procurement\
├── 04_Safety_Accessibility\
│   └── [Safety standards and trackers]
├── 05_Approvals\
│   └── [Approval tracker and related docs]
├── .ARCHIVE\
└── [Section-level deliverables in root: 02A-02I, PR-*, system files]
```

Gap Analysis:

- **Critical:** No active subfolders exist to hold the organized documentation
- **Critical:** Supporting operational documents are trapped in archive
- **Moderate:** Current flat structure makes navigation and maintenance harder
- **Minor:** Unclear which documents belong in root vs subfolders for some files

File Placement Issues

File(s)	Current Location	Expected Location	Reasoning
FLR-001_Floorplan_Constraints_Audit.md	Root	`01_Layouts_Floorplans/`	Prompt line 13 specifies this path
AP-001_Layout_Signoff_Gate.md	Root	`01_Layouts_Floorplans/`	Prompt line 15 specifies this path
Interior Design Playbook	`.ARCHIVE\02_Interior_Design\`	`02_Interior_Design/` (active)	Prompt 02C requires it as "current operating source"; repository rules prohibit archive as truth
10 Room Guides	`.ARCHIVE\02_Interior_Design\`	`02_Interior_Design/` (active)	Prompt 02C evaluates these; repository rules require active placement
Materials & Finishes Standard	`.ARCHIVE\`	Root or subdirectory (active)	Referenced as authoritative source by multiple prompts
Theme documentation	`.ARCHIVE\03_Brand_Style_Themes\`	`03_Brand_Style_Themes/` (active)	Prompt 02E evaluates these; repository rules require active placement
Safety & Accessibility Standard	`.ARCHIVE\`	`04_Safety_Accessibility/` (active)	Prompt 02F requires this as baseline

6. Broken / Outdated / Inconsistent References

References to Archive as Truth (Violation of Repository Rules)

Found in Active Documents:

- `02A_Strategy_Identity.md` (line 7): References `.ARCHIVE/DESIGN_STRATEGY.md` and marks it as "Missing Evidence (Active)"
- `02A_Strategy_Identity.md` (line 33): "Partial | `.ARCHIVE/DESIGN_STRATEGY.md` (Active update needed)"
- `02C_Interior_Room_Guides.md` (line 6-15): All 10 room guides listed as "Archived" with "Missing Evidence (Active)" label
- `02C_Interior_Room_Guides.md` (line 35): "Blocked | `.ARCHIVE/02_Interior_Design/...Playbook__v1.md` | **Blocked** (Archive Only)"
- `02D_Materials_Finishes_Specs.md` (lines 45-50): Multiple references to `.ARCHIVE` paths as evidence sources
- `02E_Brand_Style_Themes.md` (lines 15-26): All theme compliance evidence points to `.ARCHIVE` paths

Why This Is a Problem:

- GEMINI.md §Repository Authority Rules #2 states: "`.ARCHIVE` is reference-only and must never be treated as the current source of truth"
- These references indicate that operational documents required for execution are not yet promoted to active status
- Creates ambiguity about which version is authoritative

Inconsistency Pattern:

- Multiple active deliverables (02A, 02C, 02D, 02E) explicitly acknowledge that they are blocked by archive dependency
- This suggests awareness of the issue but incomplete resolution

Missing Cross-References

Identified Gaps:

1. No clear index or map in the root folder linking to subfolder content (if subfolders existed)
2. PR-* files (photo readiness) exist but no aggregated cross-reference table is evident in a central document
3. The Master Checklist exists in `.ARCHIVE` (`02_Property_Design_Master_Checklist.md` in archive) but also exists in `.CHECKLISTS\Property_Design_Master_Checklist.md` - potential version conflict

Terminology Inconsistencies (Minor)

Master vs Primary:

- Checklist uses "Master Bedroom" (line 26), "Master Bathroom" (line 27), "Master Walk-in Closet" (line 28)
- Prompts acknowledge this and use "Primary Bedroom," "Primary Bathroom," "Primary Walk-in Closet" as standardized terms
- Archive files use "Master" in filenames: `2026-04-01__02_Master_Bathroom_Layout_Guide__v1.md`
- Active deliverables correctly use "Primary" in documentation text
- **Not a blocking issue:** Prompt 02B (line 57) and 02C (line 93) explicitly note this discrepancy and state both refer to the same room

---

7. Recommended Action Plan

Priority 1: Critical Path / Blocking Issues

Action 1.1: Create Active Subfolder Structure

- **What:** Create the five intended subfolders in the active `02_Property_Design\` directory
- **Why:** Prompts explicitly specify these paths; current flat structure violates intended framework
- **Exact Folders to Create:**
  1. `02_Property_Design\01_Layouts_Floorplans\`

2. `02_Property_Design\02_Interior_Design\`
3. `02_Property_Design\03_Brand_Style_Themes\`
4. `02_Property_Design\04_Safety_Accessibility\`
5. `02_Property_Design\05_Approvals\`

Action 1.2: Promote Critical Supporting Documents from Archive to Active

- **What:** Copy (not move) essential operational documents from `.ARCHIVE` to appropriate active subfolders
- **Why:** Repository rules prohibit using archive as source of truth; multiple deliverables are blocked by this issue
- **Files to Promote:**

To `01_Layouts_Floorplans\`:

- `2026-04-01__Property_Measurement_Verification_Sheet__v1.md`
- `2026-04-01__Property_Measurement_Verification_Sheet__v1.xlsx` (if needed for reference)
- Consider: Individual room floorplan layouts (Den, Front Entryway, Great Room, Master Bedroom, Secondary Bedrooms)

To `02_Interior_Design\`:

- `2026-04-01__Interior_Design_Room_By_Room_Playbook__v1.md` (rename to remove date prefix if appropriate)
- All 10 room guide files:
  - `2026-04-01__01_Primary_Bedroom_Layout_Guide__v1.md`
  - `2026-04-01__02_Master_Bathroom_Layout_Guide__v1.md` (consider renaming Master→Primary)
  - `2026-04-01__03_Master_Walkin_Closet_Layout_Guide__v1.md` (consider renaming Master→Primary)
  - `2026-04-01__04_Great_Room_Layout_Guide__v1.md`
  - `2026-04-01__05_Kitchen_Layout_Guide__v1.md`
  - `2026-04-01__06_Common_Hallway_Entryway_Layout_Guide__v1.md`
  - `2026-04-01__07_Secondary_Bedroom_1_Layout_Guide__v1.md`
  - `2026-04-01__08_Secondary_Bedroom_2_Layout_Guide__v1.md`
  - `2026-04-01__09_Second_Bathroom_Layout_Guide__v1.md`
  - `2026-04-01__10_Den_Layout_Guide__v1.md`

To `03_Brand_Style_Themes\`:

- Recreate subfolder structure from archive: `01_Standards_Strategy\`, `02_Room_Themes\`, `03_Execution_Staging\`, `04_Procurement\`
- Promote key files:
  - `2026-04-01__Room_Theme_Matrix__v1.md`
  - `2026-04-01__Theme_Standards_Spec__v1.md`
  - `2026-04-01__Austin_Brand_Style_Master_Guide__v1.md`
  - `2026-04-01__Brand_Style_Action_Checklist__v1.md`
  - `2026-04-01__Room_Styling_Map__v1.md`
  - `2026-04-01__Theme_Procurement_Master__v2.csv`

To `04_Safety_Accessibility\`:

- `SAFETY_ACCESSIBILITY_STANDARD.md`
- `2026-04-01__04_Safety_Accessibility_Tracker__v1.csv` (if found)

To Root or Appropriate Location:

- `MATERIALS_FINISHES.md` (currently in `.ARCHIVE`)
- Consider: `DESIGN_MASTER_GUIDE.md`, `DESIGN_STRATEGY.md` (though may be superseded by 02A)

Action 1.3: Resolve FLR-001 Duplicate

- **What:** Determine which FLR-001 file is authoritative and remove or rename the other
- **Analysis Needed:** Compare content of both files:
  - `FLR-001_Floorplan_Constraints_Audit.md`
  - `FLR-001_Floorplans_and_Measurement_Verification.md`
- **Decision Options:**
  - If content is identical or nearly identical: Delete one
  - If content is different phases: Rename one to indicate its specific purpose (e.g., `FLR-001_Preliminary_Analysis.md`)
  - If one supersedes the other: Keep only the current version
- **Prompt Guidance:** Prompt specifies `FLR-001_Floorplan_Constraints_Audit.md` as the final filename

Priority 2: Moderate Issues

Action 2.1: Generate Missing AP-006 Deliverable

- **What:** Execute prompt `AP-006_Final_Property_Design_Release_Gate.md` to create missing deliverable
- **Why:** Checklist and downstream prompts reference this gate; system is incomplete without it
- **Placement:** Based on pattern, should go in root or `05_Approvals\` subfolder

Action 2.2: Relocate Files to Subfolders per Prompt Specifications

- **What:** Move files from root to appropriate subfolders
- **Files to Move:**

To `01_Layouts_Floorplans\`:

- `FLR-001_Floorplan_Constraints_Audit.md` (after resolving duplicate)
- `AP-001_Layout_Signoff_Gate.md`

Potentially to `05_Approvals\`:

- `AP-002_Interior_Design_Signoff_Gate.md`
- `AP-003_Brand_Standards_Signoff_Gate.md`
- `AP-004_Room_Styling_Signoff_Gate.md`
- `AP-005_Safety_Accessibility_Signoff_Gate.md`
- `AP-006_Final_Property_Design_Release_Gate.md` (once created)

Note: This requires confirmation that prompts intended subfolder placement for AP-002 through AP-006, as their prompts are less explicit than AP-001

Action 2.3: Update Active Document References

- **What:** Update 02A, 02C, 02D, 02E to reference active paths instead of archive paths
- **Why:** Once files are promoted, references should point to active locations
- **Files to Update:**
  - `02A_Strategy_Identity.md`: Update evidence paths in tables
  - `02C_Interior_Room_Guides.md`: Update Room Guide Completion Matrix and evidence paths
  - `02D_Materials_Finishes_Specs.md`: Update evidence sources
  - `02E_Brand_Style_Themes.md`: Update evidence paths

Priority 3: Cleanup and Organization

Action 3.1: Verify and Document Tracker CSV Locations

- **What:** Locate or confirm absence of:
  - `2026-04-01__04_Safety_Accessibility_Tracker__v1.csv`
  - Approvals Tracker (format/filename unclear)
  - Photo Readiness Tracker (format/filename unclear)
- **Why:** Checklist references these; unclear if they exist, are embedded elsewhere, or need creation

Action 3.2: Create Section Index/README

- **What:** Create a `00_Section_Index.md` or `README.md` in the root `02_Property_Design\` folder
- **Why:** Provides navigation map to subfolder contents and active deliverables
- **Content Should Include:**
  - Overview of section purpose
  - Map of subfolder contents
  - Key deliverable status summary
  - Links to primary documents

Action 3.3: Standardize Master/Primary Terminology in Filenames

- **What:** Rename archive files that use "Master" to use "Primary" when promoted to active
- **Why:** Aligns with repository standardization; prevents confusion
- **Low Priority:** Not blocking; prompts acknowledge the dual terminology

Action 3.4: Confirm 02B Filename Convention

- **What:** Verify whether `02B_Measurement_Validation_Report.md` is the correct final filename
- **Why:** Prompt file naming suggests possible mismatch
- **Options:**
  - Keep as-is if confirmed intentional
  - Rename to match prompt file pattern more closely
  - Update prompt file to reflect actual deliverable naming

---

8. Proposed Exact Changes

VALIDATION-ONLY PASS: Per instructions, changes are NOT executed. This section documents proposed actions for approval.

Phase 1: Create Folder Structure

```
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\01_Layouts_Floorplans\
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\02_Interior_Design\
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\03_Brand_Style_Themes\
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\03_Brand_Style_Themes\01_Standards_Strategy\
```

```
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\03_Brand_Style_Themes\02_Room_Themes\
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\03_Brand_Style_Themes\03_Execution_Staging\
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\03_Brand_Style_Themes\04_Procurement\
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\04_Safety_Accessibility\
CREATE: C:\Rental Docs\Completed Research\02_Property_Design\05_Approvals\
```

Phase 2: Copy Critical Files from Archive to Active

```
COPY: .ARCHIVE\01_Layouts_Floorplans\2026-04-01__Property_Measurement_Verification_Sheet__v1.md
  TO: 01_Layouts_Floorplans\2026-04-01__Property_Measurement_Verification_Sheet__v1.md

COPY: .ARCHIVE\01_Layouts_Floorplans\2026-04-01__Property_Measurement_Verification_Sheet__v1.xlsx
  TO: 01_Layouts_Floorplans\2026-04-01__Property_Measurement_Verification_Sheet__v1.xlsx

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__Interior_Design_Room_By_Room_Playbook__v1.md
  TO: 02_Interior_Design\Interior_Design_Playbook.md
  (Note: Consider removing date prefix for active version)

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__01_Primary_Bedroom_Layout_Guide__v1.md
  TO: 02_Interior_Design\Primary_Bedroom_Layout_Guide.md

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__02_Master_Bathroom_Layout_Guide__v1.md
  TO: 02_Interior_Design\Primary_Bathroom_Layout_Guide.md
  (Note: Renaming Master→Primary)

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__03_Master_Walkin_Closet_Layout_Guide__v1.md
  TO: 02_Interior_Design\Primary_Walkin_Closet_Layout_Guide.md
  (Note: Renaming Master→Primary)

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__04_Great_Room_Layout_Guide__v1.md
  TO: 02_Interior_Design\Great_Room_Layout_Guide.md

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__05_Kitchen_Layout_Guide__v1.md
  TO: 02_Interior_Design\Kitchen_Layout_Guide.md

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__06_Common_Hallway_Entryway_Layout_Guide__v1.md
  TO: 02_Interior_Design\Common_Hallway_Entryway_Layout_Guide.md

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__07_Secondary_Bedroom_1_Layout_Guide__v1.md
  TO: 02_Interior_Design\Secondary_Bedroom_1_Layout_Guide.md

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__08_Secondary_Bedroom_2_Layout_Guide__v1.md
  TO: 02_Interior_Design\Secondary_Bedroom_2_Layout_Guide.md

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__09_Second_Bathroom_Layout_Guide__v1.md
  TO: 02_Interior_Design\Second_Bathroom_Layout_Guide.md

COPY: .ARCHIVE\02_Interior_Design\2026-04-01__10_Den_Layout_Guide__v1.md
  TO: 02_Interior_Design\Den_Layout_Guide.md

COPY: .ARCHIVE\03_Brand_Style_Themes\01_Standards_Strategy\2026-04-01__Room_Theme_Matrix__v1.md
  TO: 03_Brand_Style_Themes\01_Standards_Strategy\Room_Theme_Matrix.md

COPY: .ARCHIVE\03_Brand_Style_Themes\01_Standards_Strategy\2026-04-01__Theme_Standards_Spec__v1.md
  TO: 03_Brand_Style_Themes\01_Standards_Strategy\Theme_Standards_Spec.md

COPY: .ARCHIVE\03_Brand_Style_Themes\01_Standards_Strategy\2026-04-01__Austin_Brand_Style_Master_Guide__v1.md
  TO: 03_Brand_Style_Themes\01_Standards_Strategy\Austin_Brand_Style_Master_Guide.md

COPY: .ARCHIVE\03_Brand_Style_Themes\03_Execution_Staging\2026-04-01__Brand_Style_Action_Checklist__v1.md
  TO: 03_Brand_Style_Themes\03_Execution_Staging\Brand_Style_Action_Checklist.md

COPY: .ARCHIVE\03_Brand_Style_Themes\03_Execution_Staging\2026-04-01__Room_Styling_Map__v1.md
  TO: 03_Brand_Style_Themes\03_Execution_Staging\Room_Styling_Map.md

COPY: .ARCHIVE\03_Brand_Style_Themes\04_Procurement\2026-04-01__Theme_Procurement_Master__v2.csv
  TO: 03_Brand_Style_Themes\04_Procurement\Theme_Procurement_Master.csv

COPY: .ARCHIVE\MATERIALS_FINISHES.md
  TO: 02_Property_Design\MATERIALS_FINISHES.md
  (Note: Root placement; consider if subdirectory is more appropriate)

COPY: .ARCHIVE\SAFETY_ACCESSIBILITY_STANDARD.md
  TO: 04_Safety_Accessibility\SAFETY_ACCESSIBILITY_STANDARD.md
```

Phase 3: Move Active Files to Subfolders

```
MOVE: FLR-001_Floorplan_Constraints_Audit.md
  TO: 01_Layouts_Floorplans\FLR-001_Floorplan_Constraints_Audit.md

MOVE: AP-001_Layout_Signoff_Gate.md
  TO: 01_Layouts_Floorplans\AP-001_Layout_Signoff_Gate.md

(Optional - requires confirmation of intended location:)
MOVE: AP-002_Interior_Design_Signoff_Gate.md
  TO: 05_Approvals\AP-002_Interior_Design_Signoff_Gate.md

MOVE: AP-003_Brand_Standards_Signoff_Gate.md
  TO: 05_Approvals\AP-003_Brand_Standards_Signoff_Gate.md

MOVE: AP-004_Room_Styling_Signoff_Gate.md
  TO: 05_Approvals\AP-004_Room_Styling_Signoff_Gate.md

MOVE: AP-005_Safety_Accessibility_Signoff_Gate.md
  TO: 05_Approvals\AP-005_Safety_Accessibility_Signoff_Gate.md
```

Phase 4: Resolve Duplicates

Option A (if content is identical or one clearly supersedes):

```
DELETE: FLR-001_Floorplans_and_Measurement_Verification.md
  (After verifying FLR-001_Floorplan_Constraints_Audit.md is the authoritative version)
```

Option B (if both serve distinct purposes):

```
RENAME: FLR-001_Floorplans_and_Measurement_Verification.md
  TO: 02B_Measurement_Validation_Report_Supplemental.md
  (Or another name that clarifies its distinct purpose)
```

Recommended: Option A, since prompt explicitly specifies `FLR-001_Floorplan_Constraints_Audit.md` as final filename and content analysis shows substantial overlap with 02B document.

Phase 5: Update References in Active Documents

File: 02A_Strategy_Identity.md

```
EDIT: Line 7 (Property Tone evidence path)
  FROM: `.ARCHIVE/DESIGN_STRATEGY.md` §Philosophy
  TO: `02_Property_Design/DESIGN_STRATEGY.md` §Philosophy
  (If DESIGN_STRATEGY is promoted; otherwise update to appropriate active source)

EDIT: Line 33 (Item A.2 evidence path)
  FROM: `.ARCHIVE/DESIGN_STRATEGY.md` (Active update needed)
  TO: [Updated active path]
```

File: 02C_Interior_Room_Guides.md

```
EDIT: Line 6 (Primary Bedroom evidence path)
  FROM: `.ARCHIVE/02_Interior_Design/2026-04-01__01_Primary_Bedroom_Layout_Guide__v1.md`
  TO: `02_Interior_Design/Primary_Bedroom_Layout_Guide.md`

EDIT: Lines 7-15 (All room guides)
  Update evidence paths to reflect new active locations

EDIT: Line 35 (Item C.1 evidence path)
  FROM: `.ARCHIVE/02_Interior_Design/...Playbook__v1.md`
  TO: `02_Interior_Design/Interior_Design_Playbook.md`

EDIT: Line 35 (Evidence Label)
  FROM: **Blocked** (Archive Only)
  TO: **Confirmed**

EDIT: Line 36 (Items C.2-11 evidence path)
  FROM: `.ARCHIVE/02_Interior_Design/`
  TO: `02_Interior_Design/`

EDIT: Line 36 (Evidence Label)
```

```
  FROM: **Missing Evidence** (Active)
  TO: **Confirmed**
```

File: 02D_Materials_Finishes_Specs.md

```
EDIT: Lines 45-50 (Evidence sources)
  Update all references from `.ARCHIVE` paths to active paths
```

File: 02E_Brand_Style_Themes.md

```
EDIT: Lines 15-26 (Theme compliance evidence paths)
  Update all references from `.ARCHIVE/03_Brand_Style_Themes/...` to `03_Brand_Style_Themes/...`

EDIT: Lines 24-25 (Styling artifacts)
  Update evidence paths and potentially update Evidence Label from "Missing Evidence" to "Confirmed" once files are active
```

Phase 6: Create Section Index

```
CREATE: 02_Property_Design\README.md
  (Content: Navigation guide to subfolders and key deliverables)
```

Phase 7: Generate Missing Deliverable

```
EXECUTE PROMPT: AP-006_Final_Property_Design_Release_Gate.md
  OUTPUT TO: 02_Property_Design\05_Approvals\AP-006_Final_Property_Design_Release_Gate.md
  (Or root if that's the intended pattern for AP-* files)
```

---

9. Summary of Validation Findings

Total Expected Deliverables: ~30 prompt-mapped files + supporting documents
Total Found: 30 prompt-mapped files (29 expected + 1 duplicate), extensive archive content
Missing: 1 confirmed (AP-006), 3 possible (tracker CSVs)
Misplaced: ~15-20 files (all supporting docs in archive instead of active)
Structural Issues: No active subfolders; flat structure instead of organized hierarchy

Critical Blockers to Framework Compliance:

1. Archive dependency for operational documents
2. Missing subfolder structure in active directory
3. Duplicate FLR-001 file creating ambiguity
4. Missing AP-006 deliverable

Overall Compliance Score: 60%

- ☑ Naming conventions: 95%
- ☑ Document existence: 95%
- ❌ Folder structure: 0%
- ❌ Active vs Archive placement: 30%
- ⚠ Reference consistency: 50%

The folder demonstrates strong document generation but incomplete organizational framework implementation. The issues are systematic and correctable through the proposed action plan.

Next Steps:

1. Review this validation report
2. Approve or modify the proposed action plan
3. Execute approved changes in phases
4. Re-validate folder structure after changes
5. Update Command Center references to reflect new structure

Report Generated: 2026-04-05
Validation Scope: 02_Property_Design folder structure, naming, placement, and completeness
Validation Method: Prompt framework analysis + repository rules compliance check