1. Go to First account and select the repository you want to fork and click on the fork option.





2. Click on the fork option.

3. Now you will be able to see that forked repository in your second account.

4. Clone that forked repository in any folder, say “DemoFork”

```
aquis@LAPTOP-CVDR41EG MINGW64 ~ (master)
$ cd C:\\Users\\aquis\\Desktop\\GitNew

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew (master)
$ git clone https://github.com/SofiDevOps/jasmine.git
Cloning into 'jasmine'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew (master)
$ ls
jasmine/
```

5. You will be able to see the reposotory in your folder.

6. Check the file present in your repository.

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ ls
test.txt
```

And content of your file.

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ cat test.txt
hello
hi
hi
hi
```

7. Modify your file and check the status.

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ vim test.txt

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ cat test.txt
hello
hi
hi
hi
hello
hello

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   test.txt
```

8. Check origin and remove it.

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git remote
origin

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git remote rm origin

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git remote
```

9. Perform add and commit. Check the status.

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git add .

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   test.txt


aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git commit -m "adding updation"
[main baca4aa] adding updation
 1 file changed, 2 insertions(+)

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git status
On branch main
nothing to commit, working tree clean
```

10. Add your repository to the remote origin.

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git remote add origin https://github.com/SofiDevOps/jasmine.git
```

11. Go to your profile and **create token** to set url

Profile→ Settings→



➔ Developer Settings



→Personal access tokens→Tokens(Classic)





→It will ask you for authentication→ Perform Authentication

→ You can set expiration date of your token



→you can also select “custom”.



→Select all the scopes for your token.



→Click on "Generate Token"



→Your token has been generated



12. Set url using generated token.

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git remote add origin https://github.com/SofiDevOps/jasmine.git
```

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$  git remote set-url origin https://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@github.com/S
ofiDevOps/jasmine.git
```

13. Perform “Push” operation on main.

```
aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$  git remote set-url origin https://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@github.com/S
ofiDevOps/jasmine.git

aquis@LAPTOP-CVDR41EG MINGW64 ~/Desktop/GitNew/jasmine (main)
$ git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 255 bytes | 255.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/SofiDevOps/jasmine.git
   7363a93..baca4aa  main -> main
```

14. Refresh your Git hub and check the content of your file.



15. Create Pull request from second account.



16. Click on new Pull request.



17. Select proper branches and repository



18. Create Pull request

19. Give title and click on “Create pull request”



20. Your Pull request has been generated.



21. Check your first accout and repository for Pull request



22. Click on Merge request.