

Kleur

#### **Kleur**

Kleur kan voorgesteld worden met:

> de kleurnaam

Er bestaan 140 kleurnamen, waarvan 17 standaard kleurnamen (aqua, black, blue, fuchsia, gray, green, lime, maroon, navy, olive, orange, purple, red, silver, teal, white and yellow) en nog 123 meer.

De browsers ondersteunen alle 140 kleurnamen, ook al werden in CSS 2.1 enkel de 17 standaard kleurnamen gedefinieerd.

1



### Web development CSS

Kleur

#### **Kleur**

Kleur kan voorgesteld worden met:

> de hexadecimale kleurwaarde

#ffffff voor wit of #ff0000 voor rood.

Indien de 3 paren telkens 2 gelijke waarden hebben, kan deze waarde afgekort worden naar 3 karakters. Dan wordt #fff wit of #f00 rood.

> de rgb kleurwaarde

rgb(255, 255, 255) voor wit of rgb(255, 0, 0) voor rood.

transparent geen kleur of doorzichtig

2

1



Kleur

#### **Kleur**

CSS3 ondersteunt ook transparante kleuren en HSL kleuren. Omdat dit nog niet in alle browsers ondersteund wordt, vermeld eerst de hexadecimale of rgb kleurwaarde en daarna pas volgende:

> de rgba kleurwaarde

De a staat voor alfa of transparant. Dit is een waarde van 0 tot 1 rgba (255, 0, 0, 0.5) voor rood 50% transparant

> de hsl kleurwaarde

hsl (0, 100%, 100%). Het eerste cijfer stelt de kleur volgens de kleurencirkel voor van 0 tot 360. Het tweede is de saturatie van 0% of grijs tot 100% volledige kleur. Het derde is de lichtheid van 0% of zwart tot 100% voor wit.

> de hsla kleurwaarde

De a staat weer voor alfa of transparant, een waarde van 0 tot 1. hsla(0, 100%, 100%, 0.5)

3

## Web o

#### Web development CSS

#### Voorgrond kleur

➤ Je kan de kleur gebruiken als **voorgrondkleur**. Dit is de eigenschap color. Heeft geen standaard waarde, maar is vaak standaard zwart. Wordt ook overgeërfd aan onderliggende elementen.

```
h1 {color: DarkCyan;}
h2 {color: #ee4e80;}
p {color: rgb(100, 100, 90);}
```

#### **Marine Biology**

#### The Composition of Seawater

Almost anything can be found in seawater. This includes dissolved materials from Earth's crust as well as materials released from organisms. The most important components of seawater that influence life forms are salinity, temperature, dissolved gases (mostly oxygen and carbon dioxide), nutrients, and pH. These elements vary in their composition as well as in their influence on marine life.

4

#### Achtergrond kleur

➤ Je kan de kleur ook gebruiken als **achtergrondkleur**. Dit is de eigenschap background-color. Deze heeft als standaard waarde transparent. Wordt niet overgeërfd aan onderliggende elementen.

```
body {background-color: rgb(200,200,200);}
h1 {background-color: DarkCyan;}
h2 {background-color: #ee3e80;}
p {background-color: white;}
```



5

### Web development CSS Transparante achtergrond kleur

> Transparante kleuren kan te toepassen met de rgba of hsla kleur, maar ook met de eigenschap opacity.

```
p.one {
  background-color: rgb(0,0,0);
  opacity: 0.5;
  padding: 10px;}
p.two {
  background-color: rgb(0,0,0);
  background-color: rgba(0,0,0,0.5);}
```

6

3

### Achtergrond kleur

```
body {
  background-color: #C8C8C8;
  background-color: hsl(0, 0%, 78%);}
p {
  background-color: #ffffff;
  background-color: hsla(0,100%,100%,0.5);}

Marine Biology
```

The Composition of Seawater

Almost anything can be found in seawater. This includes dissolved materials from Earth's crust as well as materials released from organisms. The most important components of seawater that influence life forms are salinity, temperature, dissolved gases (most) oxygen and carbon dioxide), nutrients, and p1. These elements vary in their composition as well as in their influence on marine life.

7

### Web development CSS

### Achtergrond afbeelding

➤ Een afbeelding kan met de eigenschap background-image op de achtergrond geplaatst worden:

```
p {background-image: url("images/pattern.gif");}
```

#### **Planting Guide**

#### Magnolia

Magniful grandiflore, continedly known as the Southerst magniful or bull buy, is a tree of the family. Magnifacene native to the southeastern Untel States, from cores. If Yiginia could to central resists and Oktahoma. Racking 27.5 in 90 ft in beight, it's a large striking overgreen true with force after given to execut the wind for the control of the country of the control of the weight, over a hundred cultivare have been beigd and marketed compressally. The timber is hard and heavy, and has been need commercially to make furniture pallets, and ventoer.

Ranunculus

Runnienho asimicus (Persha Butireau) s a specie of latteriup (Ranuculus) native to the existent Meditermoun region in southwestern Asia, southwestern Asia southwestern Asia southwestern Asia is a her become purpure ("rec, Karpathos, and Rhedae), and methodestern Africa, it is a her become purmital plant growing to 45 cm tall with sample or branched stems. The besoul texts are three lobed, with the user hadre on the stems more despit divided. He the degrees, they are downly or hairy. The flowest are 5 cm flumeter, variably red to pink, wellow or white, with our to selected flowest or reach stem.

8



#### Achtergrond afbeelding

- > Standaard wordt deze afbeelding zowel horizontaal als verticaal herhaald.
- ➤ Met de eigenschap background-repeat kun je bepalen of en hoe de afbeelding herhaald moet worden. Deze kan 4 waarden hebben:
  - repeat (standaard waarde horizontaal en verticaal herhalen)
  - repeat-x (enkel horizontaal herhalen)
  - repeat-y (enkel verticaal herhalen)
  - > no-repeat (niet herhalen)

9



### Web development CSS

### Achtergrond afbeelding

```
body {
  background-image: url("images/header.gif");
  background-repeat: repeat-x;}
```



#### Magnolia

Magnolia grandiflora, commonly known as the Southern magnolia or bull bay, is a tree of the family Magnoliacene native to the southeastern United States, from coastal Viriginia south to central Florida, and west to eastern Texas and Oklahoma. Reaching 27.5 m (90 ft) in height, it is a large striking evergreen tree with large dark green leaves and large white fragrant flowers. Widely cultivated around the world, over a hundred cultivars have been bred and marketed commercially. The timber is hard and heavy, and has been used commercially to make furniture, pallets, and veneer.

#### Ranunculus

Ranunculus asiaticus (Persian Buttercup) is a species of buttercup (Ranunculus) native to the eastern Mediterranean region in southwestern Asia, southeastern Europe (Crete, Karpathos and Rhodes), and northeastern Africa. It is a herbaceous perennial plant growing to 45 cm tall, with simplie or branched stems. The basal leaves are three-lobed, with leaves higher on the stems more deeply divided: like the stems, they are downy or hairy. The flowers are 3-5 cm diameter, variably red to pink, yellow, or white, with one to several flowers on each stem.

10



#### Achtergrond afbeelding

- > Standaard schuift de achtergrond afbeelding mee naar boven indien naar beneden gescrold wordt. Met de eigenschap background-attachment kunt er ook voor zorgen dat de achtergrond afbeelding vast blijft staan. Deze eigenschap heeft 2 mogelijkheden:
  - > scroll De achtergrond afbeelding scrollt mee met de rest van de pagina.
  - fixed De achtergrond afbeelding blijft vast

11



### Web development CSS

#### Achtergrond afbeelding

```
body {
  background-image: url("images/tulip.gif");
  background-repeat: no-repeat;
  background-attachment: fixed;}
```

#### **Planting Guide**

#### Magnolia

Magnolia grandiflora, commonly known as the Southern magnolia or bull bay, is a tree of the family Magnoliaceae native to the southeastern United States, from coastal Virginia south to central Florida, and west to eastern Texas and Oklahoma. Reaching 27.5 m (Of 1) in height, it is a large striking evergreen tree with large dark green leaves and large white fragrant flowers. Widely cultivated around the world, over a hundred cultivars have been bred and marketed commercially. The timber is hard and heavy, and has been used commercially to make furniture, pallets, and veneer.

#### Ranunculus

Ranunculus asiaticus (Persian Buttercup) is a species of buttercup (Ranunculus) native to the eastern Mediterranean region in southwestern Asia, southeastern Europe (Crete, Karpathos and Rhodes), and northeastern Africa. It is a herbaceous perennial plant growing to 45 cm tall, with simple or branched stems. The basal leaves are three-lobed, with leaves higher on the stems more deeply divided; like the stems, they are downy or hairy. The flowers are 3-5 cm diameter, variably red to pink, yellow, or white, with one to several flowers on each stem.

12



### Achtergrond afbeelding

- > Standaard wordt de afbeelding links boven geplaatst, maar met de eigenschap background-position kan je deze ook een andere plaats geven. Deze krijgt de volgende waarden:
  - x% y% De horizontale en verticale positie in %.0% 0% is links bovenaan, 100% 100% is rechts onderaan.
  - xpos ypos De horizontaal en verticale positie in de CSS maateenheden (em, pt, px,...).
  - ➤ left | center | right top | center | bottom De horizontale plaats benaming en de verticale plaats benaming.
- ➤ Wordt de tweede waarde weggelaten, dan is deze 50% of center
- > %, positie of namen mogen gemengd worden.
- > Bij enkele browsers (Firefox en Opera) is het nodig deze waarde op fixed te zetten voordat background-position werkt.

13

### Web development CSS

#### Achtergrond afbeelding

```
body {
  background-image: url("images/tulip.gif");
  background-repeat: no-repeat;
  background-attachment: fixed;
  background-position: center top;}

body {
  background-image: url("images/tulip.gif");
  background-repeat: no-repeat;
  background-attachment: fixed;
  background-position: 50% 0%;}
```

#### Planting Guide

#### Magnolia

Magnolia grandfillora, commonly known su he Southerra magnolia or bull bay, is a tree of the family Magnoliaceae native to the southeastern United States, from coastal Virginia south to central Horida, and west to eastern Texas and Oklahoma. Reaching 275 m 90 ft) in height, it is a large striking evergeren tree with large dark green leaves and large white fragmant flowers. Wheley cultivated around the world, over a hundred cultivars have been bred and marketed commercially. The timber is hard and heavy, and has been used commercially to make furniture, palleds, and weneer.

#### Ranunculus

Ranunculus astaticus (Persian Buttercup) is a species of buttercup (Ranunculus) nature to the eastern Medierranean region in southwestern disa, southeastern Europe (Crete, Karpathos and Rhodes), and northeastern Africa. It is a herbaccous perennial plant growing to 45 cm tall, with simple or branched stems. The besal leaves are three-lobed, with leaves higher on the stems more deeply divided; like the stems, they are downy or hairy. The flowers are 3-5 cm diameter, variably red to pink, yellow, or white, with one to several flowers on each stem.

14



### Achtergrond

- ➤ Voor de achtergrond bestaat er ook een samengestelde eigenschap background. Deze bevat de waarden voor:
  - background-color
  - background-image
  - background-repeat
  - background-attachment
  - background-position

De waarden moeten niet allemaal aanwezig zijn.

15