Formularium

Formula	
Tags	Bijhorende attributen
	href
<a>>	target (_blank)
<abbr></abbr>	, , , , , , , , , , , , , , , , , , ,
<address></address>	
<article></article>	
>	
<blook </blook okquote>	cite
<body></body>	
<cite></cite>	
<code></code>	
<dd></dd>	
	
<dfn></dfn>	
<div></div>	
<dl></dl>	
<dt></dt>	
	
<fieldset></fieldset>	
<figcaption></figcaption>	
<figure></figure>	
<footer></footer>	
<100ter>	action
<form></form>	method (post, get)
<h1>-<h6></h6></h1>	method (post, get)
<head></head>	
<header></header>	
<hr/>	
<html></html>	
<i>>i></i>	
<1>	alt
	alt
	height
	src width
<input/>	alt
	checked
	height
	name
	maxlength
	required
	size
	STC
	type (button, checkbox, color,
	date, datetime, datetime-local,
	email, file, hidden, image, month,
	number, password, radio, range,
	reset, search, submit, tel, text,
	time. url. week)
	value
	width

T	Difference de la table de la
Tags	Bijhorende attributen
<ins></ins>	
<kbd></kbd>	
<label></label>	for
<legend></legend>	
< li>>	value
< 0l>	start
	type (A, a, I, i, 1)
<option></option>	selected
	value
<	cite
<\$>	
<samp></samp>	
<section></section>	
	name
<select></select>	multiple
	size
	
	
	border
	colspan
	rowspan
<textarea></td><td>cols</td></tr><tr><td>name</td></tr><tr><td>required</td></tr><tr><td>rows</td></tr><tr><td><tfoot></td><td></td></tr><tr><td rowspan=2>></td><td>colspan</td></tr><tr><td>rowspan</td></tr><tr><td><thead></td><td></td></tr><tr><td><title></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td>· M1/</td><td></td></tr></tbody></table></textarea>	

Globale attributen
class
id
title