

Problem Set 1 - second try Advanced Logic, Fall 2020

As I explained, I am making this available to allow for the possibility of a "do-over" if you are not satisfied with the answers you turned in for Problem Set 1 on Friday.

If you wish, you may turn solutions any of the following problems at any time before class on Tuesday September 13th. If you turn in a solution, it will replace whatever you may have turned in the first time around for the correspondingly numbered problem.

If you're turning in answers for this problem set, please help us keep track, by listing any cases where you want us to *keep* what you turned in first time around, and if possible, copy and paste the answer you want us to keep into the document containing your answers to these new problems.

1. (50%) Prove that for any sets A and B , $A \subseteq B$ if and only if $A \setminus B = \emptyset$.
 - (a) Assume that $A \subseteq B$ and show that $A \setminus B = \emptyset$.
 - i. Since $A \subseteq B$, for any element a in A , $a \in A$, $a \in B$.
 - ii. By the definition of \setminus , $a \in A \setminus B$ if and only if $a \in A$ and $a \notin B$.
 - iii. Therefore, if $a \in A \setminus B$, then $a \in A$ and $a \notin B$.
 - iv. Combining (i) and (iii), we reach that $a \in B$ and $a \notin B$, thus $a \neq a$. (contradiction)
 - v. By the definition of \emptyset , $\emptyset := \{x \mid x \neq x\}$
 - vi. and substitute x for a by (iv), $a \neq a$, therefore, we satisfied the definition of empty set
 - vii. for every element in $A \setminus B$, $a \in A \setminus B$, $a \in A$, $a \notin B$, $a \neq a$, $a \in \emptyset$ therefore, $A \setminus B \subseteq \emptyset$
 - viii. By definition of \emptyset , \emptyset is the subset of any set, Thus, $\emptyset \subseteq A \setminus B$
 - ix. Therefore, $A \setminus B = \emptyset$
 - (b) Assume that $A \setminus B = \emptyset$ and show that $A \subseteq B$.
 - i. Since $A \setminus B = \emptyset$, for any element a in $A \setminus B$, $a \in A \setminus B$, $a \in A$, $a \notin B$, $a \neq a$, $a \in \emptyset$
 - ii.
2. (30%) Prove that whenever R is a relation from A to B and S is a relation from B to C ,

- (a) If R and S are both surjective, then $S \circ R$ is surjective.
 - (b) If R and S are both injective, then $S \circ R$ is injective.
4. (10%) Let $A = \{a, b\}$ be a 2-membered set $B = \{c, d, e\}$ be a three-membered set. List all the functions from A to B (there are $9 = 3^2$) and all the functions from B to A (there are $8 = 2^3$). For each of these 17 functions, specify whether it is injective and whether it is surjective.
 5. (10%) Prove that where R is a relation from A to B and S and T are relations from B to C , $(S \cup T) \circ R = (S \circ R) \cup (T \circ R)$.
 6. (10%) Show that where R is a relation from A to B ,
- (a) R is surjective iff $\text{id}_B \subseteq R \circ R^{-1}$
 - (b) R is functional iff $R \circ R^{-1} \subseteq \text{id}_B$