G4

Execution Environment

Host name	mohammedjabir - localhost
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	
Device name	

Summary

ID	Test Suites/G4
Description	

Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	05-09-2024 18:45:53	End	05-09-2024 18:46:27
Elapsed	33.201s		

#	ID	Description	Status
1	Test Cases/Google		FAILED
2	Test Cases/Google1		FAILED

Google

Information

ID	Test Cases/Google
Description	
Tag	

Start	05-09-2024 18:46:09	End	05-09-2024 18:46:13
Elapsed	3.670s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Google

#	Description	Elapsed	Status
1	openBrowser("")	3.645s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
      at Google.run(Google:20)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
      at TempTestSuite1725542143799.run(TempTestSuite1725542143799.
groovy:35)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165:
8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1',
java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x0000000103302a80

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver 0x00000001032fb38c chromedriver + 4354956		
2	chromedriver 0x0000000102f18b0c chromedriver + 281356		
3	chromedriver 0x0000000102f4ce4c chromedriver + 495180		
4	chromedriver 0x0000000102f4c11c chromedriver + 491804		
5	chromedriver 0x0000000102f47688 chromedriver + 472712		
6	chromedriver 0x0000000102f4460c chromedriver + 460300		
7	chromedriver 0x0000000102f83a78 chromedriver + 719480		
8	chromedriver 0x0000000102f4feec chromedriver + 507628		
9	chromedriver 0x0000000102f508c4 chromedriver + 510148		
10	chromedriver 0x00000001032ca43c chromedriver + 4154428		
11	chromedriver 0x00000001032ceea0 chromedriver + 4173472		
12	chromedriver 0x00000001032afff8 chromedriver + 4046840		
13	chromedriver 0x00000001032cf78c chromedriver + 4175756		
14	chromedriver 0x00000001032a2fb8 chromedriver + 3993528		
15	chromedriver 0x00000001032ed21c chromedriver + 4297244		
16	chromedriver 0x00000001032ed398 chromedriver + 4297624		
17	chromedriver 0x00000001032faf84 chromedriver + 4353924		
18	libsystem_pthread.dylib 0x0000000186032f94 _pthread_start + 136		
19	libsystem_pthread.dylib 0x000000018602dd34 thread_start + 8		

       at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
       at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
       at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
       at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
       at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
       at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
       at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
       at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
       at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
       at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
       at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
       at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
       at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
       at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
       at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
       at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
       at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
       at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
       at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status
	OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at Script1725474593644.run(Script1725474593644.groovy:20) ... 18 more)		

Google1

Information

ID	Test Cases/Google1		
Description			
Tag			
Start	05-09-2024 18:46:23	End	05-09-2024 18:46:27
Elapsed	3.090s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Google1

#	Description	Elapsed	Status
1	openBrowser("")	3.059s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)
    at Google.run(Google:20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
    at TempTestSuite1725542143799.run(TempTestSuite1725542143799. groovy:35)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165: 8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1', java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x0000000100fe6a80

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver 0x0000000100fdf38c chromedriver + 4354956		
2	chromedriver 0x0000000100bfcb0c chromedriver + 281356		
3	chromedriver 0x0000000100c30e4c chromedriver + 495180		
4	chromedriver 0x0000000100c3011c chromedriver + 491804		
5	chromedriver 0x0000000100c2b688 chromedriver + 472712		
6	chromedriver 0x0000000100c2860c chromedriver + 460300		
7	chromedriver 0x0000000100c67a78 chromedriver + 719480		
8	chromedriver 0x0000000100c33eec chromedriver + 507628		
9	chromedriver 0x0000000100c348c4 chromedriver + 510148		
10	chromedriver 0x0000000100fae43c chromedriver + 4154428		
11	chromedriver 0x0000000100fb2ea0 chromedriver + 4173472		
12	chromedriver 0x0000000100f93ff8 chromedriver + 4046840		
13	chromedriver 0x0000000100fb378c chromedriver + 4175756		
14	chromedriver 0x0000000100f86fb8 chromedriver + 3993528		
15	chromedriver 0x0000000100fd121c chromedriver + 4297244		
16	chromedriver 0x0000000100fd1398 chromedriver + 4297624		
17	chromedriver 0x0000000100fdef84 chromedriver + 4353924		
18	libsystem_pthread.dylib 0x0000000186032f94 _pthread_start + 136		
19	libsystem_pthread.dylib 0x000000018602dd34 thread_start + 8		

        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
        at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
        at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
        at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
        at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
        at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
        at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
        at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status
	OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at Script1725474593644.run(Script1725474593644.groovy:20) ... 18 more)		