G2

Execution Environment

Host name	mohammedjabir - localhost
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	
Device name	

Summary

ID	Test Suites/G2		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	05-09-2024 11:40:53	End	05-09-2024 11:41:02
Elapsed	9.543s		

#	ID	Description	Status
1	Test Cases/Google		FAILED
2	Test Cases/Google4		FAILED

Google

Information

ID
Test Cases/Google

Description

Tag

Start
05-09-2024 11:40:57

End
05-09-2024 11:40:58

Elapsed
1.106s

Status
FAILED

Details

#	Description	Elapsed	Status

Google

#	Description	Elapsed	Status
1	openBrowser("")	1.097s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
     at Google.run(Google:20)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
     at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
     at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
     at TempTestSuite1725516651674.run(TempTestSuite1725516651674.
groovy:35)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:281d:9d85:
d1d1:9dca:3770%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1',
java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x00000001033d2a80

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver	0x00000001033cb38c chromedriver + 4354956	
2	chromedriver	0x0000000102fe8b0c chromedriver + 281356	
3	chromedriver	0x000000010301ce4c chromedriver + 495180	
4	chromedriver	0x000000010301c11c chromedriver + 491804	
5	chromedriver	0x0000000103017688 chromedriver + 472712	
6	chromedriver	0x000000010301460c chromedriver + 460300	
7	chromedriver	0x0000000103053a78 chromedriver + 719480	
8	chromedriver	0x000000010301feec chromedriver + 507628	
9	chromedriver	0x00000001030208c4 chromedriver + 510148	
10	chromedriver	0x000000010339a43c chromedriver + 4154428	
11	chromedriver	0x000000010339eea0 chromedriver + 4173472	
12	chromedriver	0x000000010337fff8 chromedriver + 4046840	
13	chromedriver	0x000000010339f78c chromedriver + 4175756	
14	chromedriver	0x0000000103372fb8 chromedriver + 3993528	
15	chromedriver	0x00000001033bd21c chromedriver + 4297244	
16	chromedriver	0x00000001033bd398 chromedriver + 4297624	
17	chromedriver	0x00000001033caf84 chromedriver + 4353924	
18	libsystem_pthread.dylib	0x0000000186032f94 _pthread_start + 136	
19	libsystem_pthread.dylib	0x000000018602dd34 thread_start + 8	

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status
	OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74)		
	at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)		
	at Script1725474593644.run(Script1725474593644.groovy:20)		
	... 18 more		
	)		

Google4

Information

ID   Test Cases/Google4

Description

Tag

Start   05-09-2024 11:41:01   End   05-09-2024 11:41:02

Elapsed   1.065s

Status   FAILED

Details

#	Description	Elapsed	Status

Google4

#	Description	Elapsed	Status
1	openBrowser("")	1.059s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
     at Google.run(Google:20)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
     at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
     at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
     at TempTestSuite1725516651674.run(TempTestSuite1725516651674.
groovy:35)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:281d:9d85:
d1d1:9dca:3770%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1',
java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x0000000101222a80

Google4

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver 0x000000010121b38c chromedriver + 4354956		
2	chromedriver 0x0000000100e38b0c chromedriver + 281356		
3	chromedriver 0x0000000100e6ce4c chromedriver + 495180		
4	chromedriver 0x0000000100e6c11c chromedriver + 491804		
5	chromedriver 0x0000000100e67688 chromedriver + 472712		
6	chromedriver 0x0000000100e6460c chromedriver + 460300		
7	chromedriver 0x0000000100ea3a78 chromedriver + 719480		
8	chromedriver 0x0000000100e6feec chromedriver + 507628		
9	chromedriver 0x0000000100e708c4 chromedriver + 510148		
10	chromedriver 0x00000001011ea43c chromedriver + 4154428		
11	chromedriver 0x00000001011eeea0 chromedriver + 4173472		
12	chromedriver 0x00000001011cfff8 chromedriver + 4046840		
13	chromedriver 0x00000001011ef78c chromedriver + 4175756		
14	chromedriver 0x00000001011c2fb8 chromedriver + 3993528		
15	chromedriver 0x000000010120d21c chromedriver + 4297244		
16	chromedriver 0x000000010120d398 chromedriver + 4297624		
17	chromedriver 0x000000010121af84 chromedriver + 4353924		
18	libsystem_pthread.dylib 0x0000000186032f94 _pthread_start + 136		
19	libsystem_pthread.dylib 0x000000018602dd34 thread_start + 8		

           at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
           at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
           at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
           at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
           at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
           at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
           at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
           at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
           at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
           at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
           at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
           at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
           at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
           at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
           at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
           at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
           at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
           at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
           at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
           at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
           at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status
	OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at Script1725474593644.run(Script1725474593644.groovy:20) ... 18 more)		