Execution Environment

Host name mohammedjabir - localhost

Local OS Mac OS X 64bit Katalon version 10.0.0.223

Browser

Device name

Summary

ID Test Suites/Test

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 18-12-2024 20:42:47 End 18-12-2024 20:42:53

Elapsed 5.925s

#	ID	Description	Status
1	Test Cases/Test1		FAILED

Information

ID Test Cases/Test1

Description

Tag

Start 18-12-2024 20:42:52 End 18-12-2024 20:42:53

Elapsed 0.851s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Stat
openBrowser("")	0.838s	FAIL
Hundrig to once hypercon with well !! (Doct covers constitute location covers covers in		
Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: "		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUlKeywordMain.groovy:117)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:43)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:82)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
execute(OpenBrowserKeyword.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
openBrowser(WebUiBuiltInKeywords.groovy:62)		
at Test1.run(Test1:10)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:161)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:107)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:176)		
at TempTestSuite1734534766146.run(TempTestSuite1734534766146.		
groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a		
new session. Response code 500. Message: session not created: This version of		
ChromeDriver only supports Chrome version 126		
Current browser version is 131.0.6778.140 with binary path /Applications/Google		
Chrome.app/Contents/MacOS/Google Chrome		
Host info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:18cd:898e:		
3a8b:51b0:6c93%en0'		
Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.7.1', java.		
version: '17.0.7'		

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Command: [null, newSession {capabilities=[Capabilities {browserName: chrome,
goog:chromeOptions: {args: [], binary: /Applications/Google Chrome..., extensions:
[]}, unhandledPromptBehavior: ignore, webSocketUrl: true}]}]
          at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:162)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.
invokeExecute(DriverCommandExecutor.java:216)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:174)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:518)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:232)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:161)
         at org.openga.selenium.chromium.ChromiumDriver.<init>
(ChromiumDriver.java:114)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
88)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
83)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
72)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
         at com.kms.katalon.core.webui.driver.chrome.ChromeDriverBuilder.
createDriver(ChromeDriverBuilder.java:41)
         at com.kms.katalon.core.webui.driver.AbstractDriverBuilder.build
(AbstractDriverBuilder.java:39)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:251)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:161)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:35)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:82)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:68)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:62)
         at Script1720631651483.run(Script1720631651483.groovy:10)
         ... 18 more
```