G1

Execution Environment

Host name	mohammedjabir - localhost
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	
Device name	

Summary

ID	Test Suites/G1		
Description			
Total	5		
Passed	0	Failed	5
Error	0	Incomplete	0
Skipped	0		
Start	05-09-2024 18:45:53	End	05-09-2024 18:46:45
Elapsed	51.250s		

#	ID	Description	Status
1	Test Cases/Google		FAILED
2	Test Cases/Google1		FAILED
3	Test Cases/Google4		FAILED
4	Test Cases/Google3		FAILED
5	Test Cases/Google2		FAILED

Google

Information

ID	Test Cases/Google		
Description			
Tag			
Start	05-09-2024 18:46:09	End	05-09-2024 18:46:13
Elapsed	3.785s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Google

#	Description	Elapsed	Status
1	openBrowser("")	3.757s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
 at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
 at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
 at Google.run(Google:20)
 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
 at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
 at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
 at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
 at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
 at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
 at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
 at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
 at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
 at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
 at TempTestSuite1725542145999.run(TempTestSuite1725542145999.
groovy:35)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165:
8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1',
java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x00000001029eaa80

Google

#	Description		Elapsed	Status
	chromedriver + 4385408			
1	chromedriver	0x00000001029e338c chromedriver + 4354956		
2	chromedriver	0x0000000102600b0c chromedriver + 281356		
3	chromedriver	0x0000000102634e4c chromedriver + 495180		
4	chromedriver	0x000000010263411c chromedriver + 491804		
5	chromedriver	0x000000010262f688 chromedriver + 472712		
6	chromedriver	0x000000010262c60c chromedriver + 460300		
7	chromedriver	0x000000010266ba78 chromedriver + 719480		
8	chromedriver	0x0000000102637eec chromedriver + 507628		
9	chromedriver	0x00000001026388c4 chromedriver + 510148		
10	chromedriver	0x00000001029b243c chromedriver + 4154428		
11	chromedriver	0x00000001029b6ea0 chromedriver + 4173472		
12	chromedriver	0x0000000102997ff8 chromedriver + 4046840		
13	chromedriver	0x00000001029b778c chromedriver + 4175756		
14	chromedriver	0x000000010298afb8 chromedriver + 3993528		
15	chromedriver	0x00000001029d521c chromedriver + 4297244		
16	chromedriver	0x00000001029d5398 chromedriver + 4297624		
17	chromedriver	0x00000001029e2f84 chromedriver + 4353924		
18	libsystem_pthread.dylib	0x0000000186032f94 _pthread_start + 136		
19	libsystem_pthread.dylib	0x000000018602dd34 thread_start + 8		

        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
        at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
        at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
        at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
        at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
        at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
        at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
        at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status

OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
         at Script1725474593644.run(Script1725474593644.groovy:20)
         ... 18 more
)

Google1

Information

ID	Test Cases/Google1		
Description			
Tag			
Start	05-09-2024 18:46:23	End	05-09-2024 18:46:27
Elapsed	4.098s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Google1

#	Description	Elapsed	Status
1	openBrowser("")	4.079s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
        at Google.run(Google:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
        at TempTestSuite1725542145999.run(TempTestSuite1725542145999.
groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165:
8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1',
java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x0000000102d3ea80

#	Description		Elapsed	Status
	chromedriver + 4385408			
1	chromedriver	0x0000000102d3738c chromedriver + 4354956		
2	chromedriver	0x0000000102954b0c chromedriver + 281356		
3	chromedriver	0x0000000102988e4c chromedriver + 495180		
4	chromedriver	0x000000010298811c chromedriver + 491804		
5	chromedriver	0x0000000102983688 chromedriver + 472712		
6	chromedriver	0x000000010298060c chromedriver + 460300		
7	chromedriver	0x00000001029bfa78 chromedriver + 719480		
8	chromedriver	0x000000010298beec chromedriver + 507628		
9	chromedriver	0x000000010298c8c4 chromedriver + 510148		
10	chromedriver	0x0000000102d0643c chromedriver + 4154428		
11	chromedriver	0x0000000102d0aea0 chromedriver + 4173472		
12	chromedriver	0x0000000102cebff8 chromedriver + 4046840		
13	chromedriver	0x0000000102d0b78c chromedriver + 4175756		
14	chromedriver	0x0000000102cdefb8 chromedriver + 3993528		
15	chromedriver	0x0000000102d2921c chromedriver + 4297244		
16	chromedriver	0x0000000102d29398 chromedriver + 4297624		
17	chromedriver	0x0000000102d36f84 chromedriver + 4353924		
18	libsystem_pthread.dylib	0x0000000186032f94 _pthread_start + 136		
19	libsystem_pthread.dylib	0x000000018602dd34 thread_start + 8		

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status

OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
		at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
		at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
		at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
		at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
		at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
		at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
		at Script1725474593644.run(Script1725474593644.groovy:20)
		... 18 more
)

Google4

Information

ID   Test Cases/Google4

Description

Tag

Start   05-09-2024 18:46:34   End   05-09-2024 18:46:36

Elapsed   1.391s

Status   FAILED

Details

#	Description	Elapsed	Status

Google4

#	Description	Elapsed	Status
1	openBrowser("")	1.383s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
    at Google.run(Google:20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
    at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
    at TempTestSuite1725542145999.run(TempTestSuite1725542145999.
groovy:35)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165:
8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1',
java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x00000001008dea80

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver 0x00000001008d738c chromedriver + 4354956		
2	chromedriver 0x00000001004f4b0c chromedriver + 281356		
3	chromedriver 0x0000000100528e4c chromedriver + 495180		
4	chromedriver 0x000000010052811c chromedriver + 491804		
5	chromedriver 0x0000000100523688 chromedriver + 472712		
6	chromedriver 0x000000010052060c chromedriver + 460300		
7	chromedriver 0x000000010055fa78 chromedriver + 719480		
8	chromedriver 0x0000000100052beec chromedriver + 507628		
9	chromedriver 0x000000010052c8c4 chromedriver + 510148		
10	chromedriver 0x00000001008a643c chromedriver + 4154428		
11	chromedriver 0x00000001008aaea0 chromedriver + 4173472		
12	chromedriver 0x000000010088bff8 chromedriver + 4046840		
13	chromedriver 0x00000001008ab78c chromedriver + 4175756		
14	chromedriver 0x000000010087efb8 chromedriver + 3993528		
15	chromedriver 0x00000001008c921c chromedriver + 4297244		
16	chromedriver 0x00000001008c9398 chromedriver + 4297624		
17	chromedriver 0x00000001008d6f84 chromedriver + 4353924		
18	libsystem_pthread.dylib 0x0000000186032f94 _pthread_start + 136		
19	libsystem_pthread.dylib 0x000000018602dd34 thread_start + 8		

         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
         at com.kms.katalon.core.webui.keyword.builtin.

Google4

OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
    at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
    at Script1725474593644.run(Script1725474593644.groovy:20)
    ... 18 more
)

Google3

Information

ID	Test Cases/Google3		
Description			
Tag			
Start	05-09-2024 18:46:39	End	05-09-2024 18:46:40
Elapsed	1.073s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Google3

#	Description	Elapsed	Status
1	openBrowser("")	1.068s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
        at Google.run(Google:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
        at TempTestSuite1725542145999.run(TempTestSuite1725542145999.
groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165:
8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1',
java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x000000010532aa80

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver 0x000000010532338c chromedriver + 4354956		
2	chromedriver 0x0000000104f40b0c chromedriver + 281356		
3	chromedriver 0x0000000104f74e4c chromedriver + 495180		
4	chromedriver 0x0000000104f7411c chromedriver + 491804		
5	chromedriver 0x0000000104f6f688 chromedriver + 472712		
6	chromedriver 0x0000000104f6c60c chromedriver + 460300		
7	chromedriver 0x0000000104faba78 chromedriver + 719480		
8	chromedriver 0x0000000104f77eec chromedriver + 507628		
9	chromedriver 0x0000000104f788c4 chromedriver + 510148		
10	chromedriver 0x00000001052f243c chromedriver + 4154428		
11	chromedriver 0x00000001052f6ea0 chromedriver + 4173472		
12	chromedriver 0x00000001052d7ff8 chromedriver + 4046840		
13	chromedriver 0x00000001052f778c chromedriver + 4175756		
14	chromedriver 0x00000001052cafb8 chromedriver + 3993528		
15	chromedriver 0x000000010531521c chromedriver + 4297244		
16	chromedriver 0x0000000105315398 chromedriver + 4297624		
17	chromedriver 0x0000000105322f84 chromedriver + 4353924		
18	libsystem_pthread.dylib 0x0000000186032f94 _pthread_start + 136		
19	libsystem_pthread.dylib 0x000000018602dd34 thread_start + 8		

           at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
           at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
           at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
           at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
           at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
           at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
           at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
           at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
           at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
           at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
           at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
           at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
           at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
           at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
           at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
           at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
           at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
           at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
           at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
           at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
           at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status
	OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at Script1725474593644.run(Script1725474593644.groovy:20) ... 18 more)		

Google2

Information

ID   Test Cases/Google2

Description

Tag

Start   05-09-2024 18:46:43   End   05-09-2024 18:46:45

Elapsed   1.086s

Status   FAILED

Details

#	Description	Elapsed	Status

Google2

#	Description	Elapsed	Status
1	openBrowser("")	1.081s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
      at Google.run(Google:20)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
      at TempTestSuite1725542145999.run(TempTestSuite1725542145999.
groovy:35)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 126
Current browser version is 128.0.6613.119 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165:
8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1',
java.version: '17.0.7'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x0000000104852a80

#	Description	Elapsed	Status

chromedriver + 4385408
1 chromedriver   0x000000010484b38c chromedriver + 4354956
2 chromedriver   0x0000000104468b0c chromedriver + 281356
3 chromedriver   0x000000010449ce4c chromedriver + 495180
4 chromedriver   0x000000010449c11c chromedriver + 491804
5 chromedriver   0x0000000104497688 chromedriver + 472712
6 chromedriver   0x000000010449460c chromedriver + 460300
7 chromedriver   0x00000001044d3a78 chromedriver + 719480
8 chromedriver   0x000000010449feec chromedriver + 507628
9 chromedriver   0x00000001044a08c4 chromedriver + 510148
10 chromedriver   0x000000010481a43c chromedriver + 4154428
11 chromedriver   0x000000010481eea0 chromedriver + 4173472
12 chromedriver   0x00000001047ffff8 chromedriver + 4046840
13 chromedriver   0x000000010481f78c chromedriver + 4175756
14 chromedriver   0x00000001047f2fb8 chromedriver + 3993528
15 chromedriver   0x000000010483d21c chromedriver + 4297244
16 chromedriver   0x000000010483d398 chromedriver + 4297624
17 chromedriver   0x000000010484af84 chromedriver + 4353924
18 libsystem_pthread.dylib   0x0000000186032f94 _pthread_start + 136
19 libsystem_pthread.dylib   0x000000018602dd34 thread_start + 8

        at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance
(Unknown Source)
        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
        at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
        at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
        at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
        at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
        at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:449)
        at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:382)
        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:271)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
at Script1725474593644.run(Script1725474593644.groovy:20)
... 18 more
)