

Execution Environment

Host name	mohammedjabir - localhost
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	
Device name	

Summary

ID	Test Suites/G4		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	11-09-2024 12:59:46	End	11-09-2024 13:00:13
Elapsed	27.531s		

#	ID	Description	Status
1	Test Cases/Google		FAILED
2	Test Cases/Google1		FAILED

Google

Information

ID	Test Cases/Google		
Description			
Tag			
Start	11-09-2024 13:00:01	End	11-09-2024 13:00:04
Elapsed	2.658s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64) at Google.run(Google:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1726034376808.run(TempTestSuite1726034376808.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 126 Current browser version is 128.0.6613.137 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'Mohammeds-MacBook-Air.local', ip: 'fe80:0:0:0:8f3:6484:ff75:9518%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1', java.version: '17.0.7' Driver info: driver.version: CChromeDriver remote stacktrace: 0 chromedriver 0x000000010333ea80</p>	2.643s	FAILED

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver 0x000000010333738c chromedriver + 4354956		
2	chromedriver 0x0000000102f54b0c chromedriver + 281356		
3	chromedriver 0x0000000102f88e4c chromedriver + 495180		
4	chromedriver 0x0000000102f8811c chromedriver + 491804		
5	chromedriver 0x0000000102f83688 chromedriver + 472712		
6	chromedriver 0x0000000102f8060c chromedriver + 460300		
7	chromedriver 0x0000000102fbfa78 chromedriver + 719480		
8	chromedriver 0x0000000102f8beec chromedriver + 507628		
9	chromedriver 0x0000000102f8c8c4 chromedriver + 510148		
10	chromedriver 0x000000010330643c chromedriver + 4154428		
11	chromedriver 0x000000010330aea0 chromedriver + 4173472		
12	chromedriver 0x00000001032ebff8 chromedriver + 4046840		
13	chromedriver 0x000000010330b78c chromedriver + 4175756		
14	chromedriver 0x00000001032defb8 chromedriver + 3993528		
15	chromedriver 0x000000010332921c chromedriver + 4297244		
16	chromedriver 0x0000000103329398 chromedriver + 4297624		
17	chromedriver 0x0000000103336f84 chromedriver + 4353924		
18	libsystem_pthread.dylib 0x0000000186032f94 _pthread_start + 136		
19	libsystem_pthread.dylib 0x000000018602dd34 thread_start + 8		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createHeadlessChromeDriver(DriverFactory.java:523) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:406) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:271) at com.kms.katalon.core.webui.keyword.builtin.		

#	Description	Elapsed	Status
	OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at Script1725474593644.run(Script1725474593644.groovy:20) ... 18 more)		

Google1

Information

ID	Test Cases/Google1		
Description			
Tag			
Start	11-09-2024 13:00:11	End	11-09-2024 13:00:13
Elapsed	2.104s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Google1

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)</p> <p>at Google1.run(Google1:20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1726034376808.run(TempTestSuite1726034376808.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 126</p> <p>Current browser version is 128.0.6613.137 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p> <p>System info: host: 'Mohammeds-MacBook-Air.local', ip: 'fe80:0:0:0:8f3:6484:ff75:9518%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1', java.version: '17.0.7'</p> <p>Driver info: driver.version: CChromeDriver</p> <p>remote stacktrace: 0 chromedriver 0x0000000102fa6a80</p>	2.088s	FAILED

Google1

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver	0x0000000102f9f38c chromedriver + 4354956	
2	chromedriver	0x0000000102bbcb0c chromedriver + 281356	
3	chromedriver	0x0000000102bf0e4c chromedriver + 495180	
4	chromedriver	0x0000000102bf011c chromedriver + 491804	
5	chromedriver	0x0000000102beb688 chromedriver + 472712	
6	chromedriver	0x0000000102be860c chromedriver + 460300	
7	chromedriver	0x0000000102c27a78 chromedriver + 719480	
8	chromedriver	0x0000000102bf3eec chromedriver + 507628	
9	chromedriver	0x0000000102bf48c4 chromedriver + 510148	
10	chromedriver	0x0000000102f6e43c chromedriver + 4154428	
11	chromedriver	0x0000000102f72ea0 chromedriver + 4173472	
12	chromedriver	0x0000000102f53ff8 chromedriver + 4046840	
13	chromedriver	0x0000000102f7378c chromedriver + 4175756	
14	chromedriver	0x0000000102f46fb8 chromedriver + 3993528	
15	chromedriver	0x0000000102f9121c chromedriver + 4297244	
16	chromedriver	0x0000000102f91398 chromedriver + 4297624	
17	chromedriver	0x0000000102f9ef84 chromedriver + 4353924	
18	libsystem_pthread.dylib	0x0000000186032f94 _pthread_start + 136	
19	libsystem_pthread.dylib	0x000000018602dd34 thread_start + 8	
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createHeadlessChromeDriver(DriverFactory.java:523) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:406) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:271) at com.kms.katalon.core.webui.keyword.builtin.		

#	Description	Elapsed	Status
	OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at Script1725474610448.run(Script1725474610448.groovy:20) ... 18 more)		